

2024 PRICE LIST

Price list Sweden – SEK

arper

Portfolio by Space & Function

We are a fast-growing company founded in 1989. We have grown from a furniture manufacturing business, to an international design presence, dramatically increasing our product offer across multiple product typologies.

Our design principles lead us in creating highly versatile products that spontaneously adapt to a multiplicity of contexts, styles and uses that are difficult to fit into a specific pre-established category.

Supporting you to easily navigate the totality of Arper's portfolio, with its multiple configuration options, we created the "Portfolio by Space & Function" tool. It aims at illustrating our product offering segmented by typical space situations, and correlated needs.

The Spaces & Functions we identified and illustrated are:

- — Lounge – Waiting Area
- — Break Out Area
- — Bar & Cafeteria
- — Restaurant
- — Meeting Room
- — Executive Offices
- — Workplace
- — Learning, Training & Conferencing
- — Outdoor
- — Stackable Guest chair

Please note in the tool we segmented our standard product offer. Should you have customization requests, please contact our Sales Dept. The "Portfolio by Space & Function" tool is available at the following links:

https://arper.com/media/assets/PDF/Space_and_Function_Portfolio_Eng.pdf



Introduction to Arper Price List

Arper Price List is a complete and comprehensive tool, including all relevant information to formulate an order. Please find below some instructions to simplify the consultation.

- 1 Product description and materials with which it is made; information on stacking characteristics (where possible) and related matching accessories (the complete list can be found on the last pages of each specific collection).
As far as sofas and upholstered items in general are concerned, seat height indicated in the price list refers to the maximum height measured in the seat center.
- 2 Prices matrix: for each article code number, the prices exclusive of VAT are shown, according to the 14 classes of upholstery available.
- 3 Technical information related to:
shipping: number of packages, weight and volume
product: fabric length / leather needed for the realization of the product with upholstery outside the price list (COM and COL)
resistance and fire retardancy testing to which the product has been subjected and validated (only available for upholstery within the Carded In programme).
- 4 Finishes available for base and shell; detailed images of elements that can be configured on the product (e.g. armrests).
- 5 Technical and environmental product certifications available.

Currency

Prices are indicated in Sweden Krone (SEK).
All prices are unit prices without VAT (excluding VAT).

in writing to Arper, citing the specifications of the fire-retardant norm with which the articles must comply.

Dimensions

The dimensions of all articles are given in centimetres (cm).

Quantity

The number of pieces per box is stated in the description of the selected item – any quantity other than that specified is not permitted.

It is not possible to combine articles of different colours and/or materials and/or structure finishes inside the same box.

Volume

The stated volume refers to the space occupied by the box(es) necessary for the selected item. It is therefore recommended that an increase of approximately 10-15% should be applied to the total volume to allow for gaps which naturally occur between cartons whilst loading.

The company reserves the right to make modifications and improvements of a technical or aesthetic nature to the product without warning.

Fire-retardancy

Arper products can be supplied treated for fire-retardancy. However, since the regulations vary from one place to another, we advise you to check up on the local regulations. Any requests for fire-retardant treatment must be sent

Abbreviations



Disassembled



Fire-retardancy




Outdoor

Consultation Guidelines

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg frame, available in chromed or powdercoated steel, or brushed stainless steel versions. The shell is available in single-colour polypropylene, bi-colour polypropylene or upholstered in hard leather grade 1 (CT) or hard leather grade 2 (CU). Versions with polypropylene shell and powdercoated or brushed base can be used outdoor. Steel armrests, also with pad, are available upon request.

Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
 - With trolley: up to 20 pcs.
 - CT/CU versions: max. 5 pcs. With stacking pad.
- VERSION WITH ARMRESTS STACKABILITY**
- Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessories:

- Link Art. 0258
- Stacking protection pad with link Art. 0260
- Cushion Art. 0261
- Stacking protection pad Art. 0262
- Basket Art. 0265
- Trolley Art. 0760
- Set of glides Art. 2015
- Movable link Art. 2073

1

2

| ART. 0251 | CT | CU | PO bi-color | PO single-color |
|--|------|----|-------------|-----------------|
| CHROMED / POWDERCOATED | XX | XX | XX | XX |
| BRUSHED STAINLESS STEEL | XX | XX | XX | XX |
| Armrests BV | + XX | | | |
| Armrests BV brushed stainless steel | + XX | | | |
| Armrests CV - pad (only for PO) | + XX | | | |
| Hole on shell to allow water drainage (only for PO) | + XX | | | |
| Polypropylene fire retardant (only for PO) | + XX | | | |
| (For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs) | | | | |

3

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art.0251 1 pz = 2 - kg 7,9/ m² 0,25 4 pz = 2 - kg 28/ m² 0,32 | Art.0251 Outdoor: only for PO+S03, V12, V13, V39, V48, V53, V54, V55, V56, V57 | <ul style="list-style-type: none"> • EN 1728:2000 - EN 15373:2007 6.10 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2012 - EN 16139:2013 6.16 • ANSI/BIFMA X5.1-2002/16 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1728:2012 - EN 16139:2013 6.18 • UNI 9083/87 <ul style="list-style-type: none"> • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2012 - EN 16139:2013 6.15 • ANSI/BIFMA X5.1-2002/11 • ANSI/BIFMA X5.1-2002/6 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6.17 • TUV GS (EN16139) |
| FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU | | |

4

Frame Base



5



General Terms and Conditions of Sale

1 Application of these General Sales Conditions

The present General Terms and Conditions of Sale (GTCs) shall apply to any supply of goods by ARPER, including goods made by using components provided by the customer (COM/COL customized supplies).

These GTCs shall prevail on any ARPER customer's ("Purchaser") general terms and conditions of purchase. Any possible amendment to these GTCs shall be made in writing.

2 Finalization of Supply

Offers and promises made by any ARPER's agent or sales representative shall not be binding upon ARPER unless ARPER issues a written confirmation.

Supplies agreed with the clause "subject to availability" or similar shall be conditional upon confirmation by ARPER that the goods concerned are actually available.

Tests on components provided by the Purchaser shall not, per se, constitute acceptance of the order.

Orders placed by Purchaser shall be considered as firm after 3 (three) days from receipt, and are subject to written order confirmation by ARPER. If such confirmation is not received, this means that the order has been refused, unless ARPER has indicated its acceptance in some other way.

Should the terms & conditions in a Purchaser's order diverge from those set forth in ARPER's relevant order confirmation, the latter shall prevail (a) where said divergence is not material and Purchaser does not promptly object; (b) in any case, where Purchaser de facto starts performing its contractual obligations.

3 Delivery

Delivery shall be governed by the ICC INCOTERMS in force at the time of order confirmation.

Scheduled dates shall refer to shipment irrespective of the delivery term utilized, and shall serve as an indication only. Purchaser shall be entitled to terminate the contract failing shipment within 20 working days from relevant scheduled date. ARPER is not however liable for the payment of any damages for delayed delivery.

If the Purchaser does not take delivery on the agreed date, ARPER shall have the right to terminate the contract, to keep the goods available to the Purchaser and charge storage costs, or to arrange for its own carrier to transport the goods to the Purchaser's premises at the expense and risk of the latter.

ARPER goods are delivered suitably packed and may be delivered disassembled. Disposal of the packaging shall be the responsibility of the Purchaser.

4 Prices

The price of the goods is that indicated in the ARPER price lists in force at the time the order is placed and is net of duties, taxes, transport, assembly or similar costs.

5 Payment

Unless otherwise agreed, payment shall be made directly to ARPER, together with the purchase order.

In the event of late or non-payment, ARPER may terminate the contract by written communication to that effect. Interest for late payment will be charged at the ECB reference rate plus 12 points.

Until full payment has been made, the goods remain the property of ARPER, which has the right to take them back. Unless otherwise legally ruled, the reservation of title extends to the proceeds of any resale of the goods to third parties.

6 Non-conformity

ARPER goods are made in conformity with EU standards; any other requirements must be agreed in writing. Descriptions of goods in ARPER catalogues or other illustrative publications are given as an approximate indication and any divergences may not be considered as non-conformity. Conformity to a sample, if specified, must take into account the tolerances inherent in the use of natural materials (such as hide, leather, wool, wood, etc.) which do not give uniform results.

Save what provided under section 7 below (warranty), Purchaser loses the right to rely on a lack of conformity of the goods if he does not give written notice to ARPER — specifying the nature of alleged lack of conformity and providing ARPER with pictures of satisfying details and evidence of reservations, if any, made upon taking delivery — within eight days after he has discovered it or ought to have discovered it and, in any event, within two months from the date on which the goods were actually handed over to Purchaser. ARPER shall repair or replace free of charge any non-conforming goods; ARPER shall bear no further liability whatsoever. Neither return of goods, nor price reduction is allowed unless authorized in writing by ARPER.

General Terms and Conditions of Sale

7 Warranty

Subject to the provisions therein, ARPER shall guarantee that their goods will maintain their characteristics for a period of five years (reduced to two for electric/electronic components) from the date of delivery as per section 3 above,

Any extension of this guarantee period shall be against a surcharge, to be agreed between the parties.

The present warranty shall not apply to:

- any component supplied by Purchaser, or by a third party upon Purchaser's request;
- goods whose price is not fully paid.

The present warranty shall not apply to alterations caused by:

- normal wear and tear;
- imperfections, changes, and normal tolerances of natural materials and fibres (covers loss of elasticity included);
- assembling, utilization, or maintenance not conforming to indications as per relevant Products Sheet (e.g. stacking without proper stacking pad);
- abnormal, not previously agreed upon utilization (e.g. in unusual environmental conditions, or task chairs utilized more than 8 hours/day for 220 days a year);
- user's reckless behavior (e.g. scratches, or coloring due to user's clothes such as blue denim, or metal studs).

A request for warranty intervention is to be filed in accordance with the procedure set by ARPER, and ARPER is to be granted access to any claimed goods.

In all cases where the present guarantee applies, ARPER shall at its option either:

(i) replace the guaranteed goods. Should the goods be guaranteed for more than two years, Purchaser shall pay a contribution of 40%, 60%, or 80% of their original purchase price, if intervention is requested respectively in the 3rd, 4th, or 5th year; or

(ii) (ii) to pay Purchaser a compensation equal to the purchase price. Should the goods be guaranteed for more than two years, said compensation shall be reduced to 60%, 40%, and 20% of their purchase price, if intervention is requested respectively in the 3rd, 4th, or 5th year.

ARPER shall bear no further liability. Purchaser shall waive any right of redress against ARPER deriving from Purchaser's liability towards a consumer.

8 Manufacturer's liability

The Purchaser is obliged to inform their customers and other individuals further down the goods distribution chain of the usage characteristics of these goods in order to minimize the risk of improper use which might expose ARPER to claims under manufacturer's liability. Failing this, the Purchaser shall exonerate ARPER from any liability.

9 ARPER's intellectual and industrial property rights

Any of ARPER's production and/or commercial technology, whether patented or not, which is not in the public domain and which comes to the knowledge of the Purchaser shall be treated by the latter as confidential and shall not be used or divulged in any way without written permission from ARPER. The Purchaser is required not to register or use distinctive marks that are similar or identical to those used by ARPER.

10 Disputes and applicable rules

DISPUTES. Any disputes relating to either this GTCs, and any transactions governed by it shall the same be finally settled in compliance with the QUADRAADR Rules (www.adrquadra.com). Notwithstanding the above, ARPER shall be entitled to address either the Treviso court, or the competent court in the Purchaser's jurisdiction in order to obtain an ex parte payment order in respect of any unpaid supplied goods.

RULES. For anything not specified herein, the Vienna 1980 Convention on International Sale of Goods and, subordinately, the Unidroit Principles on International Commercial Contracts (latest version) shall apply.

N.B. Purchaser acknowledges that ARPER has adopted, and implemented a scheme for its organization, management, and control ("Model 231") in compliance with legislative decree no. 231 of June 8th, 2001. Purchaser declares to have read and fully understood the Ethical Code and the Model 231 as available in ARPER website (www.arper.com) and hereby declares to comply with the principles and content therein.

General Terms and Conditions of Sale

Freight charges: details

| Order value | Freight charge |
|------------------|----------------|
| up to 17.000 SEK | 1300 SEK |
| above 17.000 SEK | DDP |

Fabric and Leather programs

All fabrics and materials on this Price List are divided into 14 classes, identified by an alphabetical code (A, B, C, D,...). These classes include the customer's fabrics (COM) and the customer's leathers (COL) belonging to classes B and C respectively.

Both the "Carded-In" and "Graded-In" fabric programs are available for all Arper product collections. Detailed information will be provided on the following pages.

Carded-in

All fabrics and materials on the 2022 Arper price list are part of the Carded-In collection.

Specifically: collections Kvadrat, Camira, Fidivi, Gabriel, Maharam, Rohi, Rubelli, Spradling, Sunbrella and leathers.

Graded-in

The Graded-In program introduces a selection of fabrics from different suppliers in the Arper offering. In relation to the Graded-In fabrics, Arper guarantees the feasibility of processing for its own products. The fabrics have been divided into 14 classes, identified by an alphabetical code.

Chairs and Stools

Aava 02 Leaf chair
Adell Mixu
Aston Norma
Aston Club Saari chair
Arcos Saya
Art. 6100 Stacy
Art. 6103
Babar
Catifa 46 Cushions
Catifa 53
Catifa Up Owl
Catifa Sensit Gego
Catifa 60 Leaf
Catifa 70 Lines
Catifa 80 Pleats
Cila
Cila Go
Duna 02
Juno 02
Kata
Kinesit

Sofas and Benches

Arcos
Colina
Kiik
Loop
Pix
Ralik
Saari Sofa
Sean
Shaal
Steeve
Zinta

Panels and Furnishings

Paravan
Parentesit

Leather finishes

The leather upholstery offer consists of the following program:



Elmosoft leather

Semi-aniline leather Chrome free

Leather

Soft leather

Pigmented leather



Elmocoast leather

Pigmented leather

Semi-aniline leather combines naturalness, comfort and durability. The surface of this leather is treated with a lightweight coat of color that increases its wear resistance, preserving its natural look with a soft and pleasing feel.

Elmosoft leather: soft and flexible semi-aniline leather. Its softness and breathability, coupled with a durability and an extremely wide color range, make it suitable both for contract and residential sectors.

Pigmented leather in terms of manufacture, the leather undergoes the same processes as aniline or semi-aniline leather, with additional dyeing and finishing treatments to meet different needs in terms of comfort, softness to the touch, strength, durability and color. Its wear resistance and ease of cleaning make it suitable for many uses.

Soft leather: leather characterized by a smooth and uniform surface, soft to the touch with a delicate and natural grain, which lends it a particularly elegant feel.

Neocoast leather: leather characterized by a uniform surface, with a light grain and a soft feel, available in a wide range of shades.

Leather finishes

Natural characteristics:


Leather and hard leather may show marks and imperfections such as wrinkles, veins, differences in color from one batch to another. These are distinctive features that distinguish genuine leathers and their natural beauty, ensuring the authenticity of the material and the unique comfort that only a natural product can offer.

Also our leather samples reflect this variability, both among different types of leathers and for the same type of leather, changing the shades of color and their natural features.

Any samples, supplied on request with reference to individual orders, are not to be considered as a guarantee of perfect homogeneity between sample and actual supply.

In this respect, the characteristics listed below are intended to be compliant with Arper quality standards and shall not constitute a ground for disputing products:

Grain variations example



Backbone example




— Grain variations: areas of the leather where grain can be coarse, for example the part of the leather between the side and the belly.

— Wrinkles, veins and stretch marks: they have a width of about 3-4 mm, with a slightly rougher grain in the surrounding area. They are more visible against the light.


— Backbone: back part of the animal, where the skin is the most valuable as it is the thickest and most compact part. It can have wrinkles.

— Insect bites: small marks on the surface of the leather due to different types of insect bites.

Wrinkles, veins and stretch marks example



Insect bites example



Cleaning and maintenance:

Avoid exposure of the products to direct sunlight: it can alter the color of upholstery.

Avoid exposure to heat sources.

Dust the leather regularly with a soft dry cloth.

Any stain can be removed using a cloth dampened with water and neutral soap. Do not rub, but gently dab from the edge towards the center of the stain. Dry immediately after treatment.

Carded-in

The fabrics included in the Carded-In program benefit from specific promotions by Arper, namely the availability of fire-resistance tests carried out on the finished product, as well as additional certifications shown on each product page of the price list. Arper also provides the marketing tools required for the promotion of materials, such as fabric samples, according to sales needs, as well as any information and assistance that may prove necessary.

To verify the division of fabrics into their new classes, see the tables below.
For any inquiry, please contact Arper Sales Department.

| | Collections | Upholstery Code | Chairs Arper Grade | Sofas Arper Grade | Panels Arper Grade |
|----------------|------------------|-----------------|--------------------|-------------------|--------------------|
| Kvadrat | Atom | AM | Atom | | |
| | Balder 3 | B1 | I | I | I |
| | Canvas 2 | CV | D | F | D |
| | Divina 3 | DV | G | I | G |
| | Divina MD | DI | G | I | G |
| | Divina Melange 3 | DM | G | I | G |
| | Field 2 | FI | B | C | B |
| | Fiord 2 | FD | F | F | F |
| | Floyd | F1 | C | C | C |
| | Hallingdal 65 | HA | G | G | G (*) |
| | Jaali | JA | G | G | G |
| | Patio – Outdoor | PT | D | D | |
| | Re-wool | RW | E | E | E |
| | Remix 3 | RX | C | D | C |
| | Revive 1 | R1 | B | B | B |
| | Ria | RA | Ria | | |
| | Sonar 3 | S7 | Sonar 3 | | |
| | Steelcut 3 | SE | G | H | G |
| | Steelcut Trio 3 | ST | G | H | G |
| | Tonus 4 | T3 | F | G | F |
| | Vidar 4 | VD | J | J | J |

Carded-in

| | Collections | Upholstery Code | Chairs Arper Grade | Sofas Arper Grade | Panels Arper Grade |
|---------------------|------------------------|-----------------|--------------------|-------------------|--------------------|
| Camira | Main Line Flax | MF | C | C | C |
| | Phoenix | PH | A | A | A |
| | Synergy | SN | C | C | C |
| | Urban | UP | B | B | B |
| Elmo Leather | Elmosoft | ES | ES | ES | |
| | Neocoast | P4 | H | H | |
| FiDiVi. | Jet | JE | A | A | A |
| Maharam | Messenger | MS | D | D | D |
| Rohi | Sera | S8 | Sera | | |
| Rubelli | Fabthirty | FB | Fabthirty | | |
| Spradling | Silververtex – Outdoor | SX | C | B | |
| | Valencia | VL | B | B | |
| Sunbrella | Heritage – Outdoor | HE | C | C | |
| | Savane – Outdoor | SV | C | C | |
| Arper | Pelle fiore | PF | I | I | |
| | COL | COL | COL | COL | |
| | COM | COM | COM | COM | COM |

Graded-in

The fabrics from the Graded-In program and applied on Arper products do not undergo any pre-testing. For this reason, should any fire-resistance or flammability test prove necessary, it will be carried out upon request and at the expense of the client.

Furthermore, Arper does not provide fabric samples for the Graded-In products; for any information about the individual fabrics - including the composition and color versions - the client should refer to the specifications issued by the manufacturer of the upholstery.

The manufacturers that have been selected for the Graded-In program are Kvadrat, Camira, Gabriel. The following pages provide information about each supplier.

| | Collections | Upholstery Code | Chairs Arper Grade | Sofas Arper Grade | Panels Arper Grade |
|----------------|--------------|-----------------|--------------------|-------------------|--------------------|
| Kvadrat | Clara 2 | CL | D | E | D |
| | Savanna | SA | G | G | G |
| | Tonica 2 | TN | I | I | I |
| Camira | Blazer | BL | E | D | E |
| | Era | ER | A | A | A |
| | Xtreme | XP | B | B | B |
| Gabriel | Atlantic | AT | B | B | B |
| | Crisp | CR | D | D | D |
| | Fame | FA | C | C | C |
| | Fighter | FH | A | A | A |
| | Medley | MY | B | B | B |
| | Step | S1 | B | B | B |
| | Step Melange | SM | B | B | B |

The fabrics from the collections listed in the table above are available on all of Arper product collections, therefore the client is not required to send any samples for approval. For all the other fabrics not included in this selection, the standard procedure for COM fabrics will apply. Upon the needs of a specific project, and at the sole discretion of the Company, Arper is available to quote the service to purchase fabrics not included in its Price List, from the following suppliers: Kvadrat, Camira, Gabriel.

For further information, please visit the websites:

Kvadrat — <https://kvadrat.dk>
 Camira — <https://www.camirafabrics.com>
 Gabriel — <https://www.gabriel.dk>

Summary chart for Carded-In and Graded-In Program

| Supplier | Collection | Upholstery Code | Chairs Arper Grade | Sofas Arper Grade | Panels Arper Grade | Program |
|--------------|---------------------|-----------------|--------------------|-------------------|--------------------|-----------|
| Kvadrat | Atom | AM | Atom | | | Carded In |
| Kvadrat | Balder 3 | B1 | I | I | I | Carded In |
| Kvadrat | Canvas 2 | CV | D | F | D | Carded In |
| Kvadrat | Clara 2 | CL | D | E | D | Graded In |
| Kvadrat | Divina 3 | DV | G | I | G | Carded In |
| Kvadrat | Divina MD | DI | G | I | G | Carded In |
| Kvadrat | Divina Melange 3 | DM | G | I | G | Carded In |
| Kvadrat | Field 2 | FI | B | C | B | Carded In |
| Kvadrat | Fiord 2 | FD | F | F | F | Carded In |
| Kvadrat | Floyd | F1 | C | C | C | Carded In |
| Kvadrat | Hallingdal 65 | HA | G | G | G (*) | Carded In |
| Kvadrat | Jaali | JA | G | G | G | Carded In |
| Kvadrat | Patio – Outdoor | PT | D | D | | Carded In |
| Kvadrat | Re-wool | RW | E | E | E | Carded In |
| Kvadrat | Remix 3 | RX | C | D | C | Carded In |
| Kvadrat | Revive 1 | R1 | B | B | B | Carded In |
| Kvadrat | Ria | RA | Ria | | | Carded In |
| Kvadrat | Savanna | SA | G | G | G | Graded In |
| Kvadrat | Sonar 3 | S7 | Sonar 3 | | | Carded In |
| Kvadrat | Steelcut 3 | SE | G | H | G | Carded In |
| Kvadrat | Steelcut Trio 3 | ST | G | H | G | Carded In |
| Kvadrat | Tonica 2 | TN | I | I | I | Graded In |
| Kvadrat | Tonus 4 | T3 | F | G | F | Carded In |
| Kvadrat | Vidar 4 | VD | J | J | J | Carded In |
| Camira | Blazer | BL | E | D | E | Graded In |
| Camira | Era | ER | A | A | A | Graded In |
| Camira | Main Line Flax | MF | C | C | C | Carded In |
| Camira | Phoenix | PH | A | A | A | Carded In |
| Camira | Synergy | SN | C | C | C | Carded In |
| Camira | Urban | UP | B | B | B | Carded In |
| Camira | Xtreme | XP | B | B | B | Graded In |
| Elmo Leather | Elmosoft | Leather | ES | ES | | Carded In |
| Elmo Leather | Neocoast | Leather | P4 | H | H | Carded In |
| FiDiVi. | Jet | | JE | A | A | Carded In |
| Gabriel | Atlantic | | AT | B | B | Graded In |
| Gabriel | Crisp | | CR | D | D | Graded In |
| Gabriel | Fame | | FA | C | C | Graded In |
| Gabriel | Fighter | | FH | A | A | Graded In |
| Gabriel | Medley | | MY | B | B | Graded In |
| Gabriel | Step | | S1 | B | B | Graded In |
| Gabriel | Step Melange | | SM | B | B | Graded In |
| Maharam | Messenger | | MS | D | D | Carded In |
| Rohi | Sera | | S8 | Sera | | Carded In |
| Rubelli | Fabthirty | | FB | Fabthirty | | Carded In |
| Spradling | Silvertex – Outdoor | | SX | C | B | Carded In |
| Spradling | Valencia | Coated Fabric | VL | B | B | Carded In |
| Sunbrella | Heritage – Outdoor | | HE | C | C | Carded In |
| Sunbrella | Savane – Outdoor | | SV | C | C | Carded In |
| Arper | Pelle fiore | Leather | PF | I | I | Carded In |
| | COL | | COL | COL | | |
| | COM | | COM | COM | COM | |

General conditions for COM/COL customised supplies

Before accepting a customised order using materials provided by the customer, Arper SPA requires a sample of fabric/leather to be submitted DDP (Delivered Duty Paid), together with the duly completed materials chart for a preliminary evaluation of feasibility. For plain color fabrics, the sample must have a size of at least 400 mm x 300 mm; if the fabric features a decorative pattern, the customer is required to contact Arper SPA to ask for the exact size of the sample to send.

If the result of the preliminary test on the fabric/leather sample is not conclusive, Arper SPA will ask the customer to supply a sufficient quantity of material to produce a complete sample, which will then be invoiced in the normal way and sent to the customer for evaluation in accordance with a procedure to be agreed.

The information obtained during the experimentation phase might lead to a request for additional quantities of material and/or lengthening of delivery times. The initial estimate prepared by Arper SPA or the COM/COL list price will be increased by 10% if the customer's order is for less than 8 pieces or if the material supplied does not conform with Arper's product characteristics, resulting in inefficient production.

Arper SPA will not accept any despatch of COM/COL material until the order with relative indication of the quantity of covering material has been accepted.

If the covering material is sent by any delivery method other than DDP (Delivered Duty Paid), Arper reserves the right to reject the material or increase its charge to the customer.

The customer's own fabric must always be sent along with the related invoice, in order to complete the administration procedures connected to product realization and, for products intended for the foreign market, to comply with the necessary customs clearance procedures.

Even if COM/COL is accepted, Arper SPA shall in no way be responsible for the appearance, durability, brightness of colours or any other type of quality problem encountered with the material. The responsibility of Arper SPA is limited to any defects directly attributable to the work performed and warranty will not be extended to the technical performance and/or aesthetic results obtained with non standard materials.

Arper SPA does not accept COM with fabric already listed in the Recapitulations table.

The reported measures refer to bielastic fabrics with solid colour.

For different types of fabrics (monoelastic, print, etc.) requirements and prices will be evaluated upon request.

Customer materials management form





Customer: _____

Delivery date: _____
Production job order: _____
Customer reference: _____

| Name of fabric or leather manufacturer | Name of collection | Colour | Material composition | Fabric width |
|--|--------------------|--------|----------------------|--------------|
|--|--------------------|--------|----------------------|--------------|

Special treatments (e.g. anti-stain): _____

Stretch fabric: Yes No



Catifa 46 / Catifa 53

Design by Lievore Altherr Molina
2009

clip-it.easy®

Arper designed and patented a new fixing system for the Catifa 46 and Catifa 53 shells making these two models even more suitable for the contract segment. The new clip-it-easy® system is based on a prestressed steel spring fixed directly onto the bases (with or without fixing plate) of the Catifa 46 and Catifa 53 collections without modifying the original Design by of the shell.

This solution offers many advantages such as:

- No shell treatment required;
- Easy to assemble;
- Elimination of any friction between the polypropylene shell and the metal frame (= increased product lifetime)

Thanks to the clip-it-easy® system, expressing Arper's attention to continuous product quality improvement, Catifa 46 and Catifa 53 are proving increasingly suitable for spaces involving intensive use of furniture (canteens, offices, contract sector).

For the video and the PDF file on the assembly instructions of Catifa 46 and Catifa 53 please visit our website:

www.arper.com



4 legs / sled base



Base with fixed plate

**NO SCREWS
NO TOOLS**

Flame Resistance Regulations – Product Requirements

— Italian market

Approved products in Class 1 or 2 or in Class 1IM (M.D. 26/06/84): see notes on page of the relevant article

— US market

All Carded-IN coverings available for the US market are compliant with local regulations: TB117-2013 and San Francisco Regulation (AB2998)

— UK market

All products are available with polyurethane padding compliant with BS5852 Crib 5 (for products that can be configured in both 'STD' and 'IGN' versions, the IGN version must be selected).

All coatings Carded-IN (fabrics, vinyl fabrics, leathers) are compliant with BS5852 Sch. 4 Part.1 Cigarette test "worst case": the laboratory tests the cover over a filling that is either worse than any that is used or is the worst that can be used by a producer. A positive test result therefore indicates that the covering is compliant when used with padding with superior flame resistance.

— All markets

Due to difficulties linked to the coexistence of mandatory and voluntary standards on flame resistance and the differences between the various standards and test methods depending on the country, the intended use and the type of material,.... Please contact customer service for a detailed analysis.

Product Certification



greenguard.org



geca.org.au



environdec.com



The mark of
responsible forestry
fsc.org

environment@arper.com

CHAIRS

AND STOOLS

Chairs and Stools

| Chairs Arper Grade | Supplier | Collection | Upholstery Code | Program |
|--------------------------|--------------|------------------------|--------------------|-----------|
| A | Camira | Era | ER | Graded In |
| A | Camira | Phoenix | PH | Carded In |
| A | FiDiVi. | Jet | JE | Carded In |
| A | Gabriel | Fighter | FH | Graded In |
| B | Camira | Urban | UP | Carded In |
| B | Camira | Xtreme | XP | Graded In |
| B | Gabriel | Atlantic | AT | Graded In |
| B | Gabriel | Medley | MY | Graded In |
| B | Gabriel | Step | S1 | Graded In |
| B | Gabriel | Step Melange | SM | Graded In |
| B | Kvadrat | Field 2 | FI | Carded In |
| B | Kvadrat | Revive 1 | R1 | Carded In |
| B | Spradling | Valencia Coated Fabric | VL | Carded In |
| C | Camira | Main Line Flax | MF | Carded In |
| C | Camira | Synergy | SN | Carded In |
| C | Gabriel | Fame | FA | Graded In |
| C | Kvadrat | Floyd | F1 | Carded In |
| C | Kvadrat | Remix 3 | RX | Carded In |
| C | Spradling | Silvertex – Outdoor | SX | Carded In |
| C | Sunbrella | Heritage – Outdoor | HE | Carded In |
| C | Sunbrella | Savane – Outdoor | SV | Carded In |
| D | Gabriel | Crisp | CR | Graded In |
| D | Kvadrat | Canvas 2 | CV | Carded In |
| D | Kvadrat | Clara 2 | CL | Graded In |
| D | Kvadrat | Patio – Outdoor | PT | Carded In |
| D | Maharam | Messenger | MS | Carded In |
| E | Camira | Blazer | BL | Graded In |
| E | Kvadrat | Re-wool | RW | Carded In |
| ES | Elmo Leather | Elmosoft Leather | ES | Carded In |
| F | Kvadrat | Fiord 2 | FD | Carded In |
| F | Kvadrat | Tonus 4 | T3 | Carded In |
| G | Kvadrat | Divina 3 | DV | Carded In |
| G | Kvadrat | Divina MD | DI | Carded In |
| G | Kvadrat | Divina Melange 3 | DM | Carded In |
| G | Kvadrat | Hallingdal 65 | HA | Carded In |
| G | Kvadrat | Jaali | JA | Carded In |
| G | Kvadrat | Savanna | SA | Graded In |
| G | Kvadrat | Steelcut 3 | SE | Carded In |
| G | Kvadrat | Steelcut Trio 3 | ST | Carded In |
| H | Elmo Leather | Neocoast | P4 | Carded In |
| I | Arper | Pelle fiore Leather | PF | Carded In |
| I | Kvadrat | Balder 3 | B1 | Carded In |
| I | Kvadrat | Tonica 2 | TN | Graded In |
| J | Kvadrat | Vidar 4 | VD | Carded In |

Chairs and Stools

| Chairs | Supplier | Collection | Upholstery Code | Program |
|-----------|----------|------------|-----------------|-----------|
| Arper | | | | |
| Grade | | | | |
| Atom | Kvadrat | Atom | AM | Carded In |
| Fabthirty | Rubelli | Fabthirty | FB | Carded In |
| Ria | Kvadrat | Ria | RA | Carded In |
| Sera | Rohi | Sera | S8 | Carded In |
| Sonar 3 | Kvadrat | Sonar 3 | S7 | Carded In |
| COL | | COL | COL | |
| COM | | COM | COM | |

AAVA 02

Design by Antti Kotilainen

2013 — New Edition 2023



Collection overview

Bases



4 legs



4 wooden legs



Sled



Aluminum trestle
swivel base
Armrest versions



Aluminum trestle
fixed base
Armrest versions



Counter stool
sled



Bar stool
sled



Counter stool
4 wooden legs



Bar stool
4 wooden legs

Aava 02

Shells

Polypropylene



Monocolour



With frontal upholstered

The shell in post-consumer polypropylene, mixed with virgin material, may have slight surface variations, due to the intrinsic characteristics of the material used.

Upholstery



Upholstered with separable and replaceable cover

Wood



With frontal upholstered

Removable versions




Removable seat cushion



Removable cover

Aava 02

Design by Antti Kotilainen, 2023



Chair on a 4-leg base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Set of glides Art. 3948
 Link Art. 3970
 Seat cushion Art. 7641
 Removable cover Art. 7643


Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units
 – with trolley up to 20 units

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7600 | PG | |
| CHROMED / POWDERCOATED | 1917 | |
| Hole on shell to allow water drainage | + 143 | |
| Outdoor powdercoated | + 512 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7600 1 pz = 2 - kg 6,6/ m³ 0,239 4 pz = 2 - kg 20,4/ m³ 0,292 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023



Chair on a 4-leg base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, with upholstery in fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Set of glides Art. 3948
 Stacking protection pad Art. 3950
 Link Art. 3970

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – with stacking pad, without tools up to 6 units
 – with stacking pad, with trolley up to 6 units
 – with link: with stacking pad, without tools up to 6 units
 – with link: with stacking pad, with trolley up to 6 units


| SEK ART. 7618 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4739 | 5049 | 5359 | 5669 | 5979 | 6289 | 6599 | 6909 | 7219 | 7529 | 7839 | 8149 | 8459 | 9810 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7618 1 pz = 2 - kg 8,71/ m³ 0,276 4 pz = 2 - kg 24,28/ m³ 0,351 | Art.7618 COL requirement m² 2.34 H 140 cm. COM Meterage m 0.935 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Aava 02

Design by Antti Kotilainen, 2023



Chair on a 4-leg base in chromed or powder-coated steel. Shell in plywood with a reconstituted oak or walnut finish. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Link Art. 3941
 Set of glides Art. 3948
 Seat cushion Art. 7641


Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units
 – with trolley up to 20 units
 – with link: without tools up to 12 units
 – with link: with trolley up to 20 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7623 | WOOD | |
| CHROMED / POWDERCOATED | 3703 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7623 1 pz = 2 - kg 9,94/ m³ 0,27 4 pz = 2 - kg 25,06/ m³ 0,338 KD | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023



Chair on a 4-leg base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors.

Accessories:

- Single trolley Art. 0500
- Set of glides Art. 3948
- Stacking protection pad Art. 3950
- Link Art. 3970

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 6 units
- with stacking pad, with trolley up to 6 units
- with link: with stacking pad, without tools up to 6 units
- with link: with stacking pad, with trolley up to 6 units

| SEK ART. 7609 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4631 | 4785 | 4939 | 5093 | 5247 | 5401 | 5555 | 5709 | 5863 | 6017 | 6171 | 6325 | 6479 | 7144 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7609 1 pz = 2 - kg 8,71/ m³ 0,276 4 pz = 2 - kg 24,28/ m³ 0,351 KD | Art.7609 COL requirement m² 1,08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



CRO V25 V68
matt matt matt



Shell



PG00011 PG00012 PG00013 PG00014 PG00015




Stackable



Aava 02

Design by Antti Kotilainen, 2023



Chair on a 4-leg base in chromed or powder-coated steel. Shell in plywood with a reconstituted oak or walnut finish, with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Link Art. 3941
 Stacking protection pad Art. 3942
 Set of glides Art. 3948


Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – with stacking pad, without tools up to 6 units
 – with stacking pad, with trolley up to 6 units
 – with link: with stacking pad, without tools up to 6 units
 – with link: with stacking pad, with trolley up to 6 units

| SEK ART. 7632 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|-----------------|------|------|------|------|------|------|------|------|------|
| | 6429 | 6583 | 6737 | 6891 | 7045 | 7199 | 7353 | 7507 | 7661 | 7815 | 7969 | 8123 | 8277 | 8954 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7632 1 pz = 2 - kg 9,94/ m³ 0,29 4 pz = 2 - kg 25,06/ m³ 0,357 (KD) | Art.7632 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023




Chair on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors.

Accessories:
Seat cushion Art. 7641

| | | |
|---|---------------------------------|---|
| SEK ART. 7602 | PG | |
| WOOD LEGS | 3870 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7602 1 pz = 2 - kg 7,81/ m³ 0,112 4 pz = 2 - kg 21,1/ m³ 0,177 | | <ul style="list-style-type: none"> EN 16139:2013 Annex C |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022 L0028



Shell




PG00011 PG00012 PG00013 PG00014 PG00015



Aava 02


Design by Antti Kotilainen, 2023



Chair on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, with upholstery in fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors.


| SEK ART. 7620 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|------|------|------|------------------------|------|------|------|------|------|------|-------|-------|-------|
| WOOD LEGS | 6692 | 7002 | 7312 | 7622 | 7932 | 8242 | 8552 | 8862 | 9172 | 9482 | 9792 | 10102 | 10412 | 11763 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7620 1 pz = 2 - kg 9,92/ m³ 0,149 4 pz = 2 - kg 24,98/ m³ 0,235 | Art.7620 COL requirement m² 2.34 H 140 cm. COM Meterage m 0.935 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Aava 02

Design by Antti Kotilainen, 2023




Chair on a 4-leg base and shell in plywood with a reconstituted oak or walnut finish. Base and shell can be configured in the same finish, or by combining various wood finishes. Glides are also provided, with felt insert for wood floors.

Accessories:
Seat cushion Art. 7641

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7625 | WOOD | |
| WOOD LEGS | 5656 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7625 1 pz = 2 - kg 9,92/ m³ 0,27 4 pz = 2 - kg 24,98/ m³ 0,338 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022 L0028

Shell




L0006 L0022 L0028



Aava 02


Design by Antti Kotilainen, 2023



Chair on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors.

| SEK ART. 7611 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| WOOD LEGS | 6584 | 6738 | 6892 | 7046 | 7200 | 7354 | 7508 | 7662 | 7816 | 7970 | 8124 | 8278 | 8432 | 9097 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7611 1 pz = 2 - kg 9,92/ m³ 0,149 4 pz = 2 - kg 24,98/ m³ 0,235 KD | Art.7611 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



L0006 L0022 L0028



Shell




PG00011 PG00012 PG00013 PG00014 PG00015



Aava 02


Design by Antti Kotilainen, 2023



Chair on a 4-leg base and shell in plywood with a reconstituted oak or walnut finish. Base and shell can be configured in the same finish, or by combining various wood finishes. The shell is upholstered in the front with fabric, leather, coated fabric or customer's own material. Glides are also provided, with felt insert for wood floors.

| SEK ART. 7634 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|------------------------|------|------|------|------|------|------|-------|-------|-------|
| WOOD LEGS | 8382 | 8536 | 8690 | 8844 | 8998 | 9152 | 9306 | 9460 | 9614 | 9768 | 9922 | 10076 | 10230 | 10907 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7634 1 pz = 2 - kg 9,92/ m³ 0,29 4 pz = 2 - kg 24,98/ m³ 0,357 KD | Art.7634 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



L0006 L0022 L0028



Shell




L0006 L0022 L0028



Aava 02

Design by Antti Kotilainen, 2023



Chair on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Link Art. 3970
 Seat cushion Art. 7641
 Removable cover Art. 7643

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units
 – with trolley up to 20 units
 – with link: without tools up to 10 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7601 | PG | |
| CHROMED / POWDERCOATED | 2168 | |
| Hole on shell to allow water drainage | + 143 | |
| Outdoor powdercoated | + 512 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7601 1 pz = 2 - kg 7,95/ m³ 0,228 4 pz = 2 - kg 25,8/ m³ 0,305 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023



Chair on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, with upholstery in fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Stacking protection pad Art. 3950
 Link Art. 3970

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – with stacking pad, without tools up to 6 units
 – with stacking pad, with trolley up to 6 units
 – with link: with stacking pad, without tools up to 6 units
 – with link: with stacking pad, with trolley up to 6 units


| SEK ART. 7619 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|------|------|------|------------------------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 4990 | 5300 | 5610 | 5920 | 6230 | 6540 | 6850 | 7160 | 7470 | 7780 | 8090 | 8400 | 8710 | 10061 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7619 1 pz = 2 - kg 10,06/ m² 0,265 4 pz = 2 - kg 29,68/ m² 0,363 KD | Art.7619 COL requirement m² 2.34 H 140 cm. COM Meterage m 0.935 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Aava 02

Design by Antti Kotilainen, 2023



Chair on a sled base in chromed or powder-coated steel. Shell in plywood with a reconstituted oak or walnut finish. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Link Art. 3941
 Seat cushion Art. 7641


Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units
 – with trolley up to 20 units
 – with link: without tools up to 12 units
 – with link: with trolley up to 20 units

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7624 | WOOD | |
| CHROMED / POWDERCOATED | 3954 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7624 1 pz = 2 - kg 11,46/ m³ 0,27 4 pz = 2 - kg 31,14/ m³ 0,338 KD | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023



Chair on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Stacking protection pad Art. 3950
 Link Art. 3970

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – with stacking pad, without tools up to 6 units
 – with stacking pad, with trolley up to 6 units
 – with link: with stacking pad, without tools up to 6 units
 – with link: with stacking pad, with trolley up to 6 units

| SEK ART. 7610 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4882 | 5036 | 5190 | 5344 | 5498 | 5652 | 5806 | 5960 | 6114 | 6268 | 6422 | 6576 | 6730 | 7395 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7610 1 pz = 2 - kg 10,06/ m² 0,265 4 pz = 2 - kg 29,68/ m² 0,363 KD | Art.7610 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023



Chair on a sled base in chromed or powder-coated steel. Shell in plywood with a reconstituted oak or walnut finish, with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors.

Accessories:
 Single trolley Art. 0500
 Link Art. 3941
 Stacking protection pad Art. 3942


- Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
- with stacking pad, without tools up to 6 units
 - with stacking pad, with trolley up to 6 units
 - with link: with stacking pad, without tools up to 6 units
 - with link: with stacking pad, with trolley up to 6 units

| SEK ART. 7633 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 6680 | 6834 | 6988 | 7142 | 7296 | 7450 | 7604 | 7758 | 7912 | 8066 | 8220 | 8374 | 8528 | 9205 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7633 1 pz = 2 - kg 11,46/ m² 0,29 4 pz = 2 - kg 31,14/ m² 0,357 (KD) | Art.7633 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Shell



Aava 02

Design by Antti Kotilainen, 2023



Chair on a swivel trestle base in powder-coated aluminium. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Optional armrests in the same colour as the base are also available, equipped with pads in polypropylene in the same finish of the shell. Glides are also available, with felt insert for wood floors.

Accessories:
 Seat cushion Art. 7641
 Removable cover Art. 7643

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7603 | PG | |
| | 3704 | |
| Armrests - polypropylene pad | + 1405 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7603 1 pz = 2 - kg 9,25/ m³ 0,157 1 pz = 3 - kg 12,55/ m³ 0,194 4 pz = 5 - kg 34/ m³ 0,397 4 pz = 6 - kg 46,5/ m³ 0,434 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Shell



Armrest




Armrests - polypropylene pad



Aava 02


Design by Antti Kotilainen, 2023



Chair on a swivel trestle base in powder-coated aluminium. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, with upholstery in fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Optional armrests in the same colour as the base are also available, equipped with pads in polypropylene or in the upholstered version. Glides are also available, with felt insert for wood floors.

| SEK ART. 7621 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|------|------|------|-----------------|------|------|------|------|------|------|------|-------|-------|
| POWDERCOATED | 6526 | 6836 | 7146 | 7456 | 7766 | 8076 | 8386 | 8696 | 9006 | 9316 | 9626 | 9936 | 10246 | 11597 |
| Armrests - polypropylene pad | + 1405 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 429 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7621 1 pz = 2 - kg 11,36/ m³ 0,194 1 pz = 3 - kg 14,66/ m³ 0,231 4 pz = 5 - kg 37,88/ m³ 0,455 4 pz = 6 - kg 50,38/ m³ 0,492 | Art.7621 COL requirement m² 2.34 H 140 cm. COM Meterage m 0.935 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Armrest



Aava 02

Design by Antti Kotilainen, 2023



Chair on a swivel trestle base in powder-coated aluminium. Shell in plywood with a reconstituted oak or walnut finish. Optional armrests in the same colour as the base are also available, equipped with pads in wood in the same finish of the shell. Glides are also available, with felt insert for wood floors.


Accessories:
Seat cushion Art. 7641

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7626 | WOOD | |
| CHROMED / POWDERCOATED | 5490 | |
| Armrests - wooden pad | + 1655 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7626 1 pz = 2 - kg 11,56/ m³ 0,174 1 pz = 3 - kg 14,86/ m³ 0,211 4 pz = 5 - kg 38,68/ m³ 0,393 4 pz = 6 - kg 51,18/ m³ 0,43 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Shell



Armrest




Armrests - wooden pad



Aava 02

Design by Antti Kotilainen, 2023



Chair on a swivel trestle base in powder-coated aluminium. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Optional armrests in the same colour as the base are also available, equipped with pads in polypropylene in the same finish of the shell. Glides are also available, with felt insert for wood floors.

| SEK ART. 7612 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|-----------------|------|------|------|------|------|------|------|------|------|
| POWDERCOATED | 6418 | 6572 | 6726 | 6880 | 7034 | 7188 | 7342 | 7496 | 7650 | 7804 | 7958 | 8112 | 8266 | 8931 |
| Armrests - polypropylene pad | + 1405 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7612 1 pz = 2 - kg 11,36/ m³ 0,194 1 pz = 3 - kg 14,66/ m³ 0,231 4 pz = 5 - kg 37,88/ m³ 0,455 4 pz = 6 - kg 50,38/ m³ 0,492 KD | Art.7612 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Aava 02

Design by Antti Kotilainen, 2023




Chair on a swivel trestle base in powder-coated aluminium. Shell in plywood with a reconstituted oak or walnut finish, with front upholstery in fabric, leather, coated fabric or customer's own material. Optional armrests in the same colour as the base are also available, equipped with pads in wood in the same finish of the shell. Glides are also available, with felt insert for wood floors.

| SEK ART. 7635 | A | B | C | D | E | F | G | H | I | J | K | L | M | |
|--|---|------|------|------|-----------------|------|------|------|------|------|------|------|-------|-------|
| POWDERCOATED | 8216 | 8370 | 8524 | 8678 | 8832 | 8986 | 9140 | 9294 | 9448 | 9602 | 9756 | 9910 | 10064 | 10741 |
| Armrests - wooden pad | + 1655 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7635 1 pz = 2 - kg 11,56/ m³ 0,194 1 pz = 3 - kg 14,86/ m³ 0,231 4 pz = 5 - kg 38,68/ m³ 0,413 4 pz = 6 - kg 51,18/ m³ 0,45 | Art.7635 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Shell



Armrest




Armrests - wooden pad



Aava 02

Design by Antti Kotilainen, 2023



Chair on fixed trestle base in powder-coated aluminium, mounted on self-breaking castors (of the same colour as the base). Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Optional armrests in the same colour as the base are also available, equipped with pads in polypropylene in the same finish of the shell.

Accessories:
 Seat cushion Art. 7641
 Removable cover Art. 7643

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7604 | PG | |
| | 4120 | |
| Armrests - polypropylene pad | + 1405 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7604 1 pz = 2 - kg 9,65/ m³ 0,157 1 pz = 3 - kg 12,95/ m³ 0,194 4 pz = 5 - kg 35,6/ m³ 0,397 4 pz = 6 - kg 48,1/ m³ 0,434 KD | | |
| FIRE RETARDANT TEST | | |

Frame Base



Shell




Armrest



Aava 02


Design by Antti Kotilainen, 2023



Chair on fixed trestle base in powder-coated aluminium, mounted on self-locking castors (of the same colour as the base). Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, with upholstery in fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Optional armrests in the same colour as the base are also available, equipped with pads in polypropylene or in the upholstered version.

| SEK ART. 7622 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|------|------|------|-----------------|------|------|------|------|------|-------|-------|-------|-------|
| POWDERCOATED | 6942 | 7252 | 7562 | 7872 | 8182 | 8492 | 8802 | 9112 | 9422 | 9732 | 10042 | 10352 | 10662 | 12013 |
| Armrests - polypropylene pad | + 1405 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 429 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7622 1 pz = 2 - kg 11,76/ m³ 0,194 1 pz = 3 - kg 15,06/ m³ 0,231 4 pz = 5 - kg 39,48/ m³ 0,455 4 pz = 6 - kg 51,98/ m³ 0,492 KD | Art.7622 COL requirement m² 2.34 H 140 cm. COM Meterage m 0.935 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Armrest



Aava 02

Design by Antti Kotilainen, 2023



Chair on fixed trestle base in powder-coated aluminium, mounted on self-breaking castors (of the same colour as the base). Shell in plywood with a reconstituted oak or walnut finish. Optional armrests in the same colour as the base are also available, equipped with pads in wood in the same finish of the shell.


Accessories:
Seat cushion Art. 7641

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7627 | WOOD | |
| CHROMED / POWDERCOATED | 5906 | |
| Armrests - wooden pad | + 1655 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7627 1 pz = 2 - kg 12,16/ m³ 0,174 1 pz = 3 - kg 15,46/ m³ 0,211 4 pz = 5 - kg 41,08/ m³ 0,393 4 pz = 6 - kg 53,58/ m³ 0,43 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Shell



Armrest




Armrests - wooden pad



Aava 02

Design by Antti Kotilainen, 2023



Chair on fixed trestle base in powder-coated aluminium, mounted on self-breaking castors (of the same colour as the base). Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Optional armrests in the same colour as the base are also available, equipped with pads in polypropylene in the same finish of the shell.

| SEK ART. 7613 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|-----------------|------|------|------|------|------|------|------|------|------|
| POWDERCOATED | 6834 | 6988 | 7142 | 7296 | 7450 | 7604 | 7758 | 7912 | 8066 | 8220 | 8374 | 8528 | 8682 | 9347 |
| Armrests - polypropylene pad | + 1405 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7613 1 pz = 2 - kg 11,76/ m³ 0,194 1 pz = 3 - kg 15,06/ m³ 0,231 4 pz = 5 - kg 39,48/ m³ 0,455 4 pz = 6 - kg 51,98/ m³ 0,492 KD | Art.7613 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Shell



Armrest




Armrests - polypropylene pad



Aava 02

Design by Antti Kotilainen, 2023




Chair on fixed trestle base in powder-coated aluminium, mounted on self-breaking castors (of the same colour as the base). Shell in plywood with a reconstituted oak or walnut finish, with front upholstery in fabric, leather, coated fabric or customer's own material. Optional armrests in the same colour as the base are also available, equipped with pads in wood in the same finish of the shell.

| SEK ART. 7636 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|------|------|------|-----------------|------|------|------|------|-------|-------|-------|-------|-------|
| POWDERCOATED | 8632 | 8786 | 8940 | 9094 | 9248 | 9402 | 9556 | 9710 | 9864 | 10018 | 10172 | 10326 | 10480 | 11157 |
| Armrests - wooden pad | + 1655 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7636 1 pz = 2 - kg 12,16/ m³ 0,194 1 pz = 3 - kg 15,46/ m³ 0,231 4 pz = 5 - kg 41,08/ m³ 0,413 4 pz = 6 - kg 53,58/ m³ 0,45 KD | Art.7636 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Aava 02 Counter Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors. Seat height 65 cm.

Accessories:
 Single trolley Art. 0500
 Seat cushion Art. 7641
 Removable cover Art. 7643

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7605 | PG | |
| | 2953 | |
| Hole on shell to allow water drainage | + 143 | |
| Outdoor powdercoated | + 619 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7605 1 pz = 2 - kg 11,03/ m³ 0,308 4 pz = 2 - kg 31,58/ m³ 0,396 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02 Bar Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors. Seat height 75 cm.

Accessories:
 Single trolley Art. 0500
 Seat cushion Art. 7641
 Removable cover Art. 7643

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7606 | PG | |
| | 2953 | |
| Hole on shell to allow water drainage | + 143 | |
| Outdoor powdercoated | + 619 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7606 1 pz = 2 - kg 11,47/ m³ 0,344 4 pz = 2 - kg 33,34/ m³ 0,499 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02 Counter Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors. Seat height 66,5 cm.

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 3950

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 6 units
– with stacking pad, with trolley up to 6 units

| SEK ART. 7614 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5667 | 5821 | 5975 | 6129 | 6283 | 6437 | 6591 | 6745 | 6899 | 7053 | 7207 | 7361 | 7515 | 8180 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7614 1 pz = 2 - kg 13,14/ m³ 0,345 4 pz = 2 - kg 35,46/ m³ 0,454 KD | Art.7614 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Shell



Aava 02 Bar Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors. Seat height 76,5 cm.

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 3950

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 6 units
– with stacking pad, with trolley up to 6 units

| SEK ART. 7615 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5667 | 5821 | 5975 | 6129 | 6283 | 6437 | 6591 | 6745 | 6899 | 7053 | 7207 | 7361 | 7515 | 8180 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.7615 1 pz = 2 - kg 13,58/ m³ 0,381 4 pz = 2 - kg 37,22/ m³ 0,507 KD | | Art.7615 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Shell



Aava 02 Counter Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in plywood with a reconstituted oak or walnut finish. Glides are also available, with felt insert for wood floors. Seat height 65 cm.

Accessories:
Single trolley Art. 0500
Seat cushion Art. 7642


Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 10 units
– with trolley up to 20 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7628 | WOOD | |
| CHROMED / POWDERCOATED | 4477 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7628 1 pz = 2 - kg 13,14/ m³ 0,326 4 pz = 2 - kg 35,46/ m³ 0,351 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02 Bar Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in plywood with a reconstituted oak or walnut finish. Glides are also available, with felt insert for wood floors. Seat height 75 cm.

Accessories:
 Single trolley Art. 0500
 Seat cushion Art. 7642


Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units
 – with trolley up to 20 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 7629 | WOOD | |
| CHROMED / POWDERCOATED | 4477 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7629 1 pz = 2 - kg 11,8/ m³ 0,337 4 pz = 2 - kg 34/ m³ 0,364 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Aava 02 Counter Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in wood upholstered with fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors. Seat height 66 cm.

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 3942

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 6 units
– with stacking pad, with trolley up to 6 units


| SEK ART. 7637 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5227 | 5501 | 5775 | 6049 | 6323 | 6597 | 6871 | 7145 | 7419 | 7693 | 7967 | 8241 | 8515 | 9823 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7637 1 pz = 2 - kg 11,36/ m³ 0,345 4 pz = 2 - kg 32,24/ m³ 0,371 KD | Art.7637 COL requirement m² 1.86 H 140 cm. COM Meterage m 0.814 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Aava 02 Bar Stool

Design by Antti Kotilainen, 2023



Stool on a sled base in chromed or powder-coated steel. Shell in wood upholstered with fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors. Seat height 76 cm.

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 3942

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 6 units
– with stacking pad, with trolley up to 6 units


| SEK ART. 7638 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5227 | 5501 | 5775 | 6049 | 6323 | 6597 | 6871 | 7145 | 7419 | 7693 | 7967 | 8241 | 8515 | 9823 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7638 1 pz = 2 - kg 11,8/ m³ 0,381 4 pz = 2 - kg 34/ m³ 0,408 KD | Art.7638 COL requirement m² 1.86 H 140 cm. COM Meterage m 0.814 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Aava 02 Counter Stool

Design by Antti Kotilainen, 2023




Stool on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors. Seat height 65 cm.

Accessories:
Seat cushion Art. 7641

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7607 | PG | |
| WOOD LEGS | 6597 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7607 1 pz = 2 - kg 8,25/ m³ 0,325 4 pz = 5 - kg 30/ m³ 1,07 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022 L0028



Shell




PG00011 PG00012 PG00013 PG00014 PG00015



Aava 02 Bar Stool

Design by Antti Kotilainen, 2023




Stool on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours. Glides are also available, with felt insert for wood floors. Seat height 75 cm.

Accessories:
Seat cushion Art. 7641

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7608 | PG | |
| WOOD LEGS | 6597 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7608 1 pz = 2 - kg 8,25/ m³ 0,325 4 pz = 5 - kg 30/ m³ 1,07 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022 L0028



Shell




PG00011 PG00012 PG00013 PG00014 PG00015



Aava 02 Counter Stool


Design by Antti Kotilainen, 2023



Stool on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors. Seat height 66,5 cm.

| SEK ART. 7616 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 9311 | 9465 | 9619 | 9773 | 9927 | 10081 | 10235 | 10389 | 10543 | 10697 | 10851 | 11005 | 11159 | 11824 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7616 1 pz = 2 - kg 10,36/ m³ 0,362 4 pz = 5 - kg 33,88/ m³ 1,128 KD | Art.7616 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



L0006 L0022 L0028



Shell




PG00011 PG00012 PG00013 PG00014 PG00015



Aava 02 Bar Stool


Design by Antti Kotilainen, 2023



Stool on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in polypropylene made with post-consumer recycled materials, mixed with virgin material, available in 5 colours and with front upholstery in fabric, leather, coated fabric or customer's own material. Glides are also available, with felt insert for wood floors. Seat height 76,5 cm.

| SEK ART. 7617 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|------|------|------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 9311 | 9465 | 9619 | 9773 | 9927 | 10081 | 10235 | 10389 | 10543 | 10697 | 10851 | 11005 | 11159 | 11824 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7617 1 pz = 2 - kg 10,36/ m³ 0,362 4 pz = 5 - kg 33,88/ m³ 1,128 KD | Art.7617 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.66 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



L0006 L0022 L0028



Shell



PG00011 PG00012 PG00013 PG00014 PG00015




Aava 02 Counter Stool

Design by Antti Kotilainen, 2023


Stool on a 4-leg base and shell in plywood with a reconstituted oak or walnut finish. Base and shell can be configured in the same finish, or by combining various wood finishes. Glides are also available, with felt insert for wood floors. Seat height 66 cm.

Accessories:
Seat cushion Art. 7642



| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7630 | WOOD | |
| WOOD LEGS | 8121 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7630 1 pz = 2 - kg 8,58/ m³ 0,318 4 pz = 5 - kg 30,66/ m³ 1,042 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022 L0028

Shell




L0006 L0022 L0028



Aava 02 Bar Stool

Design by Antti Kotilainen, 2023




Stool on a 4-leg base and shell in plywood with a reconstituted oak or walnut finish. Base and shell can be configured in the same finish, or by combining various wood finishes. Glides are also available, with felt insert for wood floors. Seat height 76 cm.

Accessories:
Seat cushion Art. 7642


| | | |
|--|---------------------------------|------------------------|
| SEK ART. 7631 | WOOD | |
| WOOD LEGS | 8121 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.7631 1 pz = 2 - kg 8,58/ m³ 0,318 4 pz = 5 - kg 30,66/ m³ 1,042 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022 L0028

Shell




L0006 L0022 L0028



Aava 02 Counter Stool


Design by Antti Kotilainen, 2023



Stool on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in wood upholstered with fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors. Seat height 67 cm.


| SEK ART. 7639 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|------|------|------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 8871 | 9145 | 9419 | 9693 | 9967 | 10241 | 10515 | 10789 | 11063 | 11337 | 11611 | 11885 | 12159 | 13467 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7639 1 pz = 2 - kg 8,58/ m³ 0,362 4 pz = 5 - kg 30,66/ m³ 1,086 KD | Art.7639 COL requirement m² 1.86 H 140 cm. COM Meterage m 0.814 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Aava 02 Bar Stool


Design by Antti Kotilainen, 2023



Stool on a 4-leg base in plywood with a reconstituted oak or walnut finish. Shell in wood upholstered with fabric, leather, coated fabric or customer's own material. The upholstery can be separated and replaced by technical personnel, since it has been applied without the use of glue. Glides are also available, with felt insert for wood floors. Seat height 77 cm.

| SEK ART. 7640 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|------|------|------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 8871 | 9145 | 9419 | 9693 | 9967 | 10241 | 10515 | 10789 | 11063 | 11337 | 11611 | 11885 | 12159 | 13467 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7640 1 pz = 2 - kg 8,58/ m³ 0,362 4 pz = 5 - kg 30,66/ m³ 1,086 | Art.7640 COL requirement m² 1.86 H 140 cm. COM Meterage m 0.814 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |


Frame Base





Accessories

Design by Antti Kotilainen, 2023

Seat cushion upholstered with fabric, leather, coated fabric or customer's own material. The accessory, suitable for indoor use, can be combined with the chair versions with exposed plastic shell and exposed wood shell.




| SEK ART. 7641 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---------------------------------|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| Cushion | 1361 | 1509 | 1657 | 1805 | 1953 | 2101 | 2249 | 2397 | 2545 | 2693 | 2841 | 2989 | 3137 | 3720 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7641 1 pz = 1  - kg 1,2/ m² 0,023 4 pz = 1  - kg 2,9/ m² 0,072 | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |




Accessories

Design by Antti Kotilainen, 2023

Seat cushion upholstered with fabric, leather, coated fabric or customer's own material. The accessory, suitable for indoor use, can be combined with the stool versions with wood shell.



| SEK ART. 7642 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---------------------------------|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| Cushion | 1361 | 1509 | 1657 | 1805 | 1953 | 2101 | 2249 | 2397 | 2545 | 2693 | 2841 | 2989 | 3137 | 3720 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7642 4 pz = 1  - kg 2,9/ m² 0,072 | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |





Accessories

Design by Antti Kotilainen, 2023

Removable upholstery in fabric, leather, coated fabric or customer's own material. The accessory, which can be combined with the chair or stool versions on 4-leg, sled, trestle with or without casters base equipped with exposed plastic shell, is suitable for indoor use.









| SEK ART. 7643 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---|---------------------------------|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|
| Cover | 2608 | 2937 | 3266 | 3595 | 3924 | 4253 | 4582 | 4911 | 5240 | 5569 | 5898 | 6227 | 6556 | 7870 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7643 1 pz = 1  - kg 3/ m³ 0,021 4 pz = 1  - kg 8/ m³ 0,073 | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |



Accessories

Design by Antti Kotilainen

| | | | | |
|---|--|--|---|--|
| <p>SEK ART. 0500</p>  <p>Trolley (Aava 02, Catifa 46, Catifa 53, Juno 02, Mixu)</p> | <p>SEK ART. 3941</p>  <p>Link (only for wood shell and with Art. 3942)</p> | <p>SEK ART. 3942</p>  <p>Stacking protection Pad (only for wood shell)</p> | <p>SEK ART. 3948</p>  <p>Set of glides (white or black)</p> | <p>SEK ART. 3950</p>  <p>Stacking protection Pad (for polypropylene shell with front upholstery)</p> |
| 4549 | 524 | 417 | 202 | 417 |
| <p>SEK ART. 3970</p>  <p>Link (for polypropylene shell)</p> | | | | |
| 524 | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| <p>Art. 3941 1 pz = 1  - kg 0,73/ m³ 0,006</p> <p>Art. 3942 1 pz = 1  - kg 1,02/ m³ 0,037 4 pz = 1  - kg 2,66/ m³ 0,037</p> <p>Art. 3950 1 pz = 1  - kg 1,02/ m³ 0,13 4 pz = 1  - kg 2,66/ m³ 0,076</p> <p>Art. 3970 1 pz = 1  - kg 0,73/ m³ 0,006</p> | | |
| <p>FIRE RETARDANT TEST</p> | | |



ADELL

Design by Lievore + Altherr Désile Park

2020



Adell

Collection overview

Bases



4 legs



Sled



4 wood legs

Shell

Chair version



Polypropylene




Polypropylene with
seat cushion



Upholstered with
non-removable cover

Removable version






Removable seat cushion
Indoor / Outdoor



Removable front cover
Indoor / Outdoor

Sewing scheme



Leather upholstered



Outdoor

New Fabrics

To emphasize the gentle shapes of Adell, we have added one further proposal to the wide range of Arper fabrics. Atom by Kvadrat is exclusively dedicated to Adell.




Atom — Kvadrat Raf Simons

6 colors

Adell

Design by Lievore + Altherr Désile Park, 2020



Lounge chair on a four-legged base in powder-coated steel. Polypropylene shell with distinctive texture made with 80% recycled materials, available in four colours. Hole on shell to allow water drainage.

Accessories:

Cushion - Indoor Art. 6809

Cushion - Outdoor Art. 6810


Front removable cushion - Indoor Art. 6811

Front removable cushion - Outdoor Art. 6812

| | | |
|----------------------|-----------|--|
| SEK ART. 6800 | PD | |
| POWDERCOATED | 4954 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|--|
| Art.6800 1 pz = 2 - kg 13,7/ m³ 0,501 4 pz = 2 - kg 38,8/ m³ 0,887 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • ANSI/BIFMA X5.4-2020/24 |
| FIRE RETARDANT TEST | | |

Frame Base



V44 V53 V64
matt matt matt

Shell




PD00001 PD00002 PD00003 PD00004



Outdoor use

Adell

Design by Lievore + Altherr Désile Park, 2020




Lounge chair on a four-legged base in powder-coated steel. Polypropylene shell with distinctive texture made with 80% recycled materials, available in four colours, featuring a cushion attached to the seat covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 6801 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| POWDERCOATED | 5776 | 6002 | 6228 | 6454 | 6680 | 6906 | 7132 | 7358 | 7584 | 7810 | 8036 | 8262 | 8488 | 9300 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| POWDERCOATED | 8488 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.6801 1 pz = 2 - kg 15,5/ m³ 0,501 4 pz = 2 - kg 46/ m³ 0,887 | Art.6801 COL requirement m² 1.02 H 140 cm. COM Meterage m 0.69 | |
| FIRE RETARDANT TEST | | |

Frame Base



V44 V53 V64
matt matt matt

Shell




PD00001 PD00002 PD00003 PD00004



Adell

Design by Lievore + Altherr Désile Park, 2020




Lounge chair on a four-legged base in powder-coated steel. Polypropylene shell with distinctive texture made with 80% recycled materials, entirely covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 6802 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 10324 | 10931 | 11538 | 12145 | 12752 | 13359 | 13966 | 14573 | 15180 | 15787 | 16394 | 17001 | 17608 | 20004 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| POWDERCOATED | 17608 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.6802 1 pz = 2 - kg 16,4/ m³ 0,501 4 pz = 2 - kg 49,6/ m³ 0,887 | Art.6802 COL requirement m² 3.84 H 140 cm. COM Meterage m 1.96 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Remix 3 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Coated fabric Valencia Spradling. | | |

Frame Base



Adell

Design by Lievore + Altherr Désile Park, 2020



Lounge chair with powder-coated steel sled base. Polypropylene shell with distinctive texture made with 80% recycled materials, available in four colours. Hole on shell to allow water drainage.

Accessories:

Cushion - Indoor Art. 6809

Cushion - Outdoor Art. 6810


Front removable cushion - Indoor Art. 6811

Front removable cushion - Outdoor Art. 6812

| | | |
|----------------------|-----------|--|
| SEK ART. 6803 | PD | |
| POWDERCOATED | 5215 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| Art.6803 1 pz = 2 - kg 14,3/ m³ 0,501 4 pz = 2 - kg 40,4/ m³ 0,793 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base



V44 V53 V64
matt matt matt

Shell




PD00001 PD00002 PD00003 PD00004



Outdoor use

Adell

Design by Lievore + Altherr Désile Park, 2020




Lounge chair with powder-coated steel sled base. Polypropylene shell with distinctive texture made with 80% recycled materials, available in four colours, featuring a cushion attached to the seat covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 6804 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| POWDERCOATED | 6037 | 6263 | 6489 | 6715 | 6941 | 7167 | 7393 | 7619 | 7845 | 8071 | 8297 | 8523 | 8749 | 9561 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| POWDERCOATED | 8749 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.6804 1 pz = 2 - kg 16,1/ m³ 0,501 4 pz = 2 - kg 47,6/ m³ 0,793 | Art.6804 COL requirement m² 1.02 H 140 cm. COM Meterage m 0.69 | |
| FIRE RETARDANT TEST | | |

Frame Base



V44 V53 V64
matt matt matt

Shell




PD00001 PD00002 PD00003 PD00004



Adell

Design by Lievore + Altherr Désile Park, 2020




Lounge chair with powder-coated steel sled base. Polypropylene shell with distinctive texture made with 80% recycled materials, entirely covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 6805 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 10585 | 11192 | 11799 | 12406 | 13013 | 13620 | 14227 | 14834 | 15441 | 16048 | 16655 | 17262 | 17869 | 20265 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| POWDERCOATED | 17869 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.6805 1 pz = 2 - kg 17/ m³ 0,501 4 pz = 2 - kg 51,2/ m³ 0,793 | Art.6805 COL requirement m² 3.84 H 140 cm. COM Meterage m 1.96 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | |

Frame Base



Adell

Design by Lievore + Altherr Désile Park, 2020



Lounge chair on a four-legged base in plywood with a reconstituted natural or dyed oak finish. Polypropylene shell with distinctive texture made with 80% recycled materials, available in four colours.

Accessories:
Cushion - Indoor Art. 6809
Front removable cushion - Indoor Art. 6811

| | | |
|----------------------|-----------|--|
| SEK ART. 6806 | PD | |
| WOOD | 6537 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| Art.6806 1 pz = 2 - kg 12,2/ m³ 0,457 4 pz = 2 - kg 34,4/ m³ 0,809 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Shell




PD00001 PD00002 PD00003 PD00004



Adell

Design by Lievore + Altherr Désile Park, 2020




Lounge chair on a four-legged base in plywood with a reconstituted natural or dyed oak finish. Polypropylene shell with distinctive texture made with 80% recycled materials, available in four colours, featuring a cushion attached to the seat covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 6807 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|-------|-------|
| WOOD | 7359 | 7585 | 7811 | 8037 | 8263 | 8489 | 8715 | 8941 | 9167 | 9393 | 9619 | 9845 | 10071 | 10883 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| WOOD | 10071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.6807 1 pz = 2 - kg 14/ m³ 0,457 4 pz = 2 - kg 42/ m³ 0,809 | Art.6807 COL requirement m² 1.02 H 140 cm. COM Meterage m 0.69 | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Shell




PD00001 PD00002 PD00003 PD00004



Adell

Design by Lievore + Altherr Désile Park, 2020



Lounge chair on a four-legged base in plywood with a reconstituted natural or dyed oak finish. Polypropylene shell with distinctive texture made with 80% recycled materials, entirely covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 6808 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD | 11907 | 12514 | 13121 | 13728 | 14335 | 14942 | 15549 | 16156 | 16763 | 17370 | 17977 | 18584 | 19191 | 21587 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| WOOD | 19191 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.6808 1 pz = 2 - kg 14/ m³ 0,457 4 pz = 2 - kg 45,6/ m³ 0,809 | Art.6808 COL requirement m² 3.84 H 140 cm. COM Meterage m 1.96 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | |

Frame Base





Accessories

Design by Lievore + Altherr Désile Park, 2020

Seat cushion covered with fabric, leather, coated fabric or a covering of the client's choice. The accessory – to be paired with the chair featuring exposed plastic shell – is removable and is available in both indoor (Art. 6809) and outdoor (Art. 6810) versions.



| SEK ART. 6809 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CUSHION - INDOOR | 1310 | 1512 | 1714 | 1916 | 2118 | 2320 | 2522 | 2724 | 2926 | 3128 | 3330 | 3532 | 3734 | 4393 |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| CUSHION - INDOOR | 3734 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.6809 1 pz = 1  - kg 1/ m ² 0,018 4 pz = 1  - kg 4,22/ m ² 0,099 | Art.6809 COL requirement m ² 1.14 H 140 cm. COM Meterage m 0.61 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |





Accessories

Design by Lievore + Altherr Désile Park, 2020

Seat cushion covered with fabric, leather, coated fabric or a covering of the client's choice. The accessory – to be paired with the chair featuring exposed plastic shell – is removable and is available in both indoor (Art. 6809) and outdoor (Art. 6810) versions.



| | | | | |
|----------------------|------|---------------------------------|-------|--|
| SEK ART. 6810 | COM | Heritage Savane Silvertex | Patio | |
| CUSHION - OUTDOOR | 1726 | 1928 | 2130 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.6810 1 pz = 1  - kg 1/ m³ 0,018 4 pz = 1  - kg 4,22/ m³ 0,099 | Art.6810 H 140 cm. COM Meterage m 0.61 | |
| FIRE RETARDANT TEST | | |



Outdoor use



Accessories

Design by Lievore + Altherr Désile Park, 2020

Front cushion covered with fabric or a covering of the client's choice. The accessory – to be paired with the chair featuring exposed plastic shell – is removable and is available in both indoor (Art. 6811) and outdoor (Art. 6812) versions.



| SEK ART. 6811 | A | B COM | C | D | E | F | G | H | I | J | K | L | M | |
|----------------------------------|------|-------|------|------|------|------|------|------|------|------|------|------|------|--|
| FRONT REMOVABLE CUSHION - INDOOR | 3573 | 4002 | 4431 | 4860 | 5289 | 5718 | 6147 | 6576 | 7005 | 7434 | 7863 | 8292 | 8721 | |
| SPECIAL FABRICS | Atom | | | | | | | | | | | | | |
| FRONT REMOVABLE CUSHION - INDOOR | 8721 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.6811 1 pz = 1  - kg 3,1/ m² 0,084 4 pz = 1  - kg 9,5/ m² 0,385 | Art.6811 COL requirement m² H 140 cm. COM Meterage m 1.42 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |





Accessories

Design by Lievore + Altherr Désile Park, 2020

Front cushion covered with fabric or a covering of the client's choice. The accessory – to be paired with the chair featuring exposed plastic shell – is removable and is available in both indoor (Art. 6811) and outdoor (Art. 6812) versions.



| | | | | |
|-----------------------------------|------|-----------------|-------|--|
| SEK ART. 6812 | COM | Heritage Savane | Patio | |
| FRONT REMOVABLE CUSHION - OUTDOOR | 4894 | 5323 | 5752 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.6812 1 pz = 1  - kg 3,1/ m ² 0,084 4 pz = 1  - kg 9,5/ m ² 0,385 | Art.6812 H 140 cm. COM Meterage m 1.41 | |
| FIRE RETARDANT TEST | | |



Outdoor use

ASTON

Design by Jean-Marie Massaud

2006



Aston

Collection overview

Bases



4 way swivel



5 ways



5 way synchro



Lounge



Footrest

Backrest



Low



Medium



High


Return mechanism

Synchro mechanism



Aston Lounge

Design by Jean-Marie Massaud, 2006





Lounge armchair with aluminium pedestal base. Aston Lounge is available in two versions: with swivel base (Art. 1920), or fitted with seat return mechanism (Art. 1921). The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1920 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 17789 | 18694 | 19599 | 20504 | 21409 | 22314 | 23219 | 24124 | 25029 | 25934 | 26839 | 27744 | 28649 | 32244 |
| SEK ART. 1921 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 19551 | 20456 | 21361 | 22266 | 23171 | 24076 | 24981 | 25886 | 26791 | 27696 | 28601 | 29506 | 30411 | 34018 |
| Fire retardant foam | + 1286 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.1920 1 pz = 1 - kg 28,5/ m³ 0,958 Art.1921 1 pz = 1 - kg 29/ m³ 0,958 | Art.1920 COL requirement m² 4.68 H 140 cm. COM Meterage m 2.31 Art.1921 COL requirement m² 4.68 H 140 cm. COM Meterage m 2.31 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.


Frame Base



Aston Lounge

Design by Jean-Marie Massaud, 2006

Footstool with aluminium pedestal base. The cushion support element is available in the same finishes of the base. The polyurethane shell is upholstered in fabric, leather, coated fabric or customer's material.



| SEK ART. 1902 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED | 8419 | 8788 | 9157 | 9526 | 9895 | 10264 | 10633 | 11002 | 11371 | 11740 | 12109 | 12478 | 12847 | 14288 |
| Fire retardant foam | + 143 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.1902 1 pz = 1 - kg 10,5/ m³ 0,157 | Art.1902 COL requirement m² 1.8 H 140 cm. COM Meterage m 1.27 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




All other types of floor Wooden floor Carpets



Aston

Design by Jean-Marie Massaud, 2007




Armchair with aluminium pedestal swivel base, also available with the seat return mechanism (Art. 1929). The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1928 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 15372 | 16015 | 16658 | 17301 | 17944 | 18587 | 19230 | 19873 | 20516 | 21159 | 21802 | 22445 | 23088 | 25648 |
| SEK ART. 1929 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 17146 | 17789 | 18432 | 19075 | 19718 | 20361 | 21004 | 21647 | 22290 | 22933 | 23576 | 24219 | 24862 | 27410 |
| Fire retardant foam | + 917 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.1928 1 pz = 1 - kg 16/ m³ 0,715 Art.1929 1 pz = 1 - kg 26,3/ m³ 0,715 | Art.1928 COL requirement m² 3.48 H 140 cm. COM Meterage m 1.65 Art.1929 COL requirement m² 3.48 H 140 cm. COM Meterage m 1.65 | |


FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Aston

Design by Jean-Marie Massaud, 2006



Armchair with aluminium pedestal swivel base (Art. 1925) also available with the seat return mechanism (Art. 1926). The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1925 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 16063 | 16802 | 17541 | 18280 | 19019 | 19758 | 20497 | 21236 | 21975 | 22714 | 23453 | 24192 | 24931 | 27791 |
| SEK ART. 1926 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 17824 | 18563 | 19302 | 20041 | 20780 | 21519 | 22258 | 22997 | 23736 | 24475 | 25214 | 25953 | 26692 | 29565 |
| Fire retardant foam | + 917 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 1925 1 pz = 1 - kg 26,4/ m³ 0,715 Art. 1926 1 pz = 1 - kg 26,9/ m³ 0,715 | Art. 1925 COL requirement m² 4.08 H 140 cm. COM Meterage m 1.88 Art. 1926 COL requirement m² 4.08 H 140 cm. COM Meterage m 1.88 | |


FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Aston

Design by Jean-Marie Massaud, 2006





Executive armchair with aluminium pedestal swivel base (Art. 1922), also available with the seat return mechanism (Art. 1923). The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1922 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 16884 | 17789 | 18694 | 19599 | 20504 | 21409 | 22314 | 23219 | 24124 | 25029 | 25934 | 26839 | 27744 | 31339 |
| SEK ART. 1923 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 18670 | 19575 | 20480 | 21385 | 22290 | 23195 | 24100 | 25005 | 25910 | 26815 | 27720 | 28625 | 29530 | 33126 |
| Fire retardant foam | + 1095 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.1922 1 pz = 1 - kg 27,8/ m³ 0,83 Art.1923 1 pz = 1 - kg 27,5/ m³ 0,83 | Art.1922 COL requirement m² 4.2 H 140 cm. COM Meterage m 2.09 Art.1923 COL requirement m² 4.2 H 140 cm. COM Meterage m 2.09 | |


FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Aston

Design by Jean-Marie Massaud, 2007



Armchair with aluminium five-star base mounted on self-braking castors, equipped with gas height adjustment mechanism. The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1930 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 17539 | 18182 | 18825 | 19468 | 20111 | 20754 | 21397 | 22040 | 22683 | 23326 | 23969 | 24612 | 25255 | 27802 |
| Fire retardant foam | + 917 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.1930 1 pz = 1 - kg 27,5/ m³ 0,715 | Art.1930 COL requirement m² 3.48 H 140 cm. COM Meterage m 1.65 | |


FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Aston


Design by Jean-Marie Massaud, 2015



Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment and synchro mechanism. The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material.

| SEK ART. 1933 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|-------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SYNCHRO MECHANISM | 18324 | 18978 | 19632 | 20286 | 20940 | 21594 | 22248 | 22902 | 23556 | 24210 | 24864 | 25518 | 26172 | 28803 |
| Fire retardant foam | + 917 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1933 1 pz = 1 - kg 28,5/ m³ 0,715 | Art.1933 COL requirement m² 3.48 H 140 cm. COM Meterage m 1.62 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Synchro



Aston

Design by Jean-Marie Massaud, 2007



Armchair with aluminium five-star base mounted on self-braking castors, equipped with gas height adjustment mechanism. The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1927 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 18182 | 18921 | 19660 | 20399 | 21138 | 21877 | 22616 | 23355 | 24094 | 24833 | 25572 | 26311 | 27050 | 29911 |
| Fire retardant foam | + 917 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.1927 1 pz = 1 - kg 28/ m³ 0,715 | Art.1927 COL requirement m² 4.08 H 140 cm. COM Meterage m 1.88 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




Aluminium seat support:
 Polished LU1, Powercoated V39 matt



Aston


Design by Jean-Marie Massaud, 2009



Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment and synchro mechanism. The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material.

| SEK ART. 1918 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|-------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SYNCHRO MECHANISM | 18968 | 19754 | 20540 | 21326 | 22112 | 22898 | 23684 | 24470 | 25256 | 26042 | 26828 | 27614 | 28400 | 31541 |
| Fire retardant foam | + 917 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1918 1 pz = 1 - kg 29/ m² 0,715 | Art.1918 COL requirement m² 3.72 H 140 cm. COM Meterage m 1.83 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Synchro



Aston

Design by Jean-Marie Massaud, 2007



Executive armchair with aluminium five-star base mounted on selfbraking castors, equipped with gas height adjustment mechanism. The shell support and the spring providing tilt movement are available in the same finishes of the base. The polyurethane shell is upholstered in leather, coated fabric, fabric, or customer's material.

| SEK ART. 1924 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 19004 | 19909 | 20814 | 21719 | 22624 | 23529 | 24434 | 25339 | 26244 | 27149 | 28054 | 28959 | 29864 | 33470 |
| Fire retardant foam | + 1095 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.1924 1 pz = 1 - kg 29,5/ m³ 0,83 | Art.1924 COL requirement m² 4.2 H 140 cm. COM Meterage m 2.09 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




Aluminium seat support:
 Polished LU1, Powercoated V39 matt



Aston


Design by Jean-Marie Massaud, 2009



Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment and synchro mechanisms. The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material.

| SEK ART. 1919 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|-------|--|-------|-------|-------|-------|---|-------|-------|-------|-------|
| SYNCHRO MECHANISM | 19814 | 20624 | 21434 | 22244 | 23054 | 23864 | 24674 | 25484 | 26294 | 27104 | 27914 | 28724 | 29534 | 32816 |
| Fire retardant foam | + 1095 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1919 1 pz = 1 - kg 30,5/ m³ 0,83 | Art.1919 COL requirement m² 4.08 H 140 cm. COM Meterage m 2.05 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



ASTON CLUB

Design by Jean-Marie Massaud

2020



Aston Club

Collection overview

Bases



4 ways



4 ways




4 ways footrest

Aston Club

New Fabrics

To emphasize the striking and elegant gesture of Aston Club, we have added four further proposals to the wide range of Arper fabrics. Ria, Sonar 3 (Kvadrat) and Sera (Rohi) fabrics are dedicated exclusively to Aston Club, as well as Fabthirty by Rubelli which is shared with Shaal collection.




Ria — Kvadrat Raf Simons

15 colors



Sonar 3 — Kvadrat Raf Simons

17 colors



Sera — Rohi

26 colors




Fabthirty — Rubelli

60 colors

Aston Club

Design by Jean-Marie Massaud, 2020




Lounge chair on a 4-ways base in polished or powder-coated aluminium, featuring a seat return mechanism and a weight-triggered mechanism for reclining the backrest, with three set positions. The polyurethane shell is covered with fabric, leather, coated fabric or a covering of the client's choice.

| SEK ART. 2400 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 38365 | 39723 | 41081 | 42439 | 43797 | 45155 | 46513 | 47871 | 49229 | 50587 | 51945 | 53303 | 54661 | 60201 |
| SPECIAL FABRICS | Fabthirty | Ria | Sonar | Sera | | | | | | | | | | |
| | 46513 | 60201 | 54661 | 46513 | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.2400 1 pz = 1 - kg 35/ m³ 1,18 | Art.2400 COL requirement m² 7.32 H 140 cm. COM Meterage m 4.07 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 • ANSI/BIFMA X5.4-2020/5 • ANSI/BIFMA X5.4-2020/9 • ANSI/BIFMA X5.4-2020/13 • ANSI/BIFMA X5.4-2020/15 • ANSI/BIFMA X5.4-2020/19 • ANSI/BIFMA X5.4-2020/21 |
| FIRE RETARDANT TEST | | |


Frame Base



Aston Club

Design by Jean-Marie Massaud, 2020


Footstool on a four-legged base in polished or powder-coated aluminium and a polyurethane shell covered with fabric, leather, coated fabric or a covering of the client's choice.



| SEK ART. 2401 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 12883 | 13336 | 13789 | 14242 | 14695 | 15148 | 15601 | 16054 | 16507 | 16960 | 17413 | 17866 | 18319 | 20158 |
| SPECIAL FABRICS | Fabthirty | Ria | Sonar | Sera | | | | | | | | | | |
| | 15601 | 20158 | 18319 | 15601 | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art.2401 1 pz = 1 - kg 15/ m² 0,3 | Art.2401 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.3 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 7.2 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base



Aston Club Low Back

Design by Jean-Marie Massaud, 2021




Lounge chair on a 4-ways base in polished or powder-coated aluminium with return mechanism. The shell – with a low backrest – is made of polyurethane upholstered with fabric, leather, coated fabric or customer's own material.

| SEK ART. 2402 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 28779 | 29755 | 30731 | 31707 | 32683 | 33659 | 34635 | 35611 | 36587 | 37563 | 38539 | 39515 | 40491 | 44437 |
| SPECIAL FABRICS | Fabthirty | Ria | Sonar | Sera | | | | | | | | | | |
| | 34635 | 44437 | 40491 | 34635 | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art.2402 1 pz = 1 - kg 45/ m³ 1,1 | Art.2402 COL requirement m² 6.78 H 140 cm. COM Meterage m 3.16 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 • ANSI/BIFMA X5.4-2020/7 • ANSI/BIFMA X5.4-2020/10 • ANSI/BIFMA X5.4-2020/14 • ANSI/BIFMA X5.4-2020/17 • ANSI/BIFMA X5.4-2020/21 • ANSI-BIFMA X5.4-2020/6 |
| FIRE RETARDANT TEST | | |

Frame Base



CATIFA 46

Design by
Lievore Altherr Molina
2004



Collection overview

Bases



4 legs
Armrest versions



4 wood legs



Sled
Armrest versions



Technical sled



Aluminum trestle
swivel base
Armrest versions



Aluminum trestle
fixed base
Armrest versions



Alluminium 5 ways steel
Armrest versions



Counter stool
sled



Bar stool
sled



Counter stool
swivel base



Bar stool
swivel base

Catifa 46

Shells

Polypropylene




One color



Two colors



With cushion upholstered



With frontal upholstered

Upholstery



Upholstered with a unremovable cover.



Upholstered with a removable cover. Available with 4 different stitchings



Upholstered in hard leather

Wood




Wood shell with front upholstery

Armrest types



BV =
Brushed stainless structure,
brass, steel



CV =
Polypropylene pad



CI =
Upholstered pad


For further accessories please go at the end of the collection



Outdoor options:
available for polypropylene shells and
the follow bases:
— 4 legs
— Sled

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg frame, available in chromed or powdercoated steel, or brushed stainless steel versions. The shell is available in single-colour polypropylene, bi-colour polypropylene or covered in hard leather without padding. Versions with polypropylene shell and powdercoated or brushed base can be used outdoor. Upon request armrests are offered in the same finishes of the base, also with pad.

Accessories:
 Link Art. 0258
 Stacking protection pad with link Art. 0260
 Cushion Art. 0261
 Stacking protection pad Art. 0262
 Removable cover Art. 0309
 Trolley Art. 0760
 Set of glides Art. 2015
 Movable link Art. 2073

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 20 units
- with link: without tools up to 10 units
- with link: with trolley up to 14 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with arms (BV version only): without tools up to 5 units
- with arms (BV version only): with trolley up to 5 units
- with arms (BV version only) with link: without tools up to 5 units
- with arms (BV version only) with link: with trolley up to 5 units

| SEK ART. 0251 | CT | PO bi-color | PO single-color | |
|--|--------|-------------|-----------------|--|
| CHROMED / POWDERCOATED | 5357 | 2214 | 1952 | |
| BRUSHED STAINLESS STEEL | 6537 | 3394 | 3132 | |
| Armrests BV | + 1083 | | | |
| Armrests BV brushed stainless steel | + 1607 | | | |
| Armrests CV - pad (only for PO) | + 334 | | | |
| Hole on shell hole to allow water drainage (only for PO) | + 143 | | | |
| Outdoor powdercoated | + 500 | | | |
| Polypropylene fire retardant (only for PO) | + 357 | | | (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) |



Catifa 46

Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art.0251 1 pz = 2 - kg 7,9/ m² 0,247 1 pz = 3 - kg 10,2/ m² 0,271 4 pz = 2 - kg 28/ m² 0,322 4 pz = 3 - kg 35,7/ m² 0,34 | Art.0251 Outdoor: only for PO, V12, V13, V39, V48, V53, V54, V55, V56, V57 Outdoor powdercoated *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.17 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.18 |

| FIRE RETARDANT TEST |
|---|
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. |

Frame Base



Shell




Available also in one colour version (please check section "Finishes").

Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Upon request armrests are offered in the same finishes of the base.

Accessories:

Link Art. 0258
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units






- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0253 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| CHROMED / POWDERCOATED | 4941 | 5251 | 5561 | 5871 | 6181 | 6491 | 6801 | 7111 | 7421 | 7731 | 8041 | 8351 | 8661 | 9810 |
| BRUSHED STAINLESS STEEL | 6121 | 6431 | 6741 | 7051 | 7361 | 7671 | 7981 | 8291 | 8601 | 8911 | 9221 | 9531 | 9841 | 10990 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests BV brushed stainless steel | + 1607 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |



Catifa 46


Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art.0253 1 pz = 2  - kg 9,2/ m² 0,265 1 pz = 3  - kg 11,5/ m² 0,293 4 pz = 2  - kg 34/ m² 0,36 4 pz = 3  - kg 41,7/ m² 0,396  | Art.0253 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.17 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.18 |

FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Upon request armrests are offered in the same finishes of the base.

Accessories:
 Link Art. 0258
 Stacking protection pad with link Art. 0277
 Stacking protection glide Art. 0286
 Stacking protection pad Art. 0499
 Trolley Art. 0760
 Set of glides Art. 2015
 Movable link Art. 2073

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).






- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 2 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0310 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| CHROMED / POWDERCOATED - Cover 1 | 4881 | 5191 | 5501 | 5811 | 6121 | 6431 | 6741 | 7051 | 7361 | 7671 | 7981 | 8291 | 8601 | 9751 |
| CHROMED / POWDERCOATED - Cover 2 | 5000 | 5310 | 5620 | 5930 | 6240 | 6550 | 6860 | 7170 | 7480 | 7790 | 8100 | 8410 | 8720 | 9883 |
| CHROMED / POWDERCOATED - Cover 3 | 4881 | 5191 | 5501 | 5811 | 6121 | 6431 | 6741 | 7051 | 7361 | 7671 | 7981 | 8291 | 8601 | 9751 |
| CHROMED / POWDERCOATED - Cover 4 | 4440 | 4750 | 5060 | 5370 | 5680 | 5990 | 6300 | 6610 | 6920 | 7230 | 7540 | 7850 | 8160 | 9334 |
| STAINLESS STEEL - Cover 1 | 6061 | 6371 | 6681 | 6991 | 7301 | 7611 | 7921 | 8231 | 8541 | 8851 | 9161 | 9471 | 9781 | 10931 |
| STAINLESS STEEL - Cover 2 | 6180 | 6490 | 6800 | 7110 | 7420 | 7730 | 8040 | 8350 | 8660 | 8970 | 9280 | 9590 | 9900 | 11063 |
| STAINLESS STEEL - Cover 3 | 6061 | 6371 | 6681 | 6991 | 7301 | 7611 | 7921 | 8231 | 8541 | 8851 | 9161 | 9471 | 9781 | 10931 |
| STAINLESS STEEL - Cover 4 | 5620 | 5930 | 6240 | 6550 | 6860 | 7170 | 7480 | 7790 | 8100 | 8410 | 8720 | 9030 | 9340 | 10514 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests BV brushed stainless steel | + 1607 | | | | | | | | | | | | | |



Catifa 46

Design by Lievore Altherr Molina, 2013

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art.0310 1 pz = 2  - kg 10,6/ m³ 0,272 1 pz = 3  - kg 12,9/ m³ 0,3 4 pz = 2  - kg 35,44/ m³ 0,368 4 pz = 3  - kg 43,12/ m³ 0,404  | Art.0310 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 |

| FIRE RETARDANT TEST |
|---|
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Upon request armrests are offered in the same finishes of the base.

Accessories:
 Link Art. 0258
 Cushion Art. 0261
 Stacking protection glide Art. 0286
 Trolley Art. 0760
 Set of glides Art. 2015
 Movable link Art. 2073

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).






- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units
- with link: with stacking pad, without tools up to 10 units
- with link: with stacking pad, with trolley up to 10 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0351 | WOOD | |
|-------------------------------------|------|------|
| CHROMED / POWDERCOATED | 5334 | |
| BRUSHED STAINLESS STEEL | 6514 | |
| Armrests BV | + | 1083 |
| Armrests BV brushed stainless steel | + | 1607 |



Catifa 46

Design by Lievore Altherr Molina, 2004


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art.0351 1 pz = 2  - kg 7,38/ m³ 0,241 1 pz = 3  - kg 9,68/ m³ 0,269 4 pz = 2  - kg 25,9/ m³ 0,316 4 pz = 3  - kg 33,6/ m³ 0,352  | Art.0351 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) |

| FIRE RETARDANT TEST |
|---|
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. |

Frame Base



Shell



Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's own material. Upon request armrests are offered in the same finishes of the base, also upholstered.

Accessories:

Link Art. 0258
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).






- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0458 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| CHROMED / POWDERCOATED | 4822 | 4976 | 5130 | 5284 | 5438 | 5592 | 5746 | 5900 | 6054 | 6208 | 6362 | 6516 | 6670 | 8310 |
| BRUSHED STAINLESS STEEL | 6002 | 6156 | 6310 | 6464 | 6618 | 6772 | 6926 | 7080 | 7234 | 7388 | 7542 | 7696 | 7850 | 9490 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests BV brushed stainless steel | + 1607 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |



Catifa 46

Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| Art.0458 1 pz = 2  - kg 10,6/ m³ 0,272 1 pz = 3  - kg 12,9/ m³ 0,3 4 pz = 2  - kg 35,44/ m³ 0,368 4 pz = 3  - kg 43,12/ m³ 0,404  | Art.0458 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 |

FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with four-leg steel frame available in chromed steel, stainless steel or powdercoated version. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Upon request armrests are offered in the same finishes of the base, also with pad.

Accessories:
 Link Art. 0258
 Stacking protection pad with link Art. 0277
 Stacking protection pad Art. 0499
 Trolley Art. 0760
 Set of glides Art. 2015
 Movable link Art. 2073

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).






- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0325 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|-------------------------------------|--------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 8263 | 8417 | 8571 | 8725 | 8879 | 9033 | 9187 | 9341 | 9495 | 9649 | 9803 | 9957 | 10111 |
| BRUSHED STAINLESS STEEL | 9443 | 9597 | 9751 | 9905 | 10059 | 10213 | 10367 | 10521 | 10675 | 10829 | 10983 | 11137 | 11291 |
| Armrests BV | + 1083 | | | | | | | | | | | | |
| Armrests BV brushed stainless steel | + 1607 | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | |



Catifa 46

Design by Lievore Altherr Molina, 2014


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art.0325 1 pz = 2  - kg 10,6/ m³ 0,272 1 pz = 3  - kg 12,9/ m³ 0,3 4 pz = 2  - kg 35,44/ m³ 0,368 4 pz = 3  - kg 43,12/ m³ 0,404  | Art.0325 H 140 cm. COM Meterage m 0.65 | <ul style="list-style-type: none"> TUV GS (EN16139) |

| FIRE RETARDANT TEST |
|---|
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Upon request armrests are offered in the same finishes of the base, also upholstered.

Accessories:

- Link Art. 0258
- Stacking protection pad with link Art. 0277
- Stacking protection pad Art. 0499
- Trolley Art. 0760
- Set of glides Art. 2015
- Movable link Art. 2073

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).






- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0450 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| CHROMED / POWDERCOATED PO two color | 4179 | 4250 | 4321 | 4392 | 4463 | 4534 | 4605 | 4676 | 4747 | 4818 | 4889 | 4960 | 5031 | 5357 |
| CHROMED / POWDERCOATED PO single color | 3917 | 3988 | 4059 | 4130 | 4201 | 4272 | 4343 | 4414 | 4485 | 4556 | 4627 | 4698 | 4769 | 5083 |
| BRUSHED STAINLESS STEEL PO two color | 5359 | 5430 | 5501 | 5572 | 5643 | 5714 | 5785 | 5856 | 5927 | 5998 | 6069 | 6140 | 6211 | 6537 |
| BRUSHED STAINLESS STEEL PO single color | 5097 | 5168 | 5239 | 5310 | 5381 | 5452 | 5523 | 5594 | 5665 | 5736 | 5807 | 5878 | 5949 | 6263 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests BV brushed stainless steel | + 1607 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |



Catifa 46

Design by Lievore Altherr Molina, 2012

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| Art.0450 1 pz = 2  - kg 10,6/ m³ 0,272 1 pz = 3  - kg 12,9/ m³ 0,3 4 pz = 2  - kg 35,44/ m³ 0,368 4 pz = 3  - kg 43,12/ m³ 0,404  | Art.0450 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 |

| FIRE RETARDANT TEST |
|--|
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. |

Frame Base



Shell




Available also in one colour version (please check section "Finishes").

Armrest



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with oak timber four-leg base (natural oak, bleached oak, wengè, teak colour) and single-colour, standard bi-colour (colourBi®) polypropylene shell. Alternatively, the shell is covered in hard leather without padding. Provided with glides suitable for various surfaces.

Accessories:
Link Art. 0258
Removable cover Art. 0309

| | | | | |
|--|--|--------------------|------------------------|--|
| SEK ART. 0355 | CT | PO bi-color | PO single-color | |
| WOOD LEGS | 7310 | 4167 | 3905 | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art.0355 1 pz = 2 - kg 7,9/ m³ 0,247 4 pz = 2 - kg 28/ m³ 0,322 | Art.0355 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) |

- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6.5
- EN 1728:2012 - EN 16139:2013 6. 6

FIRE RETARDANT TEST

Classe 1 Omologazione Italia Polipropilene. • Classe 11M Omologazione Italia Elmosoft. • M2 Polipropilene.

Frame Base



Shell




Available also in one colour version (please check section "Finishes").



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with oak timber four-leg base (natural oak, bleached oak, wengé, teak colour) and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Provided with glides suitable for various surfaces.

Accessories:
Link Art. 0258

| SEK ART. 0356 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|-------|-------|-------|
| WOOD LEGS | 6894 | 7204 | 7514 | 7824 | 8134 | 8444 | 8754 | 9064 | 9374 | 9684 | 9994 | 10304 | 10614 | 11763 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.0356 1 pz = 2 - kg 9,2/ m³ 0,271 4 pz = 2 - kg 34/ m³ 0,373 | Art.0356 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Catifa 46

Design by Lievore Altherr Molina, 2013




Chair with oak timber four-leg base (natural oak, bleached oak, wengé, teak colour) and polypropylene shell upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover.

Accessories:
Link Art. 0258

| SEK ART. 0311 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|------|-------|-------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| WOOD LEGS - Cover 1 | 6834 | 7144 | 7454 | 7764 | 8074 | 8384 | 8694 | 9004 | 9314 | 9624 | 9934 | 10244 | 10554 | 11704 |
| WOOD LEGS - Cover 2 | 6953 | 7263 | 7573 | 7883 | 8193 | 8503 | 8813 | 9123 | 9433 | 9743 | 10053 | 10363 | 10673 | 11836 |
| WOOD LEGS - Cover 3 | 6834 | 7144 | 7454 | 7764 | 8074 | 8384 | 8694 | 9004 | 9314 | 9624 | 9934 | 10244 | 10554 | 11704 |
| WOOD LEGS - Cover 4 | 6393 | 6703 | 7013 | 7323 | 7633 | 7943 | 8253 | 8563 | 8873 | 9183 | 9493 | 9803 | 10113 | 11287 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art.0311 1 pz = 2 - kg 9,2/ m² 0,271 4 pz = 2 - kg 34/ m² 0,373 | Art.0311 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base (natural oak, bleached oak, wengé) and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Provided with glides suitable for different surfaces.

Accessories:
Link Art. 0258
Cushion Art. 0261

| | | |
|---|--|--|
| SEK ART. 0359 | WOOD | |
| WOOD LEGS | 7287 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0359 1 pz = 2 - kg 7,1/ m³ 0,247 4 pz = 2 - kg 24,82/ m³ 0,329 | Art.0359 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |


Frame Base



L0020 L0021 L0022



Shell




L0020 L0021 L0022



Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base (natural oak, bleached oak, wengé, teak colour) and polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's own material. Provided with glides suitable for various surfaces.

Accessories:
Link Art. 0258

| SEK ART. 0358 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|--|------|------|------|------|------|------|------|-------|
| WOOD LEGS | 6775 | 6929 | 7083 | 7237 | 7391 | 7545 | 7699 | 7853 | 8007 | 8161 | 8315 | 8469 | 8623 | 10263 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.0358 1 pz = 2 - kg 10,6/ m³ 0,285 4 pz = 2 - kg 35,44/ m³ 0,374 | | Art.0358 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base (natural oak, bleached oak, wengé) and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Provided with glides suitable for different surfaces.

Accessories:
Link Art. 0258

| SEK ART. 0329 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 10216 | 10370 | 10524 | 10678 | 10832 | 10986 | 11140 | 11294 | 11448 | 11602 | 11756 | 11910 | 12064 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.0329 1 pz = 2 - kg 10,6/ m³ 0,285 4 pz = 2 - kg 35,44/ m³ 0,374 | Art.0329 H 140 cm. COM Meterage m 0,65 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | |


Frame Base



L0020 L0021 L0022



Shell




L0020 L0021 L0022



Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base (natural oak, bleached oak, wengé, teak colour) and polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Provided with glides suitable for various surfaces.

Accessories:
Link Art. 0258

| SEK ART. 0308 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| WOOD LEGS PO two color | 6132 | 6203 | 6274 | 6345 | 6416 | 6487 | 6558 | 6629 | 6700 | 6771 | 6842 | 6913 | 6984 | 7310 |
| WOOD LEGS PO single color | 5870 | 5941 | 6012 | 6083 | 6154 | 6225 | 6296 | 6367 | 6438 | 6509 | 6580 | 6651 | 6722 | 7036 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0308 1 pz = 2 - kg 10,6/ m³ 0,285 4 pz = 2 - kg 35,44/ m³ 0,374 | Art.0308 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



L0020 L0021 L0022 L0023



Shell




PO00204 PO00205 PO00209 PO00212 PO00213 PO00214 PO00215 PO00216 PO00217 PO00218

Available also in one colour version (please check section "Finishes").



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powdercoated steel sled base and shell in single colour polypropylene, bi-colour polypropylene or covered in hard leather without padding. Optional glides with felt for wooden floors are available upon request. Steel armrests, also with pad, are available upon request.

Accessories:
 Link Art. 0258
 Cushion Art. 0261
 Stacking protection pad Art. 0262
 Stacking protection glide Art. 0286
 Removable cover Art. 0309
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 20 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with arms: without tools non stackable.
- with arms: with trolley non stackable.
- with arms with link: without tools non stackable.
- with arms with link: with trolley non stackable.

| SEK ART. 0278 | CT | PO bi-color | PO single-color |
|--|--|-------------|-----------------|
| CHROMED / POWDERCOATED | 5703 | 2560 | 2298 |
| Armrests BV | + 1083 | | |
| Armrests CV - pad (only for PO) | + 334 | | |
| Hole on shell hole to allow water drainage (only for PO) | + 143 | | |
| Outdoor powdercoated | + 500 | | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--|
| Art.0278 1 pz = 2 - kg 10,4/ m³ 0,243 1 pz = 3 - kg 12,7/ m³ 0,273 4 pz = 2 - kg 32/ m³ 0,304 4 pz = 3 - kg 39,7/ m³ 0,34 KD | Art.0278 Outdoor: only for PO, V12, V13, V39, V48, V53, V54, V55, V56, V57 Outdoor powdercoated *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |

Frame Base

CRO V12 V13 V39 V48 V53 V54 V55 V56 V57
 matt matt matt matt matt matt matt matt matt

Shell

PO00204 PO00205 PO00209 PO00212 PO00213 PO00214 PO00215 PO00216 PO00217 PO00218

Available also in one colour version (please check section "Finishes").


Armrest

Armrests BV Armrests CV - pad (only for PO)

Stackable Standard: polycarbonate glide with polyurethane insert. Upon request: polycarbonate glide with felt insert. Outdoor use with felt insert.

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

Accessories:

Link Art. 0258
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 0280 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|------|------|------|--------------------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5287 | 5597 | 5907 | 6217 | 6527 | 6837 | 7147 | 7457 | 7767 | 8077 | 8387 | 8697 | 9007 | 10156 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | | | | RESISTANCE TEST | | | | | | |
| Art.0280 1 pz = 2 - kg 11,7/ m³ 0,267 1 pz = 3 - kg 14/ m³ 0,295 4 pz = 2 - kg 38/ m³ 0,36 4 pz = 3 - kg 45,7/ m³ 0,396 | Art.0280 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | | | | | | • TUV GS (EN16139) | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base



Armrest



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed or powdercoated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Steel armrests are available upon request.

Accessories:

Link Art. 0258
Stacking protection pad with link Art. 0277
Stacking protection glide Art. 0286
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units






- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 0312 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| CHROMED / POWDERCOATED - Cover 1 | 5227 | 5537 | 5847 | 6157 | 6467 | 6777 | 7087 | 7397 | 7707 | 8017 | 8327 | 8637 | 8947 | 10097 |
| CHROMED / POWDERCOATED - Cover 2 | 5346 | 5656 | 5966 | 6276 | 6586 | 6896 | 7206 | 7516 | 7826 | 8136 | 8446 | 8756 | 9066 | 10229 |
| CHROMED / POWDERCOATED - Cover 3 | 5227 | 5537 | 5847 | 6157 | 6467 | 6777 | 7087 | 7397 | 7707 | 8017 | 8327 | 8637 | 8947 | 10097 |
| CHROMED / POWDERCOATED - Cover 4 | 4786 | 5096 | 5406 | 5716 | 6026 | 6336 | 6646 | 6956 | 7266 | 7576 | 7886 | 8196 | 8506 | 9680 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |



Catifa 46

Design by Lievore Altherr Molina, 2013

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--|
| Art.0312 1 pz = 2  - kg 11,7/ m³ 0,267 1 pz = 3  - kg 14/ m³ 0,295 4 pz = 2  - kg 38/ m³ 0,36 4 pz = 3  - kg 45,7/ m³ 0,396  | Art.0312 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |

| FIRE RETARDANT TEST |
|---|
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powder-coated steel sled base and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Glides for wooden floors available upon request. Steel armrests are available upon request.

Accessories:
 Link Art. 0258
 Cushion Art. 0261
 Stacking protection glide Art. 0286
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units


- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| | | |
|--|--|---|
| SEK ART. 0378 | WOOD | |
| CHROMED / POWDERCOATED | 5680 | |
| Armrests BV | + 1083 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0378 1 pz = 2 - kg 9,88/ m³ 0,243 1 pz = 3 - kg 12,18/ m³ 0,271 4 pz = 2 - kg 29,9/ m³ 0,316 4 pz = 3 - kg 37,6/ m³ 0,352 | Art.0378 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 12520:2015 5.4.2 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base



Shell



Armrest



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powder-coated steel sled base and polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's own material. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

Accessories:

- Link Art. 0258
- Stacking protection pad with link Art. 0277
- Stacking protection pad Art. 0499
- Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 0468 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5168 | 5322 | 5476 | 5630 | 5784 | 5938 | 6092 | 6246 | 6400 | 6554 | 6708 | 6862 | 7016 | 8656 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0468 1 pz = 2 - kg 13,1/ m³ 0,274 1 pz = 3 - kg 15,4/ m³ 0,302 4 pz = 2 - kg 39,44/ m³ 0,368 4 pz = 3 - kg 47,12/ m³ 0,404 | Art.0468 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | • TUV GS (EN16139) |

FIRE RETARDANT TEST

Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.


Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with chromed or powder-coated steel sled base and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Glides for wooden floors available upon request without surcharge. Steel armrests, also upholstered, are available upon request.

Accessories:
 Link Art. 0258
 Stacking protection pad with link Art. 0277
 Stacking protection pad Art. 0499
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).


- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 0326 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|---|--|-------|------|------|------------------------|------|------|------|------|------|-------|-------|-------|
| CHROMED / POWDERCOATED | 8609 | 8763 | 8917 | 9071 | 9225 | 9379 | 9533 | 9687 | 9841 | 9995 | 10149 | 10303 | 10457 |
| Armrests BV | + 1083 | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.0326 1 pz = 2 - kg 13,1/ m³ 0,274 1 pz = 3 - kg 15,4/ m³ 0,302 4 pz = 2 - kg 39,44/ m³ 0,368 4 pz = 3 - kg 47,12/ m³ 0,404 (KD) | Art.0326 H 140 cm. COM Meterage m 0,65 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed or powder-coated steel sled base and polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

Accessories:

- Link Art. 0258
- Stacking protection pad with link Art. 0277
- Stacking protection pad Art. 0499
- Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 0452 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| PO Bicolors | 4525 | 4596 | 4667 | 4738 | 4809 | 4880 | 4951 | 5022 | 5093 | 5164 | 5235 | 5306 | 5377 | 5703 |
| PO single-color | 4263 | 4334 | 4405 | 4476 | 4547 | 4618 | 4689 | 4760 | 4831 | 4902 | 4973 | 5044 | 5115 | 5429 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0452 1 pz = 2 - kg 13,1/ m³ 0,274 1 pz = 3 - kg 15,4/ m³ 0,302 4 pz = 2 - kg 39,44/ m³ 0,368 4 pz = 3 - kg 47,12/ m³ 0,404 KD | Art.0452 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell




Available also in one colour version (please check section "Finishes").

Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base fitted with armrests. The shell is available in single-colour polypropylene, bi-colour polypropylene or covered in hard leather without padding. Optional glides with felt for wooden floors are available upon request.

Accessories:

- Link Art. 0258
- Stacking protection pad with link Art. 0260
- Cushion Art. 0261
- Stacking protection pad Art. 0262
- Writing tablet Art. 0264
- Stacking protection glide Art. 0286
- Removable cover Art. 0309
- Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 20 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with tablet: without tools up to 5 units
- with tablet: with trolley up to 8 units

| | | | | |
|--|--|-------------|------------------------|--|
| SEK ART. 0287 | CT | PO bi-color | PO single-color | |
| CHROMED | 6346 | 3203 | 2941 | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST | |
| Art.0287 1 pz = 2 - kg 10,62/ m³ 0,297 4 pz = 2 - kg 35,7/ m³ 0,392 | Art.0287 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | • TUV GS (EN16139) | |
| FIRE RETARDANT TEST | | | | |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | | |

Frame Base



CRO



Shell



Available also in one colour version (please check section "Finishes").



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Optional glides with felt for wooden floors are available upon request.

Accessories:

- Link Art. 0258
- Writing tablet Art. 0264
- Stacking protection pad with link Art. 0277
- Stacking protection pad Art. 0499
- Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0289 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|------|------------------------|------|------|------|------|------|------|-------|
| CHROMED | 5930 | 6240 | 6550 | 6860 | 7170 | 7480 | 7790 | 8100 | 8410 | 8720 | 9030 | 9340 | 9650 | 10799 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | | RESISTANCE TEST | | | | | | | |
| Art.0289 1 pz = 2 - kg 11,92/ m³ 0,319 4 pz = 2 - kg 41,7/ m³ 0,448 | | Art.0289 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | | | | • TUV GS (EN16139) | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base

CRO



Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed steel sled base and polypropylene shell upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request.

Accessories:
 Link Art. 0258
 Writing tablet Art. 0264
 Stacking protection pad with link Art. 0277
 Stacking protection glide Art. 0286
 Stacking protection pad Art. 0499
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0313 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED - Cover 1 | 5870 | 6180 | 6490 | 6800 | 7110 | 7420 | 7730 | 8040 | 8350 | 8660 | 8970 | 9280 | 9590 | 10740 |
| CHROMED - Cover 2 | 5989 | 6299 | 6609 | 6919 | 7229 | 7539 | 7849 | 8159 | 8469 | 8779 | 9089 | 9399 | 9709 | 10872 |
| CHROMED - Cover 3 | 5870 | 6180 | 6490 | 6800 | 7110 | 7420 | 7730 | 8040 | 8350 | 8660 | 8970 | 9280 | 9590 | 10740 |
| CHROMED - Cover 4 | 5429 | 5739 | 6049 | 6359 | 6669 | 6979 | 7289 | 7599 | 7909 | 8219 | 8529 | 8839 | 9149 | 10323 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0313 1 pz = 2 - kg 11,92/ m³ 0,319 4 pz = 2 - kg 41,7/ m³ 0,448 | Art.0313 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base

CRO



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base fitted with armrests. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Optional glides with felt for wooden floors are available upon request.

Accessories:
 Link Art. 0258
 Cushion Art. 0261
 Writing tablet Art. 0264
 Stacking protection glide Art. 0286
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units

- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units

| | | |
|---|--|------------------------|
| SEK ART. 0387 | WOOD | |
| CHROMED | 6323 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0387 1 pz = 2 - kg 10,1/ m³ 0,295 4 pz = 2 - kg 33,6/ m³ 0,404 | Art.0387 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |


Frame Base



CRO



Shell



L0020 L0021 L0022



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base, fitted with armrests. Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

Accessories:
 Link Art. 0258
 Writing tablet Art. 0264
 Stacking protection pad with link Art. 0277
 Stacking protection pad Art. 0499
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0470 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED | 5811 | 5965 | 6119 | 6273 | 6427 | 6581 | 6735 | 6889 | 7043 | 7197 | 7351 | 7505 | 7659 | 9299 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0470 1 pz = 2 - kg 13,32/ m² 0,326 4 pz = 2 - kg 43,12/ m² 0,456 KD | Art.0470 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with chromed steel sled base, fitted with armrests. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Glides for wooden floors available upon request without surcharge.

Accessories:

- Link Art. 0258
- Writing tablet Art. 0264
- Stacking protection pad with link Art. 0277
- Stacking protection pad Art. 0499
- Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0327 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|---------------|------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED | 9252 | 9406 | 9560 | 9714 | 9868 | 10022 | 10176 | 10330 | 10484 | 10638 | 10792 | 10946 | 11100 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0327 1 pz = 2 - kg 13,32/ m² 0,326 4 pz = 2 - kg 43,12/ m² 0,456 | Art.0327 H 140 cm. COM Meterage m 0.65 | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |


Frame Base



CRO



Shell



L0020 L0021 L0022



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed steel sled base, fitted with armrests. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Optional glides with felt for wooden floors are available upon request.

Accessories:
 Link Art. 0258
 Writing tablet Art. 0264
 Stacking protection pad with link Art. 0277
 Stacking protection pad Art. 0499
 Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0454 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| PO Bicolors | 5168 | 5239 | 5310 | 5381 | 5452 | 5523 | 5594 | 5665 | 5736 | 5807 | 5878 | 5949 | 6020 | 6346 |
| PO single-color | 4906 | 4977 | 5048 | 5119 | 5190 | 5261 | 5332 | 5403 | 5474 | 5545 | 5616 | 5687 | 5758 | 6072 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0454 1 pz = 2 - kg 13,32/ m³ 0,326 4 pz = 2 - kg 43,12/ m³ 0,456 KD | Art.0454 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



CRO



Shell



PO00204 PO00205 PO00209 PO00212 PO00213 PO00214 PO00215 PO00216 PO00217 PO00218

Available also in one colour version (please check section "Finishes").



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium swivel trestle base. The shell is available in single-colour polypropylene, bi-colour polypropylene or covered in hard leather without padding. Polypropylene and steel armrests, are available upon request.

Accessories:
Cushion Art. 0261
Removable cover Art. 0309
Set of glides Art. 2015

| SEK ART. 0368 | CT | PO bi-color | PO single-color | |
|---|--|-------------|--|--|
| POLISHED / POWDERCOATED | 7215 | 4072 | 3810 | |
| Armrests BV | + 1083 | | | |
| Armrests CV - pad (only for PO) | + 334 | | | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST | |
| Art.0368 1 pz = 2 - kg 10,1/ m³ 0,245 1 pz = 3 - kg 12,48/ m³ 0,274 4 pz = 2 - kg 30,4/ m³ 0,336 4 pz = 3 - kg 38,54/ m³ 0,372 | Art.0368 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) | |
| FIRE RETARDANT TEST | | | | |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | | |

Frame Base



LU1 V12 V39
matt matt matt



Shell



Available also in one colour version (please check section "Finishes").

Armrest




Armrests BV Armrests CV - pad (only for PO)



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium swivel trestle base. The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Steel armrests, also upholstered, are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 0375 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|--|------|------|------|------|------|------|-------|-------|-------|
| POLISHED / POWDERCOATED | 6799 | 7109 | 7419 | 7729 | 8039 | 8349 | 8659 | 8969 | 9279 | 9589 | 9899 | 10209 | 10519 | 11668 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0375 1 pz = 2 - kg 11,4/ m³ 0,267 1 pz = 3 - kg 13,78/ m³ 0,296 4 pz = 2 - kg 36,4/ m³ 0,392 4 pz = 3 - kg 44,54/ m³ 0,428 | Art.0375 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminium swivel trestle base. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 0316 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|-------|-------|-------|
| POLISHED / POWDERCOATED - Cover 1 | 6739 | 7049 | 7359 | 7669 | 7979 | 8289 | 8599 | 8909 | 9219 | 9529 | 9839 | 10149 | 10459 | 11609 |
| POLISHED / POWDERCOATED - Cover 2 | 6858 | 7168 | 7478 | 7788 | 8098 | 8408 | 8718 | 9028 | 9338 | 9648 | 9958 | 10268 | 10578 | 11741 |
| POLISHED / POWDERCOATED - Cover 3 | 6739 | 7049 | 7359 | 7669 | 7979 | 8289 | 8599 | 8909 | 9219 | 9529 | 9839 | 10149 | 10459 | 11609 |
| POLISHED / POWDERCOATED - Cover 4 | 6298 | 6608 | 6918 | 7228 | 7538 | 7848 | 8158 | 8468 | 8778 | 9088 | 9398 | 9708 | 10018 | 11192 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art.0316 1 pz = 2 - kg 11,4/ m³ 0,267 1 pz = 3 - kg 13,78/ m³ 0,296 4 pz = 2 - kg 36,4/ m³ 0,392 4 pz = 3 - kg 44,54/ m³ 0,428 | Art.0316 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminium swivel trestle base. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.


Accessories:
Cushion Art. 0261
Set of glides Art. 2015

| | | |
|---|--|--|
| SEK ART. 0377 | WOOD | |
| POLISHED / POWDERCOATED | 7192 | |
| Armrests BV | + 1083 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0377 1 pz = 2 - kg 9,58/ m³ 0,243 1 pz = 3 - kg 11,96/ m³ 0,272 4 pz = 2 - kg 28,3/ m³ 0,348 4 pz = 3 - kg 36,44/ m³ 0,384 | Art.0377 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) • EN 1022:2018 7.2 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6. 6 |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 0370 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--------------------|------|------|------|------|------|------|------|------|-------|
| POLISHED / POWDERCOATED | 6680 | 6834 | 6988 | 7142 | 7296 | 7450 | 7604 | 7758 | 7912 | 8066 | 8220 | 8374 | 8528 | 10168 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0370 1 pz = 2 - kg 12,8/ m³ 0,274 1 pz = 3 - kg 15,18/ m³ 0,303 4 pz = 2 - kg 37,84/ m³ 0,4 4 pz = 3 - kg 45,98/ m³ 0,436 KD | Art.0370 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with polished or powder-coated aluminium swivel trestle base. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Steel armrests, also upholstered, are available upon request.


Accessories:
Set of glides Art. 2015

| SEK ART. 0332 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 10121 | 10275 | 10429 | 10583 | 10737 | 10891 | 11045 | 11199 | 11353 | 11507 | 11661 | 11815 | 11969 |
| Armrests BV | + 1083 | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.0332 1 pz = 2 - kg 12,8/ m³ 0,274 1 pz = 3 - kg 15,18/ m³ 0,303 4 pz = 2 - kg 37,84/ m³ 0,4 4 pz = 3 - kg 45,98/ m³ 0,436 | Art.0332 H 140 cm. COM Meterage m 0.65 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 0279 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--------------------|------|------|------|------|------|------|------|------|------|
| PO Bicolors | 6037 | 6108 | 6179 | 6250 | 6321 | 6392 | 6463 | 6534 | 6605 | 6676 | 6747 | 6818 | 6889 | 7215 |
| PO single-color | 5775 | 5846 | 5917 | 5988 | 6059 | 6130 | 6201 | 6272 | 6343 | 6414 | 6485 | 6556 | 6627 | 6941 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0279 1 pz = 2 - kg 12,8/ m³ 0,274 1 pz = 3 - kg 15,18/ m³ 0,303 4 pz = 2 - kg 37,84/ m³ 0,4 4 pz = 3 - kg 45,98/ m³ 0,436 KD | Art.0279 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell




Available also in one colour version (please check section "Finishes").

Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The shell is available in single-colour polypropylene, bi colour polypropylene or upholstered in hard leather without padding. Polypropylene and steel armrests, are available upon request.

Accessories:
Cushion Art. 0261
Removable cover Art. 0309

| SEK ART. 0369 | CT | PO bi-color | PO single-color | |
|---|--|-------------|---|--|
| POLISHED / POWDERCOATED | 7620 | 4477 | 4215 | |
| Armrests BV | + 1083 | | | |
| Armrests CV - pad (only for PO) | + 334 | | | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST | |
| Art.0369 1 pz = 2 - kg 10,2/ m³ 0,251 1 pz = 3 - kg 12,58/ m³ 0,28 4 pz = 2 - kg 30,8/ m³ 0,34 4 pz = 3 - kg 38,94/ m³ 0,376 | Art.0369 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.6 | |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | | |

Frame Base



Shell



Available also in one colour version (please check section "Finishes").


Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004

Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Steel armrests, also upholstered, are available upon request.



| SEK ART. 0376 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|--|------|------|------|------|------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7204 | 7514 | 7824 | 8134 | 8444 | 8754 | 9064 | 9374 | 9684 | 9994 | 10304 | 10614 | 10924 | 12073 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0376 1 pz = 2 - kg 11,5/ m³ 0,273 1 pz = 3 - kg 13,88/ m³ 0,302 4 pz = 2 - kg 36,8/ m³ 0,396 4 pz = 3 - kg 44,94/ m³ 0,432 | Art.0376 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

| SEK ART. 0317 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|------|------|------|------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED - Cover 1 | 7144 | 7454 | 7764 | 8074 | 8384 | 8694 | 9004 | 9314 | 9624 | 9934 | 10244 | 10554 | 10864 | 12014 |
| POLISHED / POWDERCOATED - Cover 2 | 7263 | 7573 | 7883 | 8193 | 8503 | 8813 | 9123 | 9433 | 9743 | 10053 | 10363 | 10673 | 10983 | 12146 |
| POLISHED / POWDERCOATED - Cover 3 | 7144 | 7454 | 7764 | 8074 | 8384 | 8694 | 9004 | 9314 | 9624 | 9934 | 10244 | 10554 | 10864 | 12014 |
| POLISHED / POWDERCOATED - Cover 4 | 6703 | 7013 | 7323 | 7633 | 7943 | 8253 | 8563 | 8873 | 9183 | 9493 | 9803 | 10113 | 10423 | 11597 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0317 1 pz = 2 - kg 11,5/ m³ 0,273 1 pz = 3 - kg 13,88/ m³ 0,302 4 pz = 2 - kg 36,8/ m³ 0,396 4 pz = 3 - kg 44,94/ m³ 0,432 KD | Art.0317 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004




Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors (colour matching with base). Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.


Accessories:
Cushion Art. 0261

| | | |
|--|--|--|
| SEK ART. 0386 | WOOD | |
| POLISHED / POWDERCOATED | 7597 | |
| Armrests BV | + 1083 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0386 1 pz = 2 - kg 9,68/ m³ 0,249 1 pz = 3 - kg 12,6/ m³ 0,278 4 pz = 2 - kg 28,7/ m³ 0,352 4 pz = 3 - kg 36,84/ m³ 0,388 | Art.0386 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminium fixed trestle, mounted on self-braking castors (color matching with base). Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0372 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--------------------|------|------|------|------|------|------|------|------|-------|
| POLISHED / POWDERCOATED | 7085 | 7239 | 7393 | 7547 | 7701 | 7855 | 8009 | 8163 | 8317 | 8471 | 8625 | 8779 | 8933 | 10573 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0372 1 pz = 2 - kg 12,9/ m³ 0,28 1 pz = 3 - kg 15,28/ m³ 0,309 4 pz = 2 - kg 38,24/ m³ 0,404 4 pz = 3 - kg 46,38/ m³ 0,44 (KD) | Art.0372 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46


Design by Lievore Altherr Molina, 2014




Chair with polished or powder-coated aluminium fixed trestle, mounted on self-braking castors (colour matching with base). Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0333 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--|-------|-------|-------|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 10526 | 10680 | 10834 | 10988 | 11142 | 11296 | 11450 | 11604 | 11758 | 11912 | 12066 | 12220 | 12374 |
| Armrests BV | + 1083 | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.0333 1 pz = 2 - kg 12,9/ m³ 0,28 1 pz = 3 - kg 15,28/ m³ 0,309 4 pz = 2 - kg 38,24/ m³ 0,404 4 pz = 3 - kg 46,38/ m³ 0,44 KD | Art.0333 H 140 cm. COM Meterage m 0.65 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powder-coated aluminium fixed trestle, mounted on self-braking castors (color matching with base). Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0290 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| PO Bicolors | 6442 | 6513 | 6584 | 6655 | 6726 | 6797 | 6868 | 6939 | 7010 | 7081 | 7152 | 7223 | 7294 | 7620 |
| PO single-color | 6180 | 6251 | 6322 | 6393 | 6464 | 6535 | 6606 | 6677 | 6748 | 6819 | 6890 | 6961 | 7032 | 7346 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art.0290 1 pz = 2 - kg 12,9/ m³ 0,28 1 pz = 3 - kg 15,28/ m³ 0,309 4 pz = 2 - kg 38,24/ m³ 0,404 4 pz = 3 - kg 46,38/ m³ 0,44 | Art.0290 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | <ul style="list-style-type: none"> TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell




Available also in one colour version (please check section "Finishes").

Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminum five-star swivel trestle base, mounted on selfbraking castors (color matching with base) and fitted with gas height adjustment mechanism. The shell is available in single-colour polypropylene, bi-colour polypropylene or upholstered in hard leather without padding. Polypropylene and steel armrests, also upholstered, are available upon request.

Accessories:
Cushion Art. 0261
Cover Art. 0309

| SEK ART. 0380 | CT | PO bi-color | PO single-color | |
|---|--|-------------|---|--|
| GAS MECHANISM | 8930 | 5787 | 5525 | |
| Armrests BV | + 1083 | | | |
| Armrests CV - pad (only for PO) | + 334 | | | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST | |
| Art.0380 1 pz = 2 - kg 11,6/ m³ 0,304 1 pz = 3 - kg 13,98/ m³ 0,333 4 pz = 5 - kg 43,6/ m³ 0,968 4 pz = 6 - kg 51,76/ m³ 1,004 | Art.0380 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) | |
| FIRE RETARDANT TEST | | | | |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | | |

Frame Base



LU1 V12 V39
matt matt matt



Shell



Available also in one colour version (please check section "Finishes").

Armrest




Armrests BV Armrests CV - pad (only for PO)



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminum five-star swivel trestle base, mounted on selfbraking castors (color matching with base) and fitted with gas height adjustment mechanism. The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0382 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 8514 | 8824 | 9134 | 9444 | 9754 | 10064 | 10374 | 10684 | 10994 | 11304 | 11614 | 11924 | 12234 | 13383 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0382 1 pz = 2 - kg 12,9/ m³ 0,326 1 pz = 3 - kg 15,28/ m³ 0,355 4 pz = 5 - kg 49,6/ m³ 1,004 4 pz = 6 - kg 57,76/ m³ 1,06 (KD) | Art.0382 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminum five-star swivel trestle base, mounted on selfbraking castors (color matching with base) and fitted with gas height adjustment mechanism. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

| SEK ART. 0319 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM - Cover 1 | 8454 | 8764 | 9074 | 9384 | 9694 | 10004 | 10314 | 10624 | 10934 | 11244 | 11554 | 11864 | 12174 | 13324 |
| GAS MECHANISM - Cover 2 | 8573 | 8883 | 9193 | 9503 | 9813 | 10123 | 10433 | 10743 | 11053 | 11363 | 11673 | 11983 | 12293 | 13456 |
| GAS MECHANISM - Cover 3 | 8454 | 8764 | 9074 | 9384 | 9694 | 10004 | 10314 | 10624 | 10934 | 11244 | 11554 | 11864 | 12174 | 13324 |
| GAS MECHANISM - Cover 4 | 8013 | 8323 | 8633 | 8943 | 9253 | 9563 | 9873 | 10183 | 10493 | 10803 | 11113 | 11423 | 11733 | 12907 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--------------------|
| Art.0319 1 pz = 2 - kg 12,9/ m³ 0,326 1 pz = 3 - kg 15,28/ m³ 0,355 4 pz = 5 - kg 49,6/ m³ 1,004 4 pz = 6 - kg 57,76/ m³ 1,06 KD | Art.0319 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat, Divina Melange 3 Kvadrat, Divina 3 Kvadrat, Field Kvadrat, Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft, Revive 1 Kvadrat, Steelcut Trio 3 Kvadrat.

Frame Base




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminium five-way swivel trestle base, mounted on selfbraking castors (colour matching with base) and fitted with gas height adjustment mechanism. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.


Accessories:
Cushion Art. 0261

| | | |
|--|--|--|
| SEK ART. 0352 | WOOD | |
| GAS MECHANISM | 8907 | |
| Armrests BV | + 1083 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0352 1 pz = 2 - kg 11,08/ m³ 0,302 1 pz = 3 - kg 13,46/ m³ 0,331 4 pz = 5 - kg 41,52/ m³ 0,98 4 pz = 6 - kg 49,64/ m³ 1,016 | Art.0352 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Elmosoft. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminum five-star swivel trestle base, mounted on selfbraking castors (color matching with base) and fitted with gas height adjustment mechanism. Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0384 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--------------------|------|------|------|------|------|------|-------|-------|-------|
| GAS MECHANISM | 8395 | 8549 | 8703 | 8857 | 9011 | 9165 | 9319 | 9473 | 9627 | 9781 | 9935 | 10089 | 10243 | 11883 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0384 1 pz = 2 - kg 14,3/ m³ 0,333 1 pz = 3 - kg 16,68/ m³ 0,362 4 pz = 5 - kg 51,04/ m³ 1,032 4 pz = 6 - kg 60,56/ m³ 1,068 KD | Art.0384 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2014




Chair with polished or powder-coated aluminium five-way swivel trestle base, mounted on selfbraking castors (colour matching with base) and fitted with gas height adjustment mechanism. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Front upholstery in fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0335 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 11836 | 11990 | 12144 | 12298 | 12452 | 12606 | 12760 | 12914 | 13068 | 13222 | 13376 | 13530 | 13684 |
| Armrests BV | + 1083 | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.0335 1 pz = 2 - kg 14,3/ m³ 0,333 1 pz = 3 - kg 16,68/ m³ 0,362 4 pz = 5 - kg 51,04/ m³ 1,032 4 pz = 6 - kg 60,56/ m³ 1,068 | Art.0335 H 140 cm. COM Meterage m 0.65 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powder-coated aluminum five-star swivel trestle base, mounted on selfbraking castors (color matching with base) and fitted with gas height adjustment mechanism. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

| SEK ART. 0302 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| GAS MECHANISM PO Bicolor | 7752 | 7823 | 7894 | 7965 | 8036 | 8107 | 8178 | 8249 | 8320 | 8391 | 8462 | 8533 | 8604 | 8930 |
| GAS MECHANISM PO single-color | 7490 | 7561 | 7632 | 7703 | 7774 | 7845 | 7916 | 7987 | 8058 | 8129 | 8200 | 8271 | 8342 | 8656 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.0302 1 pz = 2 - kg 14,3/ m³ 0,36 1 pz = 3 - kg 16,68/ m³ 0,362 4 pz = 5 - kg 51,04/ m³ 1,104 4 pz = 6 - kg 60,56/ m³ 1,143 | Art.0302 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | <ul style="list-style-type: none"> TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosof. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell




Available also in one colour version (please check section "Finishes").

Armrest



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 65 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 8 units
– with stacking pad, with trolley up to 8 units

– leather / coated fabric: with stacking pad, without tools up to 5 units
– leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0486 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5989 | 6299 | 6609 | 6919 | 7229 | 7539 | 7849 | 8159 | 8469 | 8779 | 9089 | 9399 | 9709 | 10870 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0486 1 pz = 2 - kg 11,8/ m³ 0,305 4 pz = 2 - kg 40,1/ m³ 0,412 | Art.0486 COL requirement m² 1.67 H 140 cm. COM Meterage m 0.99 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0483 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5989 | 6299 | 6609 | 6919 | 7229 | 7539 | 7849 | 8159 | 8469 | 8779 | 9089 | 9399 | 9709 | 10870 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0483 1 pz = 2 - kg 12,2/ m³ 0,338 4 pz = 2 - kg 41,5/ m³ 0,448 | Art.0483 COL requirement m² 1.67 H 140 cm. COM Meterage m 0.99 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and polypropylene shell covered in hard leather without padding. Seat height 65 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0262
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– CT: with stacking pad, without tools up to 5 units
– CT: with stacking pad, with trolley up to 5 units


| | | |
|---|---------------------------------|--|
| SEK ART. 0484 | CT | |
| CHROMED / POWDERCOATED | 6417 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0484 1 pz = 2 - kg 11,8/ m³ 0,305 4 pz = 2 - kg 40,1/ m³ 0,384 | | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |

Frame Base



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and polypropylene shell covered in hard leather without padding. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0262
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– CT: with stacking pad, without tools up to 5 units
– CT: with stacking pad, with trolley up to 5 units

| | | |
|---|---------------------------------|--|
| SEK ART. 0481 | CT | |
| CHROMED / POWDERCOATED | 6417 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0481 1 pz = 2 - kg 12,2/ m³ 0,338 4 pz = 2 - kg 41,5/ m³ 0,448 | | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |

Frame Base



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Cushion Art. 0261
Stacking protection glide Art. 0286
Trolley Art. 0760


Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 10 units
– with stacking pad, with trolley up to 10 units

| | | |
|--|--|--|
| SEK ART. 0572 | WOOD | |
| CHROMED / POWDERCOATED | 6394 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0572 1 pz = 2 - kg 10,5/ m³ 0,314 4 pz = 2 - kg 34,42/ m³ 0,408 | Art.0572 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base




Shell



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Cushion Art. 0261
Stacking protection glide Art. 0286
Trolley Art. 0760


Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 10 units
– with stacking pad, with trolley up to 10 units

| | | |
|--|--|--|
| SEK ART. 0571 | WOOD | |
| CHROMED / POWDERCOATED | 6394 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0571 1 pz = 2 - kg 10,9/ m³ 0,347 4 pz = 2 - kg 35,82/ m³ 0,444 | Art.0571 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell in single-colour polypropylene or bi-colour polypropylene. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Cushion Art. 0261
Removable cover Art. 0309
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 10 units
– with trolley up to 10 units

| SEK ART. 0474 | PO bi-color | PO single-color | |
|---|---|-----------------|--|
| CHROMED / POWDERCOATED | 3274 | 3012 | |
| Hole on shell hole to allow water drainage (only for PO) | + 143 | | |
| Outdoor powdercoated | + 607 | | |
| Polypropylene fire retardant (only for PO) | + 357 | | (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.0474 1 pz = 2 - kg 11,3/ m³ 0,316 4 pz = 2 - kg 37,6/ m³ 0,396 | Art.0474 Outdoor: only for PO, V12, V39 Outdoor powdercoated *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | |

Frame Base



Shell




Available also in one colour version (please check section "Finishes").



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell in single-colour polypropylene or bi-colour polypropylene. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Cushion Art. 0261
Removable cover Art. 0309
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 10 units
– with trolley up to 10 units

| | | | |
|---|---|-----------------|--|
| SEK ART. 0471 | PO bi-color | PO single-color | |
| CHROMED / POWDERCOATED | 3274 | 3012 | |
| Hole on shell hole to allow water drainage (only for PO) | + 143 | | |
| Outdoor powdercoated | + 607 | | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.0471 1 pz = 2 - kg 11,7/ m³ 0,349 4 pz = 2 - kg 39/ m³ 0,432 | Art.0471 Outdoor: only for PO, V12, V39 Outdoor powdercoated *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 • TUV GS (EN16139) |
| FIRE RETARDANT TEST | | | |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | |

Frame Base



Shell




Available also in one colour version (please check section "Finishes").



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0476 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 6001 | 6311 | 6621 | 6931 | 7241 | 7551 | 7861 | 8171 | 8481 | 8791 | 9101 | 9411 | 9721 | 10870 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0476 1 pz = 2 - kg 12,6/ m³ 0,338 4 pz = 2 - kg 43,6/ m³ 0,532 | Art.0476 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2013



Stool with chromed or powder-coated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Seat height 64 cm.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0320 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED - Cover 1 | 5941 | 6251 | 6561 | 6871 | 7181 | 7491 | 7801 | 8111 | 8421 | 8731 | 9041 | 9351 | 9661 | 10811 |
| CHROMED / POWDERCOATED - Cover 2 | 6060 | 6370 | 6680 | 6990 | 7300 | 7610 | 7920 | 8230 | 8540 | 8850 | 9160 | 9470 | 9780 | 10943 |
| CHROMED / POWDERCOATED - Cover 3 | 5941 | 6251 | 6561 | 6871 | 7181 | 7491 | 7801 | 8111 | 8421 | 8731 | 9041 | 9351 | 9661 | 10811 |
| CHROMED / POWDERCOATED - Cover 4 | 5500 | 5810 | 6120 | 6430 | 6740 | 7050 | 7360 | 7670 | 7980 | 8290 | 8600 | 8910 | 9220 | 10394 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0320 1 pz = 2 - kg 12,6/ m³ 0,338 4 pz = 2 - kg 43,6/ m³ 0,532 | Art.0320 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |

FIRE RETARDANT TEST


Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 8 units
– with stacking pad, with trolley up to 8 units

– leather / coated fabric: with stacking pad, without tools up to 5 units
– leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0473 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 6001 | 6311 | 6621 | 6931 | 7241 | 7551 | 7861 | 8171 | 8481 | 8791 | 9101 | 9411 | 9721 | 10870 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0473 1 pz = 2 - kg 13/ m² 0,371 4 pz = 2 - kg 45/ m² 0,488 | Art.0473 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2013



Stool with chromed or powder-coated steel sled base and polypropylene shell upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Seat height 76 cm.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0321 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED - Cover 1 | 5941 | 6251 | 6561 | 6871 | 7181 | 7491 | 7801 | 8111 | 8421 | 8731 | 9041 | 9351 | 9661 | 10811 |
| CHROMED / POWDERCOATED - Cover 2 | 6060 | 6370 | 6680 | 6990 | 7300 | 7610 | 7920 | 8230 | 8540 | 8850 | 9160 | 9470 | 9780 | 10943 |
| CHROMED / POWDERCOATED - Cover 3 | 5941 | 6251 | 6561 | 6871 | 7181 | 7491 | 7801 | 8111 | 8421 | 8731 | 9041 | 9351 | 9661 | 10811 |
| CHROMED / POWDERCOATED - Cover 4 | 5500 | 5810 | 6120 | 6430 | 6740 | 7050 | 7360 | 7670 | 7980 | 8290 | 8600 | 8910 | 9220 | 10394 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0321 1 pz = 2 - kg 13/ m³ 0,371 4 pz = 2 - kg 45/ m³ 0,488 | Art.0321 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |

FIRE RETARDANT TEST


Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 8 units
– with stacking pad, with trolley up to 8 units

– leather / coated fabric: with stacking pad, without tools up to 5 units
– leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0477 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5882 | 6036 | 6190 | 6344 | 6498 | 6652 | 6806 | 6960 | 7114 | 7268 | 7422 | 7576 | 7730 | 9370 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--------------------|
| Art.0477 1 pz = 2 - kg 14/ m² 0,345 4 pz = 2 - kg 45,04/ m² 0,46 (KD) | Art.0477 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2012



Stool with chromed or powder-coated steel sled base and Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0304 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| PO Bicolors | 5239 | 5310 | 5381 | 5452 | 5523 | 5594 | 5665 | 5736 | 5807 | 5878 | 5949 | 6020 | 6091 | 6417 |
| PO single-color | 4977 | 5048 | 5119 | 5190 | 5261 | 5332 | 5403 | 5474 | 5545 | 5616 | 5687 | 5758 | 5829 | 6143 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0304 1 pz = 2 - kg 14/ m³ 0,345 4 pz = 2 - kg 45,04/ m³ 0,46 | Art.0304 COL requirement m² 0,48 H 140 cm. COM Meterage m 0,59 | • TUV GS (EN16139) |

FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell



Available also in one colour version (please check section "Finishes").



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and polypropylene shell front upholstery in leather, coated fabric, fabric or customer's own materials. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0478 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5882 | 6036 | 6190 | 6344 | 6498 | 6652 | 6806 | 6960 | 7114 | 7268 | 7422 | 7576 | 7730 | 9370 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0478 1 pz = 2 - kg 14,4/ m³ 0,378 4 pz = 2 - kg 46,44/ m³ 0,496 | Art.0478 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2012



Stool with chromed or powder-coated steel sled base and Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material applied to the seat surface. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:
Stacking protection pad Art. 0499
Trolley Art. 0760

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| SEK ART. 0305 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| PO Bicolors | 5239 | 5310 | 5381 | 5452 | 5523 | 5594 | 5665 | 5736 | 5807 | 5878 | 5949 | 6020 | 6091 | 6417 |
| PO single-color | 4977 | 5048 | 5119 | 5190 | 5261 | 5332 | 5403 | 5474 | 5545 | 5616 | 5687 | 5758 | 5829 | 6143 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--------------------|
| Art.0305 1 pz = 2 - kg 14,4/ m³ 0,378 4 pz = 2 - kg 46,44/ m³ 0,496 | Art.0305 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell



Available also in one colour version (please check section "Finishes").



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 65 cm. Backrest height 90 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0496 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 8192 | 8502 | 8812 | 9122 | 9432 | 9742 | 10052 | 10362 | 10672 | 10982 | 11292 | 11602 | 11912 | 13073 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0496 1 pz = 2 - kg 13,76/ m³ 0,228 4 pz = 5 - kg 52,74/ m³ 0,724 KD | Art.0496 COL requirement m² 1.67 H 140 cm. COM Meterage m 0.99 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base

CRO



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 73 cm. Backrest height 98 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0495 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|---|------|-------|-------|-------|--|-------|-------|-------|-------|
| SWIVEL BASE | 8192 | 8502 | 8812 | 9122 | 9432 | 9742 | 10052 | 10362 | 10672 | 10982 | 11292 | 11602 | 11912 | 13073 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0495 1 pz = 2 - kg 13,96/ m³ 0,288 4 pz = 5 - kg 53,54/ m³ 0,964 | Art.0495 COL requirement m² 1.67 H 140 cm. COM Meterage m 0.99 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.21 TUV GS (EN16139) | | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.8 | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base

CRO



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, covered in hard leather without padding. Seat height 65 cm. Backrest height 91 cm.

Accessories:
Cushion Art. 0261
Set of glides Art. 2015

| | | |
|---|---------------------------------|--|
| SEK ART. 0490 | CT | |
| SWIVEL BASE | 8620 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0490 1 pz = 2 - kg 13,76/ m³ 0,228 4 pz = 5 - kg 52,74/ m³ 0,696 | | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |

Frame Base




Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, covered in hard leather without padding. Seat height 73 cm. Backrest height 98 cm.

Accessories:
Cushion Art. 0261
Set of glides Art. 2015



| | | |
|---|---------------------------------|---|
| SEK ART. 0489 | CT | |
| SWIVEL BASE | 8620 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0489 1 pz = 2 - kg 13,96/ m³ 0,288 4 pz = 5 - kg 53,54/ m³ 0,936 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.21 • TUV GS (EN16139) • EN 1728:2012 - EN 16139:2013 6.8 |
| FIRE RETARDANT TEST | | |


Frame Base

CRO



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. Low backrest oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Seat height 65 cm. Backrest height 90 cm.

Accessories:
Cushion Art. 0261
Set of glides Art. 2015


| | | |
|--|--|--|
| SEK ART. 0492 | WOOD | |
| SWIVEL BASE | 8597 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0492 1 pz = 2 - kg 12,46/ m³ 0,237 4 pz = 5 - kg 47,06/ m³ 0,72 | Art.0492 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base

CRO




Shell



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. Low backrest oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Seat height 73 cm. Backrest height 98 cm.

Accessories:
Cushion Art. 0261
Set of glides Art. 2015


| | | |
|--|--|--|
| SEK ART. 0491 | WOOD | |
| SWIVEL BASE | 8597 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.0491 1 pz = 2 - kg 12,66/ m³ 0,297 4 pz = 5 - kg 47,86/ m³ 0,96 | Art.0491 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Legno. | | |

Frame Base

CRO




Shell



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with high backrest is in single-colour polypropylene or bi-colour polypropylene. Seat height 65 cm. Backrest height 100 cm.

Accessories:
Cushion Art. 0261
Removable cover Art. 0309
Set of glides Art. 2015

| | | | |
|---|--|--|--|
| SEK ART. 0488 | PO bi-color | PO single-color | |
| SWIVEL BASE | 5477 | 5215 | |
| Polypropylene fire retardant (only for PO) | + 357 | (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.0488 1 pz = 2 - kg 13,26/ m ² 0,239 4 pz = 5 - kg 50,24/ m ² 0,708 | Art.0488 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | | |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | |

Frame Base



Shell




Available also in one colour version (please check section "Finishes").



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. The shell with high backrest is in single-colour polypropylene or bi-colour polypropylene. Seat height 73 cm. Backrest height 108 cm.

Accessories:
Cushion Art. 0261
Removable cover Art. 0309
Set of glides Art. 2015

| | | | |
|---|--|-----------------|--|
| SEK ART. 0487 | PO bi-color | PO single-color | |
| SWIVEL BASE | 5477 | 5215 | |
| Polypropylene fire retardant (only for PO) | + 357 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.0487 1 pz = 2 - kg 13,46/ m³ 0,402 4 pz = 5 - kg 51,04/ m³ 1,081 | Art.0487 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • TUV GS (EN16139) |
| FIRE RETARDANT TEST | | | |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene. | | | |

Frame Base



CRO



Shell




Available also in one colour version (please check section "Finishes").



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 65 cm. Backrest height 100 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0494 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 8204 | 8514 | 8824 | 9134 | 9444 | 9754 | 10064 | 10374 | 10684 | 10994 | 11304 | 11614 | 11924 | 13073 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0494 1 pz = 2 - kg 14,56/ m³ 0,261 4 pz = 5 - kg 56,24/ m³ 0,764 KD | Art.0494 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base

CRO



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2013



Low stool on swivelling, chromed steel base. The polypropylene shell is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Seat height 65 cm. Backrest height 100 cm

Accessories:
Set of glides Art. 2015

| SEK ART. 0322 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE - Cover 1 | 8144 | 8454 | 8764 | 9074 | 9384 | 9694 | 10004 | 10314 | 10624 | 10934 | 11244 | 11554 | 11864 | 13014 |
| SWIVEL BASE - Cover 2 | 8263 | 8573 | 8883 | 9193 | 9503 | 9813 | 10123 | 10433 | 10743 | 11053 | 11363 | 11673 | 11983 | 13146 |
| SWIVEL BASE - Cover 3 | 8144 | 8454 | 8764 | 9074 | 9384 | 9694 | 10004 | 10314 | 10624 | 10934 | 11244 | 11554 | 11864 | 13014 |
| SWIVEL BASE - Cover 4 | 7703 | 8013 | 8323 | 8633 | 8943 | 9253 | 9563 | 9873 | 10183 | 10493 | 10803 | 11113 | 11423 | 12597 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--------------------|
| Art.0322 1 pz = 2 - kg 14,56/ m² 0,261 4 pz = 5 - kg 56,24/ m² 0,764 KD | Art.0322 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base




CRO



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 73 cm. Backrest height 108 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0493 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|--|------|-------|-------|-------|--|-------|-------|-------|-------|
| SWIVEL BASE | 8204 | 8514 | 8824 | 9134 | 9444 | 9754 | 10064 | 10374 | 10684 | 10994 | 11304 | 11614 | 11924 | 13073 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0493 1 pz = 2 - kg 14,76/ m³ 0,321 4 pz = 5 - kg 57,04/ m³ 1,004 KD | Art.0493 COL requirement m² 1.67 H 140 cm. COM Meterage m 1.1 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • TUV GS (EN16139) | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base

CRO



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2013



High stool on swivelling, chromed steel base. The polypropylene shell with high backrest is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Seat height 73 cm. Backrest height 108 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0323 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE - Cover 1 | 8144 | 8454 | 8764 | 9074 | 9384 | 9694 | 10004 | 10314 | 10624 | 10934 | 11244 | 11554 | 11864 | 13014 |
| SWIVEL BASE - Cover 2 | 8263 | 8573 | 8883 | 9193 | 9503 | 9813 | 10123 | 10433 | 10743 | 11053 | 11363 | 11673 | 11983 | 13146 |
| SWIVEL BASE - Cover 3 | 8144 | 8454 | 8764 | 9074 | 9384 | 9694 | 10004 | 10314 | 10624 | 10934 | 11244 | 11554 | 11864 | 13014 |
| SWIVEL BASE - Cover 4 | 7703 | 8013 | 8323 | 8633 | 8943 | 9253 | 9563 | 9873 | 10183 | 10493 | 10803 | 11113 | 11423 | 12597 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art.0323 1 pz = 2 - kg 14,76/ m² 0,321 4 pz = 5 - kg 57,04/ m² 1,004 KD | Art.0323 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base




CRO



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. Polypropylene shell with high backrest and front upholstery in leather, coated fabric, fabric or customer's own material. Seat height 65 cm. Backrest height 100 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0498 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| SWIVEL BASE | 8085 | 8239 | 8393 | 8547 | 8701 | 8855 | 9009 | 9163 | 9317 | 9471 | 9625 | 9779 | 9933 | 11573 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.0498 1 pz = 2 - kg 15,96/ m ² 0,268 4 pz = 5 - kg 57,68/ m ² 0,772 | Art.0498 COL requirement m ² 0.94 H 140 cm. COM Meterage m 0.65 | <ul style="list-style-type: none"> TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




Shell



Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2012



Low stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene with cushion upholstered in fabric, leather, coated fabric or customer's material applied to the seat surface. Seat height 65 cm. Backrest height 100 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0306 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| SWIVEL BASE PO Bicolors | 7442 | 7513 | 7584 | 7655 | 7726 | 7797 | 7868 | 7939 | 8010 | 8081 | 8152 | 8223 | 8294 | 8620 |
| SWIVEL BASE PO single-color | 7180 | 7251 | 7322 | 7393 | 7464 | 7535 | 7606 | 7677 | 7748 | 7819 | 7890 | 7961 | 8032 | 8346 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.0306 1 pz = 2 - kg 15,96/ m³ 0,268 4 pz = 5 - kg 57,68/ m³ 0,772 | Art.0306 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell




Available also in one colour version (please check section "Finishes").



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. Polypropylene shell with high backrest and front upholstery in leather, coated fabric, fabric or customer's own material. Seat height 73 cm. Backrest height 108 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0497 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| SWIVEL BASE | 8085 | 8239 | 8393 | 8547 | 8701 | 8855 | 9009 | 9163 | 9317 | 9471 | 9625 | 9779 | 9933 | 11573 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| Art.0497 1 pz = 2 - kg 16,16/ m³ 0,328 4 pz = 5 - kg 58,48/ m³ 1,012 KD | Art.0497 COL requirement m² 0.94 H 140 cm. COM Meterage m 0.65 | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.17 EN 1728:2012 - EN 16139:2013 6.21 EN 1728:2012 - EN 16139:2013 6.4 EN 1728:2012 - EN 16139:2013 6.8 <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.18 EN 1728:2012 - EN 16139:2013 6.24 EN 1728:2012 - EN 16139:2013 6.5 TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




Shell



Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2012



High stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene with cushion upholstered in fabric, leather, coated fabric or customer's material applied to the seat surface. Seat height 73 cm. Backrest height 108 cm.

Accessories:
Set of glides Art. 2015

| SEK ART. 0307 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| SWIVEL BASE PO Bicolors | 7442 | 7513 | 7584 | 7655 | 7726 | 7797 | 7868 | 7939 | 8010 | 8081 | 8152 | 8223 | 8294 | 8620 |
| SWIVEL BASE PO single-color | 7180 | 7251 | 7322 | 7393 | 7464 | 7535 | 7606 | 7677 | 7748 | 7819 | 7890 | 7961 | 8032 | 8346 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.0307 1 pz = 2 - kg 16,16/ m³ 0,328 4 pz = 5 - kg 58,48/ m³ 1,012 | Art.0307 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.59 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • TUV GS (EN16139) |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell



Available also in one colour version (please check section "Finishes").



Accessories

Design by Lievore Altherr Molina, 2013

Fabric, leather, coated fabric or customer's own material, non-washable, removable covers are available in the following four versions: cross-shaped stitching (Cover 1), line stitching (Cover 2), star-shaped stitching (Cover 3), or without stitching (Cover 4). Stitching on cover 1 and 3 comes in white or black, to customer's choice. Stitching on cover 2 and 4 comes in in the same color as the upholstery. Covers to be sold separately from shell.



Cover 1 - Cross-shaped stitching



Cover 2 - Line stitching



Cover 3 - Star-shaped stitching



Cover 4 - Without stitching

| SEK ART. 0309 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| Cover 1 - Cross-shaped stitching | 3251 | 3561 | 3871 | 4181 | 4491 | 4801 | 5111 | 5421 | 5731 | 6041 | 6351 | 6661 | 6971 | 8121 |
| Cover 2 - Line stitching | 3370 | 3680 | 3990 | 4300 | 4610 | 4920 | 5230 | 5540 | 5850 | 6160 | 6470 | 6780 | 7090 | 8239 |
| Cover 3 - Star-shaped stitching | 3251 | 3561 | 3871 | 4181 | 4491 | 4801 | 5111 | 5421 | 5731 | 6041 | 6351 | 6661 | 6971 | 8121 |
| Cover 4 - Without stitching | 2798 | 3108 | 3418 | 3728 | 4038 | 4348 | 4658 | 4968 | 5278 | 5588 | 5898 | 6208 | 6518 | 7692 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 0309 1 pz = 1 - kg 5/ m³ 0,138 10 pz = 1 - kg 11,06/ m³ 0,155 20 pz = 1 - kg 22,06/ m³ 0,262 4 pz = 1 - kg 10/ m³ 0,138 | Art.0309 COL requirement m² 1.97 H 140 cm. COM Meterage m 1.08 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | |





Accessories

Design by Lievore Altherr Molina, 2009

Cushion equipped with two velcro strips on the underside to fix it to the seat. Polyurethane foam padding, upholstered in fabric, leather or coated fabric.


































| SEK ART. 0261 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|------|
| SEAT CUSHION | 1274 | 1488 | 1702 | 1916 | 2130 | 2344 | 2558 | 2772 | 2986 | 3200 | 3414 | 3628 | 3842 | 4227 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0261 1 pz = 1  - kg 1,2/ m² 0,023 4 pz = 1  - kg 2,9/ m² 0,072 | Art.0261 COL requirement m² 0.54 H 140 cm. COM Meterage m 0.61 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |



Accessories

Design by Lievore Altherr Molina

| | | | | |
|--|---|---|--|--|
| <p>SEK ART. 0258</p>  <p>Link</p> <p>512</p> | <p>SEK ART. 0260</p>  <p>Stacking protection pad for chair with link (link is not included). For CT.</p> <p>786</p> | <p>SEK ART. 0262</p>  <p>Stacking protection pad. For CT.</p> <p>727</p> | <p>SEK ART. 0264</p>  <p>Writing tablet in HPL anthracite. 25,5 x 26,6 cm</p> <p>1583</p> | <p>SEK ART. 0277</p>  <p>Stacking protection pad for chair with link (only version without armrest pad). For upholstered shell.</p> <p>703</p> |
| <p>SEK ART. 0286</p>  <p>Stacking protection glide for wooden shell.</p> <p>286</p> | <p>SEK ART. 0499</p>  <p>Stacking protection pad. For upholstered shell.</p> <p>393</p> | <p>SEK ART. 0500</p>  <p>Trolley (Aava 02, Catifa 46, Catifa 53, Juno 02, Mixu)</p> <p>4549</p> | <p>SEK ART. 0760</p>  <p>Trolley (finishes V03)</p> <p>1560</p> | <p>SEK ART. 2015</p>  <p>Set of glides (white or black) in felt</p> <p>202</p> |
| <p>SEK ART. 2073</p>  <p>Movable link (not suitable for chairs with armrests)</p> <p>48</p> | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| <p>Art. 0258 1 pz = 1  - kg 0,73/ m³ 0,006</p> <p>Art. 0260 1 pz = 1  - kg 1,14/ m³ 0,037 4 pz = 1  - kg 3/ m³ 0,037</p> <p>Art. 0262 1 pz = 1  - kg 1,02/ m³ 0,029 4 pz = 1  - kg 2,66/ m³ 0,036</p> <p>Art. 0264 1 pz = 1  - kg 8,5/ m³ 0,005 4 pz = 1  - kg 32,5/ m³ 0,015</p> <p>Art. 0277 1 pz = 2  - kg 1,75/ m³ 0,037 4 pz = 2  - kg 5,58/ m³ 0,037</p> <p>Art. 0286 1 pz = 1  - kg 0,1/ m³ 0,001 4 pz = 1  - kg 0,68/ m³ 0,01</p> <p>Art. 0499 1 pz = 1  - kg 1,02/ m³ 0,037 4 pz = 1  - kg 2,66/ m³ 0,037</p> <p>Art. 2015 1 pz = 1  - kg 0,08/ m³ 0,001 10 pz = 1  - kg 1,2/ m³ 0,007</p> <p>Art. 2073 1 pz = 1  - kg 1,5/ m³ 0,012 10 pz = 1  - kg 1,5/ m³ 0,012 2 pz = 1  - kg 1,5/ m³ 0,012 4 pz = 1  - kg 1,5/ m³ 0,012</p> | | <p>• EN 14703:2007 7.3</p> <p>• EN 14703:2007 7.2</p> |
| <p>FIRE RETARDANT TEST</p>  | | |

CATIFA 53

Design by
Lievore Altherr Molina
2001



Catifa 53

Collection overview

Bases



4 legs
Armrest versions



4 wood legs



Sled
Armrest versions



Aluminum trestle
swivel base
Armrest versions



Aluminum trestle
fixed base
Armrest versions



5 alluminium ways
Armrest versions



Bench

Catifa 53

Shells

Polypropylene



Monocolour

Frontal upholstered

Upholstered



Upholstered with non-removable cover

Upholstered with a removable cover. Available with 4 different stitchings.

Upholstered in hard leather.

Armrest types



BV =
Brushed stainless structure steel

CV =
Polypropylene pad

CI =
Upholstered pad


For further accessories please go at the end of the collection



Outdoor options:
available for polypropylene shells and the follow bases:
— 4 legs
— Sled

Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with four-leg frame, available in chromed or powdercoated steel. The shell is available in polypropylene matt single-color or covered in hard leather without padding. Models with polypropylene shell and powder-coated base can be used outdoor. Polypropylene or steel armrests, are available upon request.

- Accessories:
- Stacking protection pad Art. 0228
 - Cushion Art. 0230
 - Cushion Art. 0231
 - Link Art. 0258
 - Single trolley Art. 0500
 - Trolley Art. 0760
 - Stacking protection pad with link Art. 2013
 - Set of glides Art. 2015
 - Movable link Art. 2073
 - Removable cover Art. 3116

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 15 units
- with link: without tools up to 10 units
- with link: with trolley up to 12 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with arms (BV version only): without tools up to 5 units
- with arms (BV version only): with trolley up to 5 units
- with arms (BV version only) with link: without tools up to 5 units
- with arms (BV version only) with link: with trolley up to 5 units

| SEK ART. 0201 | CT | PO single-color | |
|---|---|-----------------|---|
| CHROMED / POWDERCOATED | 5762 | 2154 | |
| Armrests BV | + 1083 | | |
| Armrests CV - pad (only for PO) | + 334 | | |
| Hole on shell to allow water drainage (only for PO) | + 143 | | |
| Outdoor powdercoated | + 500 | | |
| Polypropylene fire retardant (only for PO) | + 441 | | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.0201 1 pz = 2 - kg 9,5/ m³ 0,297 1 pz = 3 - kg 11,86/ m³ 0,325 4 pz = 2 - kg 26,54/ m³ 0,368 4 pz = 3 - kg 34,44/ m³ 0,404 | Art.0201 Outdoor: only for PO, V12, V39 Outdoor powdercoated *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • ENV 581-2 Appendice A.3.1 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | | |


Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with four-leg steel frame, available in chromed or powdercoated version. The shell is upholstered in leather, coated fabric, fabric or customer's material. Line detail stitching. Steel armrests, also upholstered, are available upon request.

Accessories:

- Stacking protection pad Art. 0228
- Link Art. 0258
- Single trolley Art. 0500
- Trolley Art. 0760
- Stacking protection pad with link Art. 2013
- Set of glides Art. 2015
- Movable link Art. 2073

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 0203 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5239 | 5585 | 5931 | 6277 | 6623 | 6969 | 7315 | 7661 | 8007 | 8353 | 8699 | 9045 | 9391 | 10501 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------------------|
| Art.0203 1 pz = 2 - kg 10,5/ m³ 0,301 1 pz = 3 - kg 12,86/ m³ 0,329 4 pz = 2 - kg 30,94/ m³ 0,408 4 pz = 3 - kg 38,84/ m³ 0,444 | Art.0203 COL requirement m² 1,78 H 140 cm. COM Meterage m 1,21 | • ENV 581-2 Appendice A.3.1 |

FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2013



Chair with four-leg steel frame, available in chromed or powder-coated version. The white polypropylene shell is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

- Accessories:
- Stacking protection pad Art. 0228
 - Link Art. 0258
 - Single trolley Art. 0500
 - Trolley Art. 0760
 - Stacking protection pad with link Art. 2013
 - Set of glides Art. 2015
 - Movable link Art. 2073
 - Stacking protection pad Art. 3115

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| SEK ART. 3117 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|-----------------------------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED - Cover 1 | 5024 | 5370 | 5716 | 6062 | 6408 | 6754 | 7100 | 7446 | 7792 | 8138 | 8484 | 8830 | 9176 | 10334 |
| CHROMED / POWDERCOATED - Cover 2 | 5274 | 5620 | 5966 | 6312 | 6658 | 7004 | 7350 | 7696 | 8042 | 8388 | 8734 | 9080 | 9426 | 10596 |
| CHROMED / POWDERCOATED - Cover 3 | 5024 | 5370 | 5716 | 6062 | 6408 | 6754 | 7100 | 7446 | 7792 | 8138 | 8484 | 8830 | 9176 | 10334 |
| CHROMED / POWDERCOATED - Cover 4 | 4727 | 5073 | 5419 | 5765 | 6111 | 6457 | 6803 | 7149 | 7495 | 7841 | 8187 | 8533 | 8879 | 10049 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3117 1 pz = 2 - kg 10,5/ m³ 0,301 1 pz = 3 - kg 12,86/ m³ 0,329 4 pz = 2 - kg 30,94/ m³ 0,408 4 pz = 3 - kg 38,84/ m³ 0,444 KD | Art.3117 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | | | | • ENV 581-2 Appendice A.3.1 | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Armrest



Armrests BV




Cover 1 Cover 2 Cover 3 Cover 4 Stackable



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with four-leg steel frame, available in chromed or powder-coated version. The matt polypropylene shell has a front upholstery in leather, coated fabric, fabric or customer's material. Steel armrests, also upholstered, are available upon request.

Accessories:

- Stacking protection pad Art. 0228
- Link Art. 0258
- Single trolley Art. 0500
- Trolley Art. 0760
- Stacking protection pad with link Art. 2013
- Set of glides Art. 2015
- Movable link Art. 2073

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): without tools up to 5 units
- with arms (BV version only): with trolley up to 5 units
- with arms (BV version only) with link: without tools up to 5 units
- with arms (BV version only) with link: with trolley up to 5 units

| SEK ART. 2040 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|-----------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5167 | 5321 | 5475 | 5629 | 5783 | 5937 | 6091 | 6245 | 6399 | 6553 | 6707 | 6861 | 7015 | 8989 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2040 1 pz = 2 - kg 11,3/ m³ 0,301 1 pz = 3 - kg 13,66/ m³ 0,329 4 pz = 2 - kg 34,2/ m³ 0,408 4 pz = 3 - kg 42,1/ m³ 0,444 | Art.2040 COL requirement m² 1 H 140 cm. COM Meterage m 0.72 | | | | • ENV 581-2 Appendice A.3.1 | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Revive 1 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2012



Chair with oak timber four-leg base (natural oak, bleached oak, wengè) and matt polypropylene single-colour or, alternatively, the shell can be covered in hard leather without padding. Provided with glides suitable for different surfaces.

Accessories:
Cushion Art. 0230
Cushion Art. 0231
Link Art. 0258
Removable cover Art. 3116


| | | | |
|--|-------|-----------------|-------------------------------------|
| SEK ART. 2084 | CT | PO single-color | |
| WOOD LEGS | 7168 | 3560 | |
| Polypropylene fire retardant (only for PO) | + 441 | | (For all finishes qty min. 300 pcs) |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art.2084 1 pz = 2 - kg 9,5/ m³ 0,297 4 pz = 2 - kg 26,54/ m³ 0,368 KD | Art.2084 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 |

FIRE RETARDANT TEST

* FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene.

Frame Base




Shell



Catifa 53

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base (natural oak, bleached oak, wengé) and shell upholstered in leather, coated fabric, fabric or customer's material. Line detail stitching. Provided with glides suitable for different surfaces.

Accessories:
Link Art. 0258

| SEK ART. 2085 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|------------------------|------|------|------|------|------|-------|-------|-------|-------|
| WOOD LEGS | 6645 | 6991 | 7337 | 7683 | 8029 | 8375 | 8721 | 9067 | 9413 | 9759 | 10105 | 10451 | 10797 | 11907 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2085 1 pz = 2 - kg 10,5/ m³ 0,301 4 pz = 2 - kg 30,94/ m³ 0,408 | Art.2085 COL requirement m² 1.78 H 140 cm. COM Meterage m 1.21 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




L0020 L0021 L0022



Catifa 53

Design by Lievore Altherr Molina, 2013




Chair with oak timber four-leg base (natural oak, bleached oak, wengé) and white polypropylene shell upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover.

Accessories:
Link Art. 0258

| SEK ART. 3118 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|------|-------|-------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| WOOD LEGS - Cover 1 | 6430 | 6776 | 7122 | 7468 | 7814 | 8160 | 8506 | 8852 | 9198 | 9544 | 9890 | 10236 | 10582 | 11740 |
| WOOD LEGS - Cover 2 | 6680 | 7026 | 7372 | 7718 | 8064 | 8410 | 8756 | 9102 | 9448 | 9794 | 10140 | 10486 | 10832 | 12002 |
| WOOD LEGS - Cover 3 | 6430 | 6776 | 7122 | 7468 | 7814 | 8160 | 8506 | 8852 | 9198 | 9544 | 9890 | 10236 | 10582 | 11740 |
| WOOD LEGS - Cover 4 | 6133 | 6479 | 6825 | 7171 | 7517 | 7863 | 8209 | 8555 | 8901 | 9247 | 9593 | 9939 | 10285 | 11455 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.3118 1 pz = 2 - kg 10,5/ m³ 0,301 4 pz = 2 - kg 30,94/ m³ 0,408 | Art.3118 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Catifa 53

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base (natural oak, bleached oak, wengé) and matt polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's material. Provided with glides suitable for different surfaces.

Accessories:
Link Art. 0258

| SEK ART. 2086 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|-------|
| WOOD LEGS | 6573 | 6727 | 6881 | 7035 | 7189 | 7343 | 7497 | 7651 | 7805 | 7959 | 8113 | 8267 | 8421 | 10395 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2086 1 pz = 2 - kg 11,3/ m³ 0,301 4 pz = 2 - kg 34,2/ m³ 0,408 | Art.2086 COL requirement m² 1 H 140 cm. COM Meterage m 0.72 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Revive 1 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



L0020 L0021 L0022



Shell




PO00401 PO00404 PO00409 PO00412 PO00413 PO00415 PO00419 PO00420



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with chromed or powdercoated steel sled base and matt polypropylene single-colour shell or covered in hard leather without padding. Optional glides with felt for wooden floors are available upon request. Polypropylene and steel armrests, are available upon request.

Accessories:
 Stacking protection pad Art. 0228
 Cushion Art. 0230
 Cushion Art. 0231
 Link Art. 0258
 Single trolley Art. 0500
 Trolley Art. 0760
 Stacking protection pad with link Art. 2013
 Stacking protection pad Art. 3115
 Removable cover Art. 3116

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 20 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with arms: without tools non stackable.
- with arms: with trolley non stackable.
- with arms with link: without tools non stackable.
- with arms with link: with trolley non stackable.

| SEK ART. 2074 | CT | PO single-color | |
|---|--------|-----------------|-------------------------------------|
| CHROMED / POWDERCOATED | 6108 | 2500 | |
| Armrests BV | + 1083 | | |
| Armrests CV - pad (only for PO) | + 334 | | |
| Hole on shell to allow water drainage (only for PO) | + 143 | | |
| Outdoor powdercoated | + 500 | | |
| Polypropylene fire retardant (only for PO) | + 441 | | (For all finishes qty min. 300 pcs) |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.2074 1 pz = 2 - kg 9,5/ m³ 0,297 1 pz = 3 - kg 9,5/ m³ 0,297 4 pz = 2 - kg 26,54/ m³ 0,368 4 pz = 3 - kg 26,54/ m³ 0,368 KD | Art.2074 Outdoor: only for PO, V12, V39 Outdoor powdercoated *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |

FIRE RETARDANT TEST
 • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene.

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's material. Line detail stitching. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

Accessories:
 Stacking protection pad Art. 0228
 Link Art. 0258
 Single trolley Art. 0500
 Trolley Art. 0760
 Stacking protection pad with link Art. 2013

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 2075 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|-----------------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5585 | 5931 | 6277 | 6623 | 6969 | 7315 | 7661 | 8007 | 8353 | 8699 | 9045 | 9391 | 9737 | 10847 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2075 1 pz = 2 - kg 12,3/ m³ 0,335 1 pz = 3 - kg 12,3/ m³ 0,335 4 pz = 2 - kg 41,3/ m³ 0,472 4 pz = 3 - kg 41,3/ m³ 0,472 KD | Art.2075 COL requirement m² 1.78 H 140 cm. COM Meterage m 1.21 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2013



Chair with chromed or powder-coated steel sled base and white polypropylene shell upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Steel armrests are available upon request.

Accessories:
 Stacking protection pad Art. 0228
 Link Art. 0258
 Single trolley Art. 0500
 Trolley Art. 0760
 Stacking protection pad with link Art. 2013
 Stacking protection pad Art. 3115

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 3120 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED - Cover 1 | 5370 | 5716 | 6062 | 6408 | 6754 | 7100 | 7446 | 7792 | 8138 | 8484 | 8830 | 9176 | 9522 | 10680 |
| CHROMED / POWDERCOATED - Cover 2 | 5620 | 5966 | 6312 | 6658 | 7004 | 7350 | 7696 | 8042 | 8388 | 8734 | 9080 | 9426 | 9772 | 10942 |
| CHROMED / POWDERCOATED - Cover 3 | 5370 | 5716 | 6062 | 6408 | 6754 | 7100 | 7446 | 7792 | 8138 | 8484 | 8830 | 9176 | 9522 | 10680 |
| CHROMED / POWDERCOATED - Cover 4 | 5073 | 5419 | 5765 | 6111 | 6457 | 6803 | 7149 | 7495 | 7841 | 8187 | 8533 | 8879 | 9225 | 10395 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.3120 1 pz = 2 - kg 12,3/ m³ 0,335 1 pz = 3 - kg 12,3/ m³ 0,335 4 pz = 2 - kg 41,3/ m³ 0,472 4 pz = 3 - kg 41,3/ m³ 0,472 (KD) | Art.3120 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with chromed or powder-coated steel sled base and matt polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's material. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

Accessories:

- Stacking protection pad Art. 0228
- Link Art. 0258
- Single trolley Art. 0500
- Trolley Art. 0760
- Stacking protection pad with link Art. 2013

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| SEK ART. 2076 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5513 | 5667 | 5821 | 5975 | 6129 | 6283 | 6437 | 6591 | 6745 | 6899 | 7053 | 7207 | 7361 | 9335 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.2076 1 pz = 2 - kg 13,1/ m³ 0,335 1 pz = 3 - kg 13,1/ m³ 0,335 4 pz = 2 - kg 44,56/ m³ 0,472 4 pz = 3 - kg 44,56/ m³ 0,472 | Art.2076 COL requirement m² 1 H 140 cm. COM Meterage m 0.72 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Revive 1 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | |

Frame Base



Shell



Armrest



Stackable

Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powdercoated aluminium swivel trestle base. Matt polypropylene shell available in single colour or covered in hard leather without padding. Polypropylene and steel armrests, are available upon request.

Accessories:
 Cushion Art. 0230
 Cushion Art. 0231
 Set of glides Art. 2015
 Removable cover Art. 3116

| | | | |
|--|--|------------------------|--|
| SEK ART. 2054 | CT | PO single-color | |
| POLISHED / POWDERCOATED | 7620 | 4012 | |
| Armrests BV | + 1083 | | |
| Armrests CV - pad (only for PO) | + 334 | | |
| Polypropylene fire retardant (only for PO) | + 441 (For all finishes qty min. 300 pcs) | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.2054 1 pz = 2 - kg 10,7/ m³ 0,278 1 pz = 3 - kg 13,8/ m³ 0,307 4 pz = 2 - kg 31,8/ m³ 0,376 4 pz = 3 - kg 39,94/ m³ 0,412 | Art.2054 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 |
| FIRE RETARDANT TEST | | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | | |

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powdercoated aluminium swivel trestle base. The shell is upholstered in leather, coated fabric, fabric or customer's material. Line detail stitching. Steel armrests, also padded, are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 2060 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|-----------------|------|------|------|------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7097 | 7443 | 7789 | 8135 | 8481 | 8827 | 9173 | 9519 | 9865 | 10211 | 10557 | 10903 | 11249 | 12359 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2060 1 pz = 2 - kg 11,7/ m³ 0,282 1 pz = 3 - kg 14,8/ m³ 0,311 4 pz = 2 - kg 36,2/ m³ 0,416 4 pz = 3 - kg 44,34/ m³ 0,452 | Art.2060 COL requirement m² 1.78 H 140 cm. COM Meterage m 1.21 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminium swivel trestle base. The white polypropylene shell is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 3125 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|------|------|------|------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED - Cover 1 | 6882 | 7228 | 7574 | 7920 | 8266 | 8612 | 8958 | 9304 | 9650 | 9996 | 10342 | 10688 | 11034 | 12192 |
| POLISHED / POWDERCOATED - Cover 2 | 7132 | 7478 | 7824 | 8170 | 8516 | 8862 | 9208 | 9554 | 9900 | 10246 | 10592 | 10938 | 11284 | 12454 |
| POLISHED / POWDERCOATED - Cover 3 | 6882 | 7228 | 7574 | 7920 | 8266 | 8612 | 8958 | 9304 | 9650 | 9996 | 10342 | 10688 | 11034 | 12192 |
| POLISHED / POWDERCOATED - Cover 4 | 6585 | 6931 | 7277 | 7623 | 7969 | 8315 | 8661 | 9007 | 9353 | 9699 | 10045 | 10391 | 10737 | 11907 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.3125 1 pz = 2 - kg 11,7/ m³ 0,282 1 pz = 3 - kg 14,8/ m³ 0,311 4 pz = 2 - kg 36,2/ m³ 0,416 4 pz = 3 - kg 44,34/ m³ 0,452 KD | Art.3125 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | |

| FIRE RETARDANT TEST |
|---|
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. |

Frame Base



Armrest



Armrests BV



Cover 1

Cover 2


Cover 3

Cover 4



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powder-coated aluminium swivel trestle base. Matt polypropylene shell with front upholstery in leather, fabric or customer's material. Steel armrests, also padded, are available upon request.

Accessories:
Set of glides Art. 2015

| SEK ART. 2056 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|------|------|------|------|------|------|------|------|------|------|-------|
| POLISHED / POWDERCOATED | 7025 | 7179 | 7333 | 7487 | 7641 | 7795 | 7949 | 8103 | 8257 | 8411 | 8565 | 8719 | 8873 | 10847 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.2056 1 pz = 2 - kg 12,6/ m³ 0,282 1 pz = 3 - kg 14,98/ m³ 0,311 4 pz = 2 - kg 39,8/ m³ 0,416 4 pz = 3 - kg 47,94/ m³ 0,452 | Art.2056 COL requirement m² 1 H 140 cm. COM Meterage m 0.72 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Revive 1 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | |

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powdercoated aluminium fixed trestle base mounted on self-braking castors (color matching with base). Matt polypropylene shell available in single-colour or covered in hard leather without padding. Polypropylene and steel armrests, are available upon request.

Accessories:
Cushion Art. 0230
Cushion Art. 0231
Removable cover Art. 3116

| SEK ART. 2055 | CT | PO single-color | |
|--|--|-----------------|---|
| POLISHED / POWDERCOATED | 8025 | 4417 | |
| Armrests BV | + 1083 | | |
| Armrests CV - pad (only for PO) | + 334 | | |
| Polypropylene fire retardant (only for PO) | + 441 | | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.2055 1 pz = 2 - kg 10,8/ m³ 0,284 1 pz = 3 - kg 13,18/ m³ 0,313 4 pz = 2 - kg 32,2/ m³ 0,38 4 pz = 3 - kg 40,34/ m³ 0,416 | Art.2055 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | | |

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The shell is upholstered in leather, coated fabric, fabric or customer's material. Line detail stitching. Steel armrests, also padded, are available upon request.

| SEK ART. 2061 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|-----------------|------|------|------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7502 | 7848 | 8194 | 8540 | 8886 | 9232 | 9578 | 9924 | 10270 | 10616 | 10962 | 11308 | 11654 | 12764 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2061 1 pz = 2 - kg 11,8/ m³ 0,288 1 pz = 3 - kg 14,18/ m³ 0,317 4 pz = 2 - kg 36,6/ m³ 0,42 4 pz = 3 - kg 44,74/ m³ 0,456 KD | Art.2061 COL requirement m² 1.78 H 140 cm. COM Meterage m 1.21 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The white polypropylene shell is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

| SEK ART. 3126 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|------------------------|------|------|------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED - Cover 1 | 7287 | 7633 | 7979 | 8325 | 8671 | 9017 | 9363 | 9709 | 10055 | 10401 | 10747 | 11093 | 11439 | 12597 |
| POLISHED / POWDERCOATED - Cover 2 | 7537 | 7883 | 8229 | 8575 | 8921 | 9267 | 9613 | 9959 | 10305 | 10651 | 10997 | 11343 | 11689 | 12859 |
| POLISHED / POWDERCOATED - Cover 3 | 7287 | 7633 | 7979 | 8325 | 8671 | 9017 | 9363 | 9709 | 10055 | 10401 | 10747 | 11093 | 11439 | 12597 |
| POLISHED / POWDERCOATED - Cover 4 | 6990 | 7336 | 7682 | 8028 | 8374 | 8720 | 9066 | 9412 | 9758 | 10104 | 10450 | 10796 | 11142 | 12312 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3126 1 pz = 2 - kg 11,8/ m³ 0,288 1 pz = 3 - kg 14,18/ m³ 0,317 4 pz = 2 - kg 36,6/ m³ 0,42 4 pz = 3 - kg 44,74/ m³ 0,456 KD | Art.3126 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Armrest



Armrests BV




Cover 1 Cover 2 Cover 3 Cover 4



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). Matt polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's material upholstery applied to the seat surface. Steel armrests, also padded, are available upon request.

| SEK ART. 2057 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|-----------------|------|------|------|------|------|------|------|------|-------|
| POLISHED / POWDERCOATED | 7430 | 7584 | 7738 | 7892 | 8046 | 8200 | 8354 | 8508 | 8662 | 8816 | 8970 | 9124 | 9278 | 11252 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2057 1 pz = 2 - kg 12,7/ m³ 0,288 1 pz = 3 - kg 15,08/ m³ 0,317 4 pz = 2 - kg 40,2/ m³ 0,42 4 pz = 3 - kg 48,34/ m³ 0,456 KD | Art.2057 COL requirement m² 1 H 140 cm. COM Meterage m 0.72 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Revive 1 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powdercoated aluminum five star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas-lift mechanism for height adjustment. Matt polypropylene shell available in single-colour or covered in hard leather without padding. Polypropylene and steel armrests, are available upon request.

Accessories:
Cushion Art. 0230
Cushion Art. 0231
Removable cover Art. 3116

| | | | |
|---|--|-----------------|---|
| SEK ART. 0213 | CT | PO single-color | |
| GAS MECHANISM | 9335 | 5727 | |
| Armrests BV | + 1083 | | |
| Armrests CV - pad (only for PO) | + 334 | | |
| Polypropylene fire retardant (only for PO) | + 441 (For all finishes qty min. 300 pcs) | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | RESISTANCE TEST |
| Art.0213 1 pz = 2 - kg 13,1/ m³ 0,337 1 pz = 3 - kg 15,68/ m³ 0,363 4 pz = 5 - kg 48,6/ m³ 1,008 4 pz = 6 - kg 57,54/ m³ 1,032 | Art.0213 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | <ul style="list-style-type: none"> UNI 9084/2002 |
| FIRE RETARDANT TEST | | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | | |

Frame Base



Shell




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powdercoated aluminum five-star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas height adjustment mechanism. The shell is upholstered in leather, coated fabric, fabric or customer's material. Line detail stitching. Steel armrests, also padded, are available upon request.

| SEK ART. 0215 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 8812 | 9158 | 9504 | 9850 | 10196 | 10542 | 10888 | 11234 | 11580 | 11926 | 12272 | 12618 | 12964 | 14074 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0215 1 pz = 2 - kg 14,1/ m³ 0,341 1 pz = 3 - kg 16,68/ m³ 0,367 4 pz = 5 - kg 53/ m³ 1,048 4 pz = 6 - kg 61,94/ m³ 1,072 KD | Art.0215 COL requirement m² 1.78 H 140 cm. COM Meterage m 1.21 | | | | • UNI 9084/2002 | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminum five-star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas height adjustment mechanism. The white polypropylene shell is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Steel armrests are available upon request.

| SEK ART. 3128 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM - Cover 1 | 8597 | 8943 | 9289 | 9635 | 9981 | 10327 | 10673 | 11019 | 11365 | 11711 | 12057 | 12403 | 12749 | 13907 |
| GAS MECHANISM - Cover 2 | 8847 | 9193 | 9539 | 9885 | 10231 | 10577 | 10923 | 11269 | 11615 | 11961 | 12307 | 12653 | 12999 | 14169 |
| GAS MECHANISM - Cover 3 | 8597 | 8943 | 9289 | 9635 | 9981 | 10327 | 10673 | 11019 | 11365 | 11711 | 12057 | 12403 | 12749 | 13907 |
| GAS MECHANISM - Cover 4 | 8300 | 8646 | 8992 | 9338 | 9684 | 10030 | 10376 | 10722 | 11068 | 11414 | 11760 | 12106 | 12452 | 13622 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.3128 1 pz = 2 - kg 14,1/ m³ 0,341 1 pz = 3 - kg 16,68/ m³ 0,367 4 pz = 5 - kg 53/ m³ 1,048 4 pz = 6 - kg 61,94/ m³ 1,072 KD | Art.3128 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | • UNI 9084/2002 |

| FIRE RETARDANT TEST |
|---|
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. |

Frame Base




Armrest



Catifa 53

Design by Lievore Altherr Molina, 2001



Chair with polished or powder-coated aluminum five-star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas height adjustment mechanism. Matt polypropylene shell with leather, coated fabric, fabric or customer's material upholstery applied to the seat surface. Steel armrests, also padded, are available upon request.

| SEK ART. 2048 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|-----------------|------|------|------|------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 8740 | 8894 | 9048 | 9202 | 9356 | 9510 | 9664 | 9818 | 9972 | 10126 | 10280 | 10434 | 10588 | 12562 |
| Armrests BV | + 1083 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 727 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2048 1 pz = 2 - kg 14,9/ m³ 0,341 1 pz = 3 - kg 17,48/ m³ 0,367 4 pz = 5 - kg 56,28/ m³ 1,048 4 pz = 6 - kg 65,2/ m³ 1,072 KD | Art.2048 COL requirement m² 1 H 140 cm. COM Meterage m 0.72 | | | | • UNI 9084/2002 | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Revive 1 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell



Armrest




Catifa 53 Bench

Design by Lievore Altherr Molina, 2001



Two, three or four seater bench. Each seating position can be fitted with either a seat or a table top, offering solutions to meet all requirements. The white powdercoated metal frame can be fitted with polypropylene shells, upholstered shells or polypropylene shells upholstered with a removable non-washable cover (Art. 3129) in leather, coated fabric, fabric or customer's own material.



Accessories:
Cushion Art. 0230
Cushion Art. 0231
Removable cover Art. 3116

| SEK ART. 2036 | CT | PO | | | | | | | | | | | | | |
|--|------|---|-------|------|------|------|------|------|------|------|------|------|------|-------|--|
| | 5727 | 2119 | | | | | | | | | | | | | |
| SEK ART. 2037 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES | |
| Line stitching – not removable | 5204 | 5550 | 5896 | 6242 | 6588 | 6934 | 7280 | 7626 | 7972 | 8318 | 8664 | 9010 | 9356 | 10466 | |
| SEK ART. 3129 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES | |
| Cover 1 | 4989 | 5335 | 5681 | 6027 | 6373 | 6719 | 7065 | 7411 | 7757 | 8103 | 8449 | 8795 | 9141 | 10299 | |
| Cover 2 | 5239 | 5585 | 5931 | 6277 | 6623 | 6969 | 7315 | 7661 | 8007 | 8353 | 8699 | 9045 | 9391 | 10561 | |
| Cover 3 | 4989 | 5335 | 5681 | 6027 | 6373 | 6719 | 7065 | 7411 | 7757 | 8103 | 8449 | 8795 | 9141 | 10299 | |
| Cover 4 | 4692 | 5038 | 5384 | 5730 | 6076 | 6422 | 6768 | 7114 | 7460 | 7806 | 8152 | 8498 | 8844 | 10014 | |
| Polypropylene fire retardant (only for PO) | 441 | Art. 2036 (For all finishes qty min. 300 pcs) | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 2036 1 pz = 2 - kg 4,34/ m³ 0,134 4 pz = 3 - kg 13,66/ m³ 0,165 Art. 2037 1 pz = 2 - kg 4,94/ m³ 0,136 4 pz = 3 - kg 20,76/ m³ 0,21 Art. 3129 1 pz = 2 - kg 7,2/ m³ 0,131 4 pz = 3 - kg 22,9/ m³ 0,212 | Art.2036 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.2037 COL requirement m² 1.78 H 140 cm. COM Meterage m 1.21 Art.3129 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. | | |




Catifa 53 Bench

Design by Lievore Altherr Molina, 2001


EXAMPLES OF HOW TO ORDER



2 x Art. 2036 + Art. 2038 + Art. 3131



3 x Art. 2037 + Art. 3132



3 x Art. 2037 + Art. 2038 + Art. 3133

| | | | |
|--|----------------------|------------------------------|-------|
| | SEK ART. 3131 | 2-seater beam + pair of legs | 9526 |
| | SEK ART. 3132 | 3-seater beam + pair of legs | 10407 |
| | SEK ART. 3133 | 4-seater beam + pair of legs | 11765 |
| | SEK ART. 2038 | STEEL TABLE 52 X 40 cm | 2512 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 2038 1 pz = 1 - kg 10,3/ m² 0,018 Art. 3131 1 pz = 2 - kg 8,82/ m² 0,037 Art. 3132 1 pz = 2 - kg 10,34/ m² 0,041 Art. 3133 1 pz = 2 - kg 14,88/ m² 0,045 | | |
| FIRE RETARDANT TEST | | |

Frame Base



arper



Accessories

Design by Lievore Altherr Molina, 2013

Fabric, leather, coated fabric or customer's own material, non-washable, removable covers are available in the following four versions: cross-shaped stitching (Cover 1), line stitching (Cover 2), starshaped stitching (Cover 3) or without stitching (Cover 4). Stitching on cover 1 and 3 comes in white or black, to customer's choice. Stitching on cover 2 and 4 comes in in the same color as the upholstery. Covers to be sold separately from shell.



Cover 1 - Cross-shaped stitching



Cover 2 - Line stitching



Cover 3 - Star-shaped stitching



Cover 4 - Without stitching

| SEK ART. 3116 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| Cover 1 - Cross-shaped stitching | 3227 | 3573 | 3919 | 4265 | 4611 | 4957 | 5303 | 5649 | 5995 | 6341 | 6687 | 7033 | 7379 | 8502 |
| Cover 2 - Line stitching | 3453 | 3799 | 4145 | 4491 | 4837 | 5183 | 5529 | 5875 | 6221 | 6567 | 6913 | 7259 | 7605 | 8775 |
| Cover 3 - Star-shaped stitching | 3227 | 3573 | 3919 | 4265 | 4611 | 4957 | 5303 | 5649 | 5995 | 6341 | 6687 | 7033 | 7379 | 8502 |
| Cover 4 - Without stitching | 2905 | 3251 | 3597 | 3943 | 4289 | 4635 | 4981 | 5327 | 5673 | 6019 | 6365 | 6711 | 7057 | 8216 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 3116 1 pz = 1 - kg 5/ m³ 0,033 10 pz = 1 - kg 12,05/ m³ 0,151 20 pz = 1 - kg 24,03/ m³ 0,299 4 pz = 1 - kg 10/ m³ 0,033 | Art.3116 COL requirement m² 2.08 H 140 cm. COM Meterage m 1.23 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | |



Accessories

Design by Lievore Altherr Molina, 2011

Art. 0230: cushion with shaped padding, which ensures a perfect fit to the shape of the shell, and equipped with anti-slip on the underside. For greater comfort, the padding is in polyurethane foam and wadding, and upholstered in fabric, leather or coated fabric. Art. 0231: cushion equipped with two velcro strips on the underside to fix it to the seat. Polyurethane foam padding, upholstered in fabric, leather or coated fabric.



ART. 0230














ART. 0231

| SEK ART. 0230 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|-----------------|------|------|------|------|------|------|------|------|------|
| SEAT CUSHION - NEW | 1405 | 1619 | 1833 | 2047 | 2261 | 2475 | 2689 | 2903 | 3117 | 3331 | 3545 | 3759 | 3973 | 4370 |
| SEK ART. 0231 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SEAT CUSHION | 1274 | 1488 | 1702 | 1916 | 2130 | 2344 | 2558 | 2772 | 2986 | 3200 | 3414 | 3628 | 3842 | 4227 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.0230 1 pz = 1 - kg 1,3/ m² 0,024 4 pz = 1 - kg 3,2/ m² 0,08 Art.0231 1 pz = 1 - kg 1,3/ m² 0,024 4 pz = 1 - kg 3,2/ m² 0,08 | Art.0230 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.61 Art.0231 COL requirement m² 0.54 H 140 cm. COM Meterage m 0.61 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Accessories

Design by Lievore Altherr Molina

| | | | | |
|--|---|---|---|---|
| <p>SEK ART. 0228</p>  <p>Stacking protection pad. For upholstered shell.</p> | <p>SEK ART. 0258</p>  <p>Link</p> | <p>SEK ART. 0500</p>  <p>Trolley (Aava 02, Catifa 46, Catifa 53, Juno 02, Mixu)</p> | <p>SEK ART. 0760</p>  <p>Trolley (finishes V03)</p> | <p>SEK ART. 2013</p>  <p>Stacking protection pad for chair with link (link is not included). For upholstered shell.</p> |
| 666 | 512 | 4549 | 1560 | 786 |
| <p>SEK ART. 2015</p>  <p>Set of glides (white or black) in felt</p> | <p>SEK ART. 2073</p>  <p>Movable link (not suitable for chairs with armrests)</p> | | | |
| 202 | 48 | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|---|
| <p>Art. 0228 1 pz = 1  - kg 1,16/ m³ 0,037 4 pz = 1  - kg 3,12/ m³ 0,037</p> <p>Art. 0258 1 pz = 1  - kg 0,73/ m³ 0,006</p> <p>Art. 2013 1 pz = 1  - kg 1,6/ m³ 0,037 4 pz = 1  - kg 5,4/ m³ 0,037</p> <p>Art. 2015 1 pz = 1  - kg 0,08/ m³ 0,001 10 pz = 1  - kg 1,2/ m³ 0,007</p> <p>Art. 2073 1 pz = 1  - kg 1,5/ m³ 0,012 10 pz = 1  - kg 1,5/ m³ 0,012 2 pz = 1  - kg 1,5/ m³ 0,012 4 pz = 1  - kg 1,5/ m³ 0,012</p> | | <p>• EN 14703:2007 7.3</p> <p>• EN 14703:2007 7.2</p> |
| <p>FIRE RETARDANT TEST</p> | | |



CATIFA UP

Design by
Lievore Altherr Molina
2017



Catifa Up

Collection overview

Bases



Aluminum trestle
swivel base
Armrest versions



Aluminum trestle
fixed base
Armrest versions



5 ways
aluminum
Armrest versions



5 ways aluminum
on castors
Armrest versions

Shells



Upholstered with a
non-removable cover



Upholstered with
double frontal cushion

Armrest types




BV =
Lacquered and polished
armrest

The optional armrests in the same finish as the base must therefore be included when placing the order, because they can be assembled only on compatible shells.

Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium swivel trestle base. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6200 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7799 | 8192 | 8585 | 8978 | 9371 | 9764 | 10157 | 10550 | 10943 | 11336 | 11729 | 12122 | 12515 | 14181 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 6200 1 pz = 2 - kg 13,9/ m³ 0,34 1 pz = 3 - kg 17,4/ m³ 0,37 4 pz = 2 - kg 41,4/ m³ 0,52 4 pz = 3 - kg 55,4/ m³ 0,55 | Art.6200 COL requirement m² 1.86 H 140 cm. COM Meterage m 1.33 | |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



LU1 V12 V39
matt matt

Armrest




Armrests BV



Catifa Up Soft

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium swivel trestle base. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6204 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 9799 | 10228 | 10657 | 11086 | 11515 | 11944 | 12373 | 12802 | 13231 | 13660 | 14089 | 14518 | 14947 | 16622 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art. 6204 1 pz = 2 - kg 14,9/ m³ 0,34 1 pz = 3 - kg 18,4/ m³ 0,37 4 pz = 2 - kg 43,9/ m³ 0,52 4 pz = 3 - kg 57,9/ m³ 0,55 | Art.6204 COL requirement m² 2.40 H 140 cm. COM Meterage m 1.18 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base



Armrest




Armrests BV



Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6201 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 8204 | 8597 | 8990 | 9383 | 9776 | 10169 | 10562 | 10955 | 11348 | 11741 | 12134 | 12527 | 12920 | 14586 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art. 6201 1 pz = 2 - kg 13,9/ m³ 0,34 1 pz = 3 - kg 17,4/ m³ 0,37 4 pz = 2 - kg 41,4/ m³ 0,52 4 pz = 3 - kg 55,4/ m³ 0,55 | Art.6201 COL requirement m² 1.86 H 140 cm. COM Meterage m 1.33 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 • ANSI/BIFMA X5.1-2017/6 • ANSI/BIFMA X5.1-2017/10 • ANSI/BIFMA X5.1-2017/12 • ANSI/BIFMA X5.1-2017/15 • ANSI/BIFMA X5.1-2017/17 • ANSI/BIFMA X5.1-2017/24 |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Armrest




Armrests BV



Catifa Up Soft

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6205 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 10204 | 10633 | 11062 | 11491 | 11920 | 12349 | 12778 | 13207 | 13636 | 14065 | 14494 | 14923 | 15352 | 17027 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 6205 1 pz = 2 - kg 14,9/ m³ 0,34 1 pz = 3 - kg 18,4/ m³ 0,37 4 pz = 2 - kg 43,9/ m³ 0,52 4 pz = 3 - kg 57,9/ m³ 0,55 | Art.6205 COL requirement m² 2.40 H 140 cm. COM Meterage m 1.18 | |
| FIRE RETARDANT TEST | | |

Frame Base



Armrest



Armrests BV



Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium five-star base, fitted with return mechanism. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6202 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| RETURN MECHANISM | 9562 | 9955 | 10348 | 10741 | 11134 | 11527 | 11920 | 12313 | 12706 | 13099 | 13492 | 13885 | 14278 | 15944 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art. 6202 1 pz = 2 - kg 16,4/ m³ 0,41 1 pz = 3 - kg 19,9/ m³ 0,44 4 pz = 5 - kg 58,6/ m³ 1,19 4 pz = 6 - kg 72,6/ m³ 1,22 | Art. 6202 COL requirement m² 1.86 H 140 cm. COM Meterage m 1.33 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.6 • EN 1728:2012 - EN 16139:2013 6.13.1 |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Armrest




Armrests BV



Catifa Up Soft

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium five-star base, fitted with return mechanism. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6206 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| RETURN MECHANISM | 11562 | 11991 | 12420 | 12849 | 13278 | 13707 | 14136 | 14565 | 14994 | 15423 | 15852 | 16281 | 16710 | 18385 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 6206 1 pz = 2 - kg 17,4/ m³ 0,41 1 pz = 3 - kg 20,9/ m³ 0,44 4 pz = 5 - kg 61,1/ m³ 1,19 4 pz = 6 - kg 75,1/ m³ 1,22 | Art.6206 COL requirement m² 2.40 H 140 cm. COM Meterage m 1.18 | |
| FIRE RETARDANT TEST | | |

Frame Base



Armrest




Armrests BV



Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminum five star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas-lift mechanism for height adjustment. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6203 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 9514 | 9907 | 10300 | 10693 | 11086 | 11479 | 11872 | 12265 | 12658 | 13051 | 13444 | 13837 | 14230 | 15896 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 6203 1 pz = 2 - kg 16,5/ m³ 0,41 1 pz = 3 - kg 20/ m³ 0,44 4 pz = 5 - kg 59/ m³ 1,19 4 pz = 6 - kg 73/ m³ 1,22 | Art.6203 COL requirement m² 1.86 H 140 cm. COM Meterage m 1.33 | |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



LU1 V12 V39
matt matt

Armrest




Armrests BV



Catifa Up Soft

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminum five star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas-lift mechanism for height adjustment. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base.



| SEK ART. 6207 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GAS MECHANISM | 11514 | 11943 | 12372 | 12801 | 13230 | 13659 | 14088 | 14517 | 14946 | 15375 | 15804 | 16233 | 16662 | 18337 |
| Armrests BV | + 2071 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art. 6207 1 pz = 2 - kg 17,5/ m³ 0,41 1 pz = 3 - kg 21/ m³ 0,44 4 pz = 5 - kg 61,5/ m³ 1,19 4 pz = 6 - kg 75,5/ m³ 1,22 | Art.6207 COL requirement m² 2.40 H 140 cm. COM Meterage m 1.18 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base



Armrest



Armrests BV



CATIFA SENSIT

Design by
Lievore Altherr Molina
2014



Catifa Sensit

Collection overview

Bases



4 ways swivel
Optional armrests



5 ways aluminum
Optional armrests

Backrest



Low



Medium



High

Options



Line stitching

Armrest types



BI =
Lacquered or polished



BR =
Upholstered closed armrest

Mechanism




Built-in self-tensioning weight
response mechanism

Catifa Sensit

Design by Lievore Altherr Molina, 2014

Chair with polished or powder-coated aluminum 4 way pedestal base, available in the swivel version (Art. 4901), or with return mechanism (Art. 4912). Shell with low backrest, entirely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric and fitted with self-tensioning weight response mechanism. Aluminium armrests are offered in the same finishes of the base (BI) or upholstered (BR).



| SEK ART. 4901 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| SWIVEL BASE | 14741 | 15217 | 15693 | 16169 | 16645 | 17121 | 17597 | 18073 | 18549 | 19025 | 19501 | 19977 | 20453 | 22338 |
| SEK ART. 4912 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 16217 | 16693 | 17169 | 17645 | 18121 | 18597 | 19073 | 19549 | 20025 | 20501 | 20977 | 21453 | 21929 | 23826 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstered armrest BR | + 2976 | + 3202 | + 3428 | + 3654 | + 3880 | + 4106 | + 4332 | + 4558 | + 4784 | + 5010 | + 5236 | + 5462 | + 5688 | + 6799 |
| Armrest BI | + 2405 | | | | | | | | | | | | | |
| Lines stitching | + 512 | | | | | | | | | | | | | |
| Fire retardant chair + armchair BR | + 1024 | | | | | | | | | | | | | |
| Fire retardant chair | + 571 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4901 1 pz = 1 - kg 23,96/ m³ 0,592 Art. 4912 1 pz = 1 - kg 23,96/ m³ 0,592 | Art.4901 COL requirement m² COL requirement m² 1.98 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.38 Armrests BR: H 140 cm. COM Meterage ml 1.16 Art.4912 COL requirement m² COL requirement m² 1.98 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.38 Armrests BR: H 140 cm. COM Meterage ml 1.16 | |
| FIRE RETARDANT TEST | | |
| Classe 1IM Omologazione Italia Elmosoft. | | |

Frame Base



LU1 V39
matt

Armrest



Armrest BI

Upholstered armrest BR



All other types of floor

Wooden floor


Carpets



Catifa Sensit

Design by Lievore Altherr Molina, 2014

Chair with polished or powder-coated aluminum 4 way pedestal base, available in the swivel version (Art. 4903), or with return mechanism (Art. 4913). Shell with medium backrest, entirely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric and fitted with self-tensioning weight response mechanism. Aluminium armrests are offered in the same finishes of the base (BI) or upholstered (BR).



| SEK ART. 4903 | A | B | COM | C | COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| SWIVEL BASE | 15622 | 16217 | 16812 | 17407 | 18002 | 18597 | 19192 | 19787 | 20382 | 20977 | 21572 | 22167 | 22762 | 23357 | 23952 | 24547 |
| SEK ART. 4913 | A | B | COM | C | COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 17122 | 17717 | 18312 | 18907 | 19502 | 20097 | 20692 | 21287 | 21882 | 22477 | 23072 | 23667 | 24262 | 24857 | 25452 | 26047 |
| | A | B | COM | C | COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstered armrest BR | + 2976 | + 3202 | + 3428 | + 3654 | + 3880 | + 4106 | + 4332 | + 4558 | + 4784 | + 5010 | + 5236 | + 5462 | + 5688 | + 5914 | + 6140 | + 6366 |
| Armrest BI | + 2405 | | | | | | | | | | | | | | | |
| Lines stitching | + 512 | | | | | | | | | | | | | | | |
| Fire retardant chair + armchair BR | + 1024 | | | | | | | | | | | | | | | |
| Fire retardant chair | + 571 | | | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4903 1 pz = 1 [img alt="box icon"] - kg 30,45/ m³ 0,734 Art. 4913 1 pz = 1 [img alt="box icon"] - kg 30,45/ m³ 0,734 | Art.4903 COL requirement m² COL requirement m² 2.76 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.59 Armrests BR: H 140 cm. COM Meterage ml 1.16 Art.4913 COL requirement m² COL requirement m² 2.76 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.58 Armrests BR: H 140 cm. COM Meterage ml 1.16 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Elmosoft. | | |

Frame Base



LU1 V39
matt

Armrest



Armrest BI

Upholstered armrest BR




All other types of floor Wooden floor Carpets



Catifa Sensit

Design by Lievore Altherr Molina, 2014

Chair with polished or powder-coated aluminum 4 way pedestal base, available in the swivel version (Art. 4906), or with return mechanism (Art. 4914). Shell with high backrest, entirely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric and fitted with self-tensioning weight response mechanism. Aluminium armrests are offered in the same finishes of the base (BI) or upholstered (BR).



| SEK ART. 4906 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| SWIVEL BASE | 16729 | 17456 | 18183 | 18910 | 19637 | 20364 | 21091 | 21818 | 22545 | 23272 | 23999 | 24726 | 25453 | 28375 |
| SEK ART. 4914 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 18206 | 18933 | 19660 | 20387 | 21114 | 21841 | 22568 | 23295 | 24022 | 24749 | 25476 | 26203 | 26930 | 29875 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstered armrest BR | + 2976 | + 3202 | + 3428 | + 3654 | + 3880 | + 4106 | + 4332 | + 4558 | + 4784 | + 5010 | + 5236 | + 5462 | + 5688 | + 6799 |
| Armrest BI | + 2405 | | | | | | | | | | | | | |
| Lines stitching | + 512 | | | | | | | | | | | | | |
| Fire retardant chair + armchair BR | + 1024 | | | | | | | | | | | | | |
| Fire retardant chair | + 571 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4906 1 pz = 1 - kg 33/ m³ 0,853 Art. 4914 1 pz = 1 - kg 32/ m³ 0,852 | Art.4906 COL requirement m² COL requirement m² 3.18 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.76 Armrests BR: H 140 cm. COM Meterage ml 1.16 Art.4914 COL requirement m² COL requirement m² 3.18 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.76 Armrests BR: H 140 cm. COM Meterage ml 1.16 | |
| FIRE RETARDANT TEST | | |
| Classe 1IM Omologazione Italia Elmosoft. | | |

Frame Base



LU1 V39
matt

Armrest



Armrest BI

Upholstered armrest BR




All other types of floor Wooden floor Carpets



Catifa Sensit

Design by Lievore Altherr Molina, 2014


Chair with polished or powder-coated aluminum 5 way swivel base on castors, fitted with gas-lift mechanism for height adjustment. Shell with low backrest, entirely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric and fitted with self-tensioning weight response mechanism. Aluminium armrests are offered in the same finishes of the base (BI) or upholstered (BR).



| SEK ART. 4900 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| POLISHED ALUMINIUM / POWDERCOATED | 16003 | 16479 | 16955 | 17431 | 17907 | 18383 | 18859 | 19335 | 19811 | 20287 | 20763 | 21239 | 21715 | 23648 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstered armrest BR | + 2976 | + 3202 | + 3428 | + 3654 | + 3880 | + 4106 | + 4332 | + 4558 | + 4784 | + 5010 | + 5236 | + 5462 | + 5688 | + 6799 |
| Armrest BI | + 2405 | | | | | | | | | | | | | |
| Lines stitching | + 512 | | | | | | | | | | | | | |
| Fire retardant chair + armchair BR | + 1024 | | | | | | | | | | | | | |
| Fire retardant chair | + 571 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4900 1 pz = 1 - kg 23,96/ m² 0,592 | Art.4900 COL requirement m² COL requirement m² 1.98 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.38 Armrests BR: H 140 cm. COM Meterage ml 1.16 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Elmosoft. | | |

Frame Base



Armrest



Armrest BI




Upholstered armrest BR



Catifa Sensit

Design by Lievore Altherr Molina, 2014


Chair with polished or powder-coated aluminum 5 way swivel base on castors, fitted with gas-lift mechanism for height adjustment. Shell with medium backrest, entirely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric and fitted with self-tensioning weight response mechanism. Aluminium armrests are offered in the same finishes of the base (BI) or upholstered (BR).



| SEK ART. 4902 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| POLISHED ALUMINIUM / POWDERCOATED | 16920 | 17515 | 18110 | 18705 | 19300 | 19895 | 20490 | 21085 | 21680 | 22275 | 22870 | 23465 | 24060 | 26446 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstered armrest BR | + 2976 | + 3202 | + 3428 | + 3654 | + 3880 | + 4106 | + 4332 | + 4558 | + 4784 | + 5010 | + 5236 | + 5462 | + 5688 | + 6799 |
| Armrest BI | + 2405 | | | | | | | | | | | | | |
| Lines stitching | + 512 | | | | | | | | | | | | | |
| Fire retardant chair + armchair BR | + 1024 | | | | | | | | | | | | | |
| Fire retardant chair | + 571 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art. 4902 1 pz = 1 - kg 30,45/ m² 0,734 | Art.4902 COL requirement m² COL requirement m² 2.76 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.58 Armrests BR: H 140 cm. COM Meterage ml 1.16 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Elmosoft. | | |

Frame Base




Armrest



Catifa Sensit

Design by Lievore Altherr Molina, 2014


Chair with polished or powder-coated aluminum 5 way swivel base on castors, fitted with gas-lift mechanism for height adjustment. Shell with high backrest, entirely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric and fitted with self-tensioning weight response mechanism. Aluminium armrests are offered in the same finishes of the base (BI) or upholstered (BR).



| SEK ART. 4905 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| POLISHED ALUMINIUM / POWDERCOATED | 17992 | 18719 | 19446 | 20173 | 20900 | 21627 | 22354 | 23081 | 23808 | 24535 | 25262 | 25989 | 26716 | 29684 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstered armrest BR | + 2976 | + 3202 | + 3428 | + 3654 | + 3880 | + 4106 | + 4332 | + 4558 | + 4784 | + 5010 | + 5236 | + 5462 | + 5688 | + 6799 |
| Armrest BI | + 2405 | | | | | | | | | | | | | |
| Lines stitching | + 512 | | | | | | | | | | | | | |
| Fire retardant chair + armchair BR | + 1024 | | | | | | | | | | | | | |
| Fire retardant chair | + 571 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4905 1 pz = 1 - kg 33/ m³ 0,853 | Art.4905 COL requirement m² COL requirement m² 3.18 Armrests BR: COL requirement m² 1.14 H 140 cm. COM Meterage m H 140 cm. COM Meterage ml 1.76 Armrests BR: H 140 cm. COM Meterage ml 1.16 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Elmosoft. | | |

Frame Base



Armrest



Armrest BI

Upholstered armrest BR



CATIFA 60

Design by
Lievore Altherr Molina
2008



Catifa 60

Collection overview

Bases



Lounge sled



Lounge 4 ways

Options

Seams



Standard option



Horizontal stitching

Armrest types




CI =
Upholstered aluminum armrest

Return mechanism



Catifa 60 Lounge

Design by Lievore Altherr Molina, 2008



Lounge chair with polished or powdercoated aluminium pedestal base and low backrest, available in the swivel version (Art. 2139) or with return mechanism (Art. 2140). The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base, also in upholstered version.


| SEK ART. 2139 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 13181 | 13657 | 14133 | 14609 | 15085 | 15561 | 16037 | 16513 | 16989 | 17465 | 17941 | 18417 | 18893 | 20658 |
| SEK ART. 2140 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 14658 | 15134 | 15610 | 16086 | 16562 | 17038 | 17514 | 17990 | 18466 | 18942 | 19418 | 19894 | 20370 | 22148 |
| Armrests CI | + 2036 | | | | | | | | | | | | | |
| Line stitching | + 512 | | | | | | | | | | | | | |
| Fire retardant foam | + 666 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art.2139 1 pz = 1 - kg 23,96/ m² 0,51 Art.2140 1 pz = 1 - kg 23,96/ m² 0,508 1 pz = 1 - kg 26,54/ m² 0,508 | Art.2139 COL requirement m² 2.76 H 140 cm. COM Meterage m 1.82 Art.2140 COL requirement m² 2.76 H 140 cm. COM Meterage m 1.82 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |

FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Armrest



Armrests CI



Line stitching



All other types of floor



Wooden floor




Carpets



Catifa 60 Lounge

Design by Lievore Altherr Molina, 2008

Lounge armchair with chromed or powdercoated steel sled base and low backrest. The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material. Glides for wooden floors available upon request.



| SEK ART. 2141 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED | 12050 | 12526 | 13002 | 13478 | 13954 | 14430 | 14906 | 15382 | 15858 | 16334 | 16810 | 17286 | 17762 | 19527 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.2141 1 pz = 1 - kg 25,96/ m² 0,508 | Art.2141 COL requirement m² 2.76 H 140 cm. COM Meterage m 1.82 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



CATIFA 70

Design by
Lievore Altherr Molina
2006



Catifa 70

Collection overview

Bases



4 ways
Options:
— Armrest

4 ways footrest

Shells



Upholstered and covered



Soft

Options

Armrest types



LU1 =
Aluminum armrest




CI =
Upholstered aluminum armrest

Return and Tilt mechanism



Catifa 70


Design by Lievore Altherr Molina, 2006



Lounge chair with polished or powdercoated aluminium pedestal base, available in the swivel version (Art. 2007) or with return mechanism (Art. 2035). The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base, also in upholstered version.

| SEK ART. 2007 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|-------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 14812 | 15836 | 16860 | 17884 | 18908 | 19932 | 20956 | 21980 | 23004 | 24028 | 25052 | 26076 | 27100 | 29768 |
| SEK ART. 2035 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 16324 | 17348 | 18372 | 19396 | 20420 | 21444 | 22468 | 23492 | 24516 | 25540 | 26564 | 27588 | 28612 | 31304 |
| Armrests CI | + 2310 | | | | | | | | | | | | | |
| Fire retardant foam | + 881 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2007 1 pz = 1 - kg 36/ m³ 0,955 1 pz = 1 - kg 40/ m³ 0,955 Art.2035 1 pz = 1 - kg 36/ m³ 0,955 1 pz = 1 - kg 40/ m³ 0,955 | Art.2007 COL requirement m² 3.86 H 140 cm. COM Meterage m 2.7 Art.2035 COL requirement m² 3.86 H 140 cm. COM Meterage m 2.7 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Armrest



Armrests CI




All other types of floor Wooden floor Carpets



Catifa 70

Design by Lievore Altherr Molina, 2006

Footstool with polished or powder-coated aluminium pedestal base and polyurethane shell upholstered in leather, coated fabric, fabric or customer's material.



| SEK ART. 2008 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED | 8644 | 8906 | 9168 | 9430 | 9692 | 9954 | 10216 | 10478 | 10740 | 11002 | 11264 | 11526 | 11788 | 17253 |
| Fire retardant foam | + 417 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.2008 1 pz = 1 - kg 15/ m³ 0,196 | Art.2008 COL requirement m² 1.68 H 140 cm. COM Meterage m 0.94 | |

FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




All other types of floor Wooden floor Carpets



Catifa 70 Soft

Design by Lievore Altherr Molina, 2012



Lounge chair with polished or powdercoated aluminium pedestal base equipped with return and tilt mechanisms. Structural polyurethane upholstered shell and cushions (with removable covers) in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base, also in upholstered version.

Accessories:
Replacement cover set Art. 3303

| SEK ART. 3300 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|-------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| RETURN AND TILT MECHANISM | 24802 | 25980 | 27158 | 28336 | 29514 | 30692 | 31870 | 33048 | 34226 | 35404 | 36582 | 37760 | 38938 | 43640 |
| Armrest LU1 /Armrest Cl | + 2310 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3300 1 pz = 1 - kg 38/ m² 0,955 1 pz = 1 - kg 41/ m² 0,955 | Art.3300 COL requirement m² 5.52 H 140 cm. COM Meterage m 3.52 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Armrest



Armrest LU1 /Armrest Cl



Tilt mechanism (standard colour grey)



All other types of floor



Wooden floor



Carpets




Catifa 70 Soft

Design by Lievore Altherr Molina, 2012

Footstool with polished aluminium or powercoated pedestal base and structural polyurethane shell with upholstered cushion (with removable cover) in leather, coated fabric, fabric or customer's material.

Accessories:
Replacement cover set Art. 3304




| SEK ART. 3302 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED | 11859 | 12276 | 12693 | 13110 | 13527 | 13944 | 14361 | 14778 | 15195 | 15612 | 16029 | 16446 | 16863 | 18622 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3302 1 pz = 1 - kg 15/ m³ 0,196 | Art.3302 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.87 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Catifa 70 Soft

Design by Lievore Altherr Molina, 2012



| SEK ART. 3303 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|-------|-------|
| SPARE COVER | 2739 | 3346 | 3953 | 4560 | 5167 | 5774 | 6381 | 6988 | 7595 | 8202 | 8809 | 9416 | 10023 | 13872 |
| SEK ART. 3304 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| COVER | 1358 | 1609 | 1860 | 2111 | 2362 | 2613 | 2864 | 3115 | 3366 | 3617 | 3868 | 4119 | 4370 | 5549 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.3303 1 pz = 1 - kg 5/ m³ 0,196 Art.3304 1 pz = 1 - kg 5/ m³ 0,196 | Art.3303 COL requirement m² 3.06 H 140 cm. COM Meterage m 1.84 Art.3304 COL requirement m² 1.15 H 140 cm. COM Meterage m 1.05 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V39
matt



CATIFA 80

Design by
Lievore Altherr Molina
2006



Catifa 80

Collection overview

Bases



4 ways




Sled

Catifa 80

Design by Lievore Altherr Molina, 2006

Lounge chair with polished or powder-coated aluminium pedestal base, available in the swivel version (Art. 2009) or with return mechanism (Art. 2028) The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material.



| SEK ART. 2009 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWIVEL BASE | 13538 | 14348 | 15158 | 15968 | 16778 | 17588 | 18398 | 19208 | 20018 | 20828 | 21638 | 22448 | 23258 | 26529 |
| SEK ART. 2028 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| RETURN MECHANISM | 15039 | 15849 | 16659 | 17469 | 18279 | 19089 | 19899 | 20709 | 21519 | 22329 | 23139 | 23949 | 24759 | 28017 |
| Fire retardant foam | + 643 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.2009 1 pz = 1 - kg 26,54/ m³ 0,588 Art.2028 1 pz = 1 - kg 26,1/ m³ 0,596 | Art.2009 COL requirement m² 3.14 H 140 cm. COM Meterage m 2.37 Art.2028 COL requirement m² 3.14 H 140 cm. COM Meterage m 2.37 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




All other types of floor Wooden floor Carpets



Catifa 80

Design by Lievore Altherr Molina, 2006

Lounge chair with chromed or powdercoated steel sled base and polyurethane shell upholstered in leather, coated fabric, fabric or customer's material. Glides for wooden floors available upon request.



| SEK ART. 2010 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED | 12561 | 13371 | 14181 | 14991 | 15801 | 16611 | 17421 | 18231 | 19041 | 19851 | 20661 | 21471 | 22281 | 25541 |
| Fire retardant foam | + 643 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.2010 1 pz = 1 - kg 25,52/ m² 0,588 | Art.2010 COL requirement m² 3.14 H 140 cm. COM Meterage m 2.37 | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Standard: polycarbonate glide with polyurethane insert.



Upon request: polycarbonate glide with felt insert.



CILA

Design by
Lievore Altherr
2017



Cila

Collection overview

Bases



4 legs



4 wood legs



Sled




Aluminium trestle swivel base



Steel trestle fixed

Shell

Chair version



Polypropylene



Polypropylene with seat cushion



Upholstered with non-removable cover

Armchair version



Polypropylene



Polypropylene with seat cushion




Upholstered with non-removable cover

Cila

Design by Lievore Altherr, 2017

Chair with chromed or powdercoated steel 4-leg base.
Polypropylene shell available in five colors. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|---|
| SEK ART. 2200 | PC | |
| CHROMED / POWDERCOATED | 2345 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2200 1 pz = 2 - kg 9,81/ m³ 0,298 4 pz = 2 - kg 28,83/ m³ 0,426 | Art.2200 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6. 6 |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017



Chair with four-leg base made of chromed or powdercoated steel. Polypropylene shell available in five colours, with seat cushion in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2201 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3334 | 3429 | 3524 | 3619 | 3714 | 3809 | 3904 | 3999 | 4094 | 4189 | 4284 | 4379 | 4474 | 4905 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2201 1 pz = 2 - kg 11,99/ m³ 0,337 4 pz = 2 - kg 33,67/ m³ 0,501 | | Art.2201 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Elmo Neocoast. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017



Chair with four-leg base made of chromed or powdercoated steel. Shell fully upholstered in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2203 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5346 | 5656 | 5966 | 6276 | 6586 | 6896 | 7206 | 7516 | 7826 | 8136 | 8446 | 8756 | 9066 | 10513 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2203 1 pz = 2 - kg 12,49/ m² 0,337 4 pz = 2 - kg 35,67/ m² 0,501 | Art.2203 COL requirement m² 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut 2 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |


Frame Base



Cila

Design by Lievore Altherr, 2018

Armchair with four-leg base made of chromed or powdercoated steel. Polypropylene shell available in 5 colours. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2220 | PC | |
| CHROMED / POWDERCOATED | 2703 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2220 1 pz = 2 - kg 10,25/ m³ 0,32 4 pz = 2 - kg 29,89/ m³ 0,451 | Art.2220 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair with four-leg base made of chromed or powdercoated steel. Polypropylene shell available in 5 colours, with seat cushion in fabric, leather, coated fabric, or customer's material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2221 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|--|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3679 | 3774 | 3869 | 3964 | 4059 | 4154 | 4249 | 4344 | 4439 | 4534 | 4629 | 4724 | 4819 | 5263 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2221 1 pz = 2 - kg 12,16/ m² 0,398 4 pz = 2 - kg 35,17/ m² 0,564 | | Art.2221 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Elmo Neocoast. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair with four-leg base made of chromed or powdercoated steel. Shell fully upholstered in fabric, leather, coated fabric, or customer's material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2222 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--|------|------|------|------|------|------|-------|-------|-------|
| CHROMED / POWDERCOATED | 5703 | 6120 | 6537 | 6954 | 7371 | 7788 | 8205 | 8622 | 9039 | 9456 | 9873 | 10290 | 10707 | 12205 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2222 1 pz = 2 - kg 13,13/ m ³ 0,398 4 pz = 2 - kg 39,06/ m ³ 0,564 | Art.2222 COL requirement m ² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base



Cila


Design by Lievore Altherr, 2017

Chair with timber oak four-leg base (natural oak, bleached oak, wengé). Polypropylene shell available in five colours. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2204 | PC | |
| WOOD LEGS | 3750 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2204 1 pz = 2 - kg 10,43/ m³ 0,357 4 pz = 2 - kg 29,77/ m³ 0,422 | Art.2204 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6. 6 |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



L0020 L0021 L0022



Shell




PC00001 PC00002 PC00003 PC00004 PC00005



Cila

Design by Lievore Altherr, 2017



Chair with timber oak four-leg base (natural oak, bleached oak, wengé). Polypropylene shell available in five colours, with seat cushion in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2205 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|--|------|------|------|------|------|------|------|------|------|
| WOOD LEGS | 4739 | 4834 | 4929 | 5024 | 5119 | 5214 | 5309 | 5404 | 5499 | 5594 | 5689 | 5784 | 5879 | 6310 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2205 1 pz = 2 - kg 12,61/ m³ 0,397 4 pz = 2 - kg 34,61/ m³ 0,497 | Art.2205 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



L0020 L0021 L0022



Shell




PC00001 PC00002 PC00003 PC00004 PC00005



Cila

Design by Lievore Altherr, 2017


Chair with timber oak four-leg base (natural oak, bleached oak, wengé). Shell fully upholstered in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.



| SEK ART. 2207 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|-------|-------|-------|
| WOOD LEGS | 6751 | 7061 | 7371 | 7681 | 7991 | 8301 | 8611 | 8921 | 9231 | 9541 | 9851 | 10161 | 10471 | 11918 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.2207 1 pz = 2 - kg 13,11/ m³ 0,397 4 pz = 2 - kg 36,61/ m³ 0,497 | Art.2207 COL requirement m² 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Cila

Design by Lievore Altherr, 2018

Armchair with timber oak four-leg base (natural oak, bleached oak, wengé). Polypropylene shell available in five colours. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2223 | PC | |
| WOOD LEGS | 4108 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2223 1 pz = 2 - kg 10,87/ m³ 0,38 4 pz = 2 - kg 30,83/ m³ 0,447 | Art.2223 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



L0020 L0021 L0022



Shell




PC00001 PC00002 PC00003 PC00004 PC00005



Cila


Design by Lievore Altherr, 2018



Armchair with timber oak four-leg base (natural oak, bleached oak, wengé). Polypropylene shell available in five colours, with seat cushion in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2224 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| WOOD LEGS | 5084 | 5179 | 5274 | 5369 | 5464 | 5559 | 5654 | 5749 | 5844 | 5939 | 6034 | 6129 | 6224 | 6668 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2224 1 pz = 2 - kg 12,78/ m³ 0,457 4 pz = 2 - kg 36,11/ m³ 0,56 | | Art.2224 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat, Elmo Neocoast, Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base



L0020 L0021 L0022



Shell




PC00001 PC00002 PC00003 PC00004 PC00005



Cila


Design by Lievore Altherr, 2018



Armchair with timber oak four-leg base (natural oak, bleached oak, wengé). Shell fully upholstered in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2225 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|------------------------|------|------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 7108 | 7525 | 7942 | 8359 | 8776 | 9193 | 9610 | 10027 | 10444 | 10861 | 11278 | 11695 | 12112 | 13610 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2225 1 pz = 2 - kg 13,75/ m³ 0,457 4 pz = 2 - kg 40/ m³ 0,56 | Art.2225 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base



Cila

Design by Lievore Altherr, 2017

Chair with chromed or powder-coated steel sled base and polypropylene shell available in five colours. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2208 | PC | |
| CHROMED / POWDERCOATED | 2571 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2208 1 pz = 2 - kg 10,88/ m² 0,298 4 pz = 2 - kg 33,11/ m² 0,426 | Art.2208 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6. 6 |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017



Chair with chromed or powder-coated steel sled base and polypropylene shell available in five colors, with seat cushion in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2209 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|--|-------|------|------|--|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3560 | 3655 | 3750 | 3845 | 3940 | 4035 | 4130 | 4225 | 4320 | 4415 | 4510 | 4605 | 4700 | 5131 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2209 1 pz = 2 - kg 13,06/ m³ 0,337 4 pz = 2 - kg 37,95/ m³ 0,501 | | Art.2209 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017



Chair with chromed or powder-coated steel sled base and shell fully upholstered in leather, coated fabric, fabric or customer's own material. Glides for wooden floors available upon request without surcharge.

| SEK ART. 2211 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|-------|
| CHROMED / POWDERCOATED | 5572 | 5882 | 6192 | 6502 | 6812 | 7122 | 7432 | 7742 | 8052 | 8362 | 8672 | 8982 | 9292 | 10739 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2211 1 pz = 2 - kg 13,56/ m² 0,337 4 pz = 2 - kg 39,95/ m² 0,501 | Art.2211 COL requirement m² 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |


Frame Base



Cila

Design by Lievore Altherr, 2018

Armchair on sled base in chromed or powder-coated steel. Polypropylene shell available in 5 colours. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2226 | PC | |
| CHROMED / POWDERCOATED | 2929 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2226 1 pz = 2 - kg 11,32/ m³ 0,32 4 pz = 2 - kg 34,17/ m³ 0,451 | Art.2226 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair on sled base in chromed or powder-coated steel. Polypropylene shell available in 5 colours, with seat cushion in fabric, leather, coated fabric, or customer's material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2227 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|--|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3905 | 4000 | 4095 | 4190 | 4285 | 4380 | 4475 | 4570 | 4665 | 4760 | 4855 | 4950 | 5045 | 5489 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2227 1 pz = 2 - kg 13,23/ m² 0,398 4 pz = 2 - kg 39,45/ m² 0,564 | | Art.2227 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat, Elmo Neocoast, Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair on sled base in chromed or powder-coated steel. Shell fully upholstered in fabric, leather, coated fabric, or customer's material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2228 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--|------|------|------|------|------|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 5929 | 6346 | 6763 | 7180 | 7597 | 8014 | 8431 | 8848 | 9265 | 9682 | 10099 | 10516 | 10933 | 12431 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2228 1 pz = 2 - kg 14,2/ m³ 0,398 4 pz = 2 - kg 43,34/ m³ 0,564 | Art.2228 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base



Cila

Design by Lievore Altherr, 2017

Chair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell available in five colors. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2212 | PC | |
| POLISHED / POWDERCOATED | 4262 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2212 1 pz = 2 - kg 12,12/ m³ 0,294 4 pz = 2 - kg 38,39/ m³ 0,426 | Art.2212 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6. 6 |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila


Design by Lievore Altherr, 2017



Chair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell available in five colors, with seat cushion in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2213 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|--|------|------|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 5251 | 5346 | 5441 | 5536 | 5631 | 5726 | 5821 | 5916 | 6011 | 6106 | 6201 | 6296 | 6391 | 6822 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2213 1 pz = 2 - kg 14,3/ m³ 0,333 4 pz = 2 - kg 43,23/ m³ 0,501 | Art.2213 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017



Chair with polished or powder-coated aluminium swivel trestle base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2215 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|------------------------|------|------|------|------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7263 | 7573 | 7883 | 8193 | 8503 | 8813 | 9123 | 9433 | 9743 | 10053 | 10363 | 10673 | 10983 | 12430 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2215 1 pz = 2 - kg 14,8/ m³ 0,333 4 pz = 2 - kg 45,23/ m³ 0,501 | Art.2215 COL requirement m² 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |


Frame Base



Cila

Design by Lievore Altherr, 2018

Armchair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell available in 5 colours. Optional glides with felt for wooden floors are available upon request.



| | | |
|---|--|--|
| SEK ART. 2229 | PC | |
| POLISHED / POWDERCOATED | 4620 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2229 1 pz = 2 - kg 12,56/ m³ 0,316 4 pz = 2 - kg 39,45/ m³ 0,451 | Art.2229 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell available in 5 colours, with seat cushion in fabric, leather, coated fabric, or customer's material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2230 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 5596 | 5691 | 5786 | 5881 | 5976 | 6071 | 6166 | 6261 | 6356 | 6451 | 6546 | 6641 | 6736 | 7180 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2230 1 pz = 2 - kg 14,47/ m³ 0,394 4 pz = 2 - kg 44,73/ m³ 0,564 | | Art.2230 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Elmo Neocoast. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair with polished or powder-coated aluminium swivel trestle base. Shell fully upholstered in fabric, leather, coated fabric, or customer's material. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 2231 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7620 | 8037 | 8454 | 8871 | 9288 | 9705 | 10122 | 10539 | 10956 | 11373 | 11790 | 12207 | 12624 | 14122 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2231 1 pz = 2 - kg 15,44/ m³ 0,394 4 pz = 2 - kg 48,62/ m³ 0,564 | | Art.2231 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base



Cila

Design by Lievore Altherr, 2017

Chair with polished or powder-coated aluminium fixed trestle base, mounted on selfbraking castors. Polypropylene shell available in five colors.



| | | |
|---|--|---|
| SEK ART. 2216 | PC | |
| POLISHED / POWDERCOATED | 4679 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2216 1 pz = 2 - kg 12,22/ m³ 0,294 4 pz = 2 - kg 38,79/ m³ 0,426 | Art.2216 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.6 |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017

Chair with polished or powder-coated aluminium fixed trestle base, mounted on selfbraking castors. Polypropylene shell available in five colors, with seat cushion in leather, coated fabric, fabric or customer's own material.



| SEK ART. 2217 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 5668 | 5763 | 5858 | 5953 | 6048 | 6143 | 6238 | 6333 | 6428 | 6523 | 6618 | 6713 | 6808 | 7239 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2217 1 pz = 2 - kg 14,4/ m³ 0,333 4 pz = 2 - kg 43,63/ m³ 0,501 | | Art.2217 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Elmo Neocoast. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2017



Chair with polished or powder-coated aluminium fixed trestle base, mounted on selfbraking castors. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

| SEK ART. 2219 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7680 | 7990 | 8300 | 8610 | 8920 | 9230 | 9540 | 9850 | 10160 | 10470 | 10780 | 11090 | 11400 | 12847 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.2219 1 pz = 2 - kg 14,9/ m³ 0,333 4 pz = 2 - kg 45,63/ m³ 0,501 | Art.2219 COL requirement m² 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Cila

Design by Lievore Altherr, 2018

Armchair with polished or powder-coated aluminium fixed trestle base mounted on self-braking castors. Polypropylene shell available in 5 colours.



| | | |
|---|--|--|
| SEK ART. 2232 | PC | |
| POLISHED / POWDERCOATED | 5037 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2232 1 pz = 2 - kg 12,66/ m³ 0,316 4 pz = 2 - kg 39,85/ m³ 0,451 | Art.2232 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018



Armchair with polished or powder-coated aluminium fixed trestle base mounted on self-braking castors. Polypropylene shell available in 5 colours, with seat cushion in fabric, leather, coated fabric, or customer's material.

| SEK ART. 2233 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 6013 | 6108 | 6203 | 6298 | 6393 | 6488 | 6583 | 6678 | 6773 | 6868 | 6963 | 7058 | 7153 | 7597 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2233 1 pz = 2 - kg 14,57/ m³ 0,394 4 pz = 2 - kg 45,13/ m³ 0,564 | | Art.2233 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Field Kvadrat. Elmo Neocoast. Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila

Design by Lievore Altherr, 2018

Armchair with polished or powder-coated aluminium fixed trestle base mounted on self-braking castors. Shell fully upholstered in fabric, leather, coated fabric, or customer's material.



| SEK ART. 2234 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|------|-------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 8037 | 8454 | 8871 | 9288 | 9705 | 10122 | 10539 | 10956 | 11373 | 11790 | 12207 | 12624 | 13041 | 14539 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--------------------|
| Art.2234 1 pz = 2 - kg 15,54/ m³ 0,394 4 pz = 2 - kg 49,02/ m³ 0,564 | Art.2234 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |

Frame Base



CILA GO

Design by
Lievore Altherr
2018



Cila Go

Collection overview

Type



Polypropylene chair mounted on castors



Polypropylene chair mounted on castors, with seat cushion



Polypropylene armchair mounted on castors



Polypropylene armchair mounted on castors, with seat cushion




Stool with castors

Shell

Chair version



Polypropylene



Polypropylene with seat cushion

Armchair version



Polypropylene



Polypropylene with seat cushion

Accessories



Writing tablet 50x33,5 cm



Movement on castors



All versions of Cila Go (chair, armchair, and stool) are mounted on castors to ease movement.

Cila Go

Collection overview

Type



Chair on a 5 way reinforced nylon fibre swivel base



Chair on a 5 way reinforced nylon fibre swivel base + writing tablet



Armchair on a 5 way reinforced nylon fibre swivel base



Armchair on a 5 way reinforced nylon fibre swivel base + writing tablet

Shell

Chair version



Polypropylene



Polypropylene with seat cushion



Upholstered with non-removable cover

Armchair version



Polypropylene




Polypropylene with seat cushion



Upholstered with non-removable cover

Cila Go

Design by Lievore Altherr, 2018



Stool on polypropylene storage base, available in 4 colours, with castors and fitted with cushion applied to the seat in fabric, leather, coated fabric, or customer's material.

Accessories:
Writing tablet 50x33,5 cm Art. 2307

| SEK ART. 2300 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|------|
| | 4073 | 4168 | 4263 | 4358 | 4453 | 4548 | 4643 | 4738 | 4833 | 4928 | 5023 | 5118 | 5213 | 5621 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2300 1 pz = 2 - kg 14,36/ m³ 0,185 4 pz = 5 - kg 56,2/ m³ 0,743 KD | Art.2300 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



PC00001PC00002PC00003PC00004




Cila Go

Design by Lievore Altherr, 2018

Chair on polypropylene storage base, available in 4 colours, with castors. Polypropylene shell available in 5 colours.

Accessories:
Writing tablet 50x33,5 cm Art. 2307



| | | |
|---|--|--|
| SEK ART. 2301 | PC | |
| | 4215 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2301 1 pz = 2 - kg 17,39/ m³ 0,291 4 pz = 5 - kg 66,61/ m³ 0,855 | Art.2301 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2018



Chair on polypropylene storage base, available in 4 colours, with castors. Polypropylene shell available in 5 colours fitted with cushion applied to the seat in fabric, leather, coated fabric, or customer's material.

Accessories:
Writing tablet 50x33,5 cm Art. 2307

| SEK ART. 2302 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|--|------|------|------|------|------|------|------|------|------|
| | 5204 | 5299 | 5394 | 5489 | 5584 | 5679 | 5774 | 5869 | 5964 | 6059 | 6154 | 6249 | 6344 | 6775 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2302 1 pz = 2 - kg 19,57/ m³ 0,331 4 pz = 5 - kg 71,45/ m³ 0,93 | Art.2302 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2018



Armchair on polypropylene storage base with castors, available in 4 colours. Polypropylene shell available in 5 colours.

Accessories:
Writing tablet 50x33,5 cm Art. 2307

| | | |
|---|--|---|
| SEK ART. 2304 | PC | |
| | 4573 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2304 1 pz = 2 - kg 17,83/ m³ 0,314 4 pz = 5 - kg 67,67/ m³ 0,88 | Art.2304 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • TÜV GS (EN16139) • ANSI/BIFMA X5.1-2017/6 • ANSI/BIFMA X5.1-2017/10 • ANSI/BIFMA X5.1-2017/12 • ANSI/BIFMA X5.1-2017/15 • ANSI/BIFMA X5.1-2017/20 |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2018



Armchair on polypropylene storage base with castors, available in 4 colours. Polypropylene shell available in 5 colours with seat cushion in fabric, leather, coated fabric, or customer's material.

Accessories:
Writing tablet 50x33,5 cm Art. 2307

| SEK ART. 2305 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|------|
| | 5549 | 5644 | 5739 | 5834 | 5929 | 6024 | 6119 | 6214 | 6309 | 6404 | 6499 | 6594 | 6689 | 7133 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2305 1 pz = 2 - kg 19,74/ m³ 0,391 4 pz = 5 - kg 72,95/ m³ 0,993 | Art.2305 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell



Accessories

Design by Lievore Altherr, 2018

Writing tablet in black or white HPL 50 x 33.5 cm and rotating arm in the same colour as the tablet.




| | | |
|---|---------------------------------|--|
| SEK ART. 2307 | - | |
| Writing tablet | 2131 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2307 1 pz = 1  - kg 5/ m³ 0,021  | | • EN 1728:2012 - EN 16139:2013 6.14 • EN 1728:2012 - EN 16139:2013 6.22 |
| FIRE RETARDANT TEST | | |



Cila Go

Design by Lievore Altherr, 2019



Chair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base). Polypropylene shell available in 5 colours.

| | | |
|--|--|--|
| SEK ART. 2308 | PC | |
| | 4024 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2308 1 pz = 2 - kg 11,43/ m ³ 0,21 4 pz = 5 - kg 42,77/ m ³ 0,531 | Art.2308 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



PA00001 PA00002



Shell




PC00001 PC00002 PC00003 PC00004 PC00005



Cila Go

Design by Lievore Altherr, 2019



Chair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base). Polypropylene shell available in 5 colours fitted with cushion applied to the seat in fabric, leather, coated fabric, or customer's material.

| SEK ART. 2309 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| | 5013 | 5108 | 5203 | 5298 | 5393 | 5488 | 5583 | 5678 | 5773 | 5868 | 5963 | 6058 | 6153 | 6584 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.2309 1 pz = 2 - kg 13,61/ m³ 0,25 4 pz = 5 - kg 47,61/ m³ 0,606 | | Art.2309 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2019



Chair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base). Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

| SEK ART. 2316 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| | 7025 | 7335 | 7645 | 7955 | 8265 | 8575 | 8885 | 9195 | 9505 | 9815 | 10125 | 10435 | 10745 | 12192 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.2316 1 pz = 2 - kg 14,11/ m³ 0,25 4 pz = 5 - kg 49,61/ m³ 0,606 KD | Art.2316 COL requirement m² 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |


Frame Base



Cila Go

Design by Lievore Altherr, 2019

Armchair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base). Polypropylene shell available in 5 colours.



| | | |
|---|--|--|
| SEK ART. 2310 | PC | |
| | 4382 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2310 1 pz = 2 - kg 11,87/ m³ 0,233 4 pz = 5 - kg 43,83/ m³ 0,556 | Art.2310 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • TUV GS (EN16139) • EN 1022:2018 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6. 6 |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2019



Armchair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base). Polypropylene shell available in 5 colours with seat cushion in fabric, leather, coated fabric, or customer's material.

| SEK ART. 2311 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|------|
| | 5358 | 5453 | 5548 | 5643 | 5738 | 5833 | 5928 | 6023 | 6118 | 6213 | 6308 | 6403 | 6498 | 6942 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2311 1 pz = 2 - kg 13,78/ m³ 0,31 4 pz = 5 - kg 49,11/ m³ 0,669 KD | Art.2311 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2019



Armchair on a 5 way nylon fibre reinforced swivel base (black or white) mounted on self-braking castors (in the same colour as the base). Shell fully upholstered in leather, coated fabric, fabric or customer's own material.


| SEK ART. 2318 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|--|------|------|-------|-------|-------|-------|-------|-------|-------|
| | 7382 | 7799 | 8216 | 8633 | 9050 | 9467 | 9884 | 10301 | 10718 | 11135 | 11552 | 11969 | 12386 | 13884 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2318 1 pz = 2 - kg 14,75/ m³ 0,31 4 pz = 5 - kg 53/ m³ 0,669 | Art.2318 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base



Cila Go

Design by Lievore Altherr, 2019



Chair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base) and complete with writing tablet 50x33.5 cm in HPL with top and rotating arm in the same colour as the base. Polypropylene shell available in 5 colours.

| | | |
|---|--|--|
| SEK ART. 2312 | PC | |
| | 6155 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2312 1 pz = 3 - kg 16,43/ m³ 0,231 4 pz = 9 - kg 62,77/ m³ 0,613 | Art.2312 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



PA00001 PA00002



Shell




PC00001 PC00002 PC00003 PC00004 PC00005



Cila Go

Design by Lievore Altherr, 2019



Chair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base) and complete with writing tablet 50x33.5 cm in HPL with top and rotating arm in the same colour as the base. Polypropylene shell available in five colors, with seat cushion in leather, coated fabric, fabric or customer's own material.

| SEK ART. 2313 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|--------------------|------|------|------|------|------|------|------|------|------|
| | 7144 | 7239 | 7334 | 7429 | 7524 | 7619 | 7714 | 7809 | 7904 | 7999 | 8094 | 8189 | 8284 | 8715 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2313 1 pz = 3 - kg 18,61/ m³ 0,27 4 pz = 9 - kg 67,61/ m³ 0,688 KD | Art.2313 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2019



Chair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base) and complete with writing tablet 50x33.5 cm in HPL with top and rotating arm in the same colour as the base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

| SEK ART. 2317 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 9156 | 9466 | 9776 | 10086 | 10396 | 10706 | 11016 | 11326 | 11636 | 11946 | 12256 | 12566 | 12876 | 14323 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.2317 1 pz = 3 - kg 19,11/ m³ 0,27 4 pz = 9 - kg 69,61/ m³ 0,688 | Art.2317 COL requirement m³ 3 H 140 cm. COM Meterage m 1.31 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |

Frame Base



Cila Go

Design by Lievore Altherr, 2019



Armchair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base) and complete with writing tablet 50x33.5 cm in HPL with top and rotating arm in the same colour as the base. Polypropylene shell available in 5 colours.

| | | |
|---|--|--|
| SEK ART. 2314 | PC | |
| | 6513 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.2314 1 pz = 3 - kg 16,87/ m³ 0,253 4 pz = 9 - kg 63,83/ m³ 0,638 | Art.2314 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> TUV GS (EN16139) |
| FIRE RETARDANT TEST | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2019



Armchair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base) and complete with writing tablet 50x33.5 cm in HPL with top and rotating arm in the same colour as the base. Polypropylene shell available in five colours, with seat cushion in leather, coated fabric, fabric or customer's own material.

| SEK ART. 2315 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|------|
| | 7489 | 7584 | 7679 | 7774 | 7869 | 7964 | 8059 | 8154 | 8249 | 8344 | 8439 | 8534 | 8629 | 9073 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.2315 1 pz = 3 - kg 18,78/ m³ 0,331 4 pz = 9 - kg 69,11/ m³ 0,751 KD | Art.2315 COL requirement m² 0.756 H 140 cm. COM Meterage m 0.41 | | | | • TUV GS (EN16139) | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Cila Go

Design by Lievore Altherr, 2019



Armchair on a 5 way reinforced nylon fibre swivel base (black or white) mounted on self-braking castors (in the same colour as the base) and complete with writing tablet 50x33.5 cm in HPL with top and rotating arm in the same colour as the base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

| SEK ART. 2319 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 9513 | 9930 | 10347 | 10764 | 11181 | 11598 | 12015 | 12432 | 12849 | 13266 | 13683 | 14100 | 14517 | 16015 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--------------------|
| Art.2319 1 pz = 3 - kg 19,75/ m ³ 0,331 4 pz = 9 - kg 73/ m ³ 0,751 KD | Art.2319 COL requirement m ² 3.3 H 140 cm. COM Meterage m 1.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |

Frame Base



DUNA 02

Design by
Lievore Altherr Molina
2000 — New Edition 2014



Duna 02

Collection overview

Bases



4 legs



4 legs lounge



4 wood legs



Sled



4 ways swivel



Aluminum trestle swivel



Aluminum trestle fixed



Aluminum 5 ways

Shells



Polypropylene



Polypropylene with seat cushion



Polypropylene with front upholstery




Upholstered with non-removable cover

Duna 02

Design by Lievore Altherr Molina, 2014

Chair with chromed or powdercoated steel four-leg base.
Polypropylene shell available in 4 colors.

Accessories:
Set of glides Art. 2015



| | | |
|--|--|---|
| SEK ART. 4201 | PP | |
| CHROMED / POWDERCOATED | 2560 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4201 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 37,7/ m³ 0,484 | Art.4201 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with chromed or powdercoated steel four-leg base. Polypropylene shell available in 4 colors, with seat cushion in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4221 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|---|------|------|------|---|------|------|------|------|
| CHROMED / POWDERCOATED | 3417 | 3560 | 3703 | 3846 | 3989 | 4132 | 4275 | 4418 | 4561 | 4704 | 4847 | 4990 | 5133 | 5810 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4221 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 37,7/ m³ 0,484 KD | | Art.4221 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.10 EN 1728:2012 - EN 16139:2013 6.15 EN 1728:2012 - EN 16139:2013 6.17 EN 1728:2012 - EN 16139:2013 6.20 EN 1728:2012 - EN 16139:2013 6.25 EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.11 EN 1728:2012 - EN 16139:2013 6.16 EN 1728:2012 - EN 16139:2013 6.18 EN 1728:2012 - EN 16139:2013 6.24 EN 1728:2012 - EN 16139:2013 6.26 EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with chromed or powdercoated steel four-leg base and polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4211 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|---|------|------|------|---|------|------|------|-------|
| CHROMED / POWDERCOATED | 5097 | 5466 | 5835 | 6204 | 6573 | 6942 | 7311 | 7680 | 8049 | 8418 | 8787 | 9156 | 9525 | 10812 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4211 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 37,71/ m³ 0,484 | | Art.4211 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with chromed or powdercoated steel four leg base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4231 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|---|------|------|------|---|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 5251 | 5751 | 6251 | 6751 | 7251 | 7751 | 8251 | 8751 | 9251 | 9751 | 10251 | 10751 | 11251 | 13122 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4231 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 30,7/ m³ 0,484 | | Art.4231 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |


Frame Base



Duna 02 Lounge

Design by Lievore Altherr Molina, 2014

Lounge chair with chromed steel four-leg base. Polypropylene shell available in 4 colors.



Accessories:
Set of glides Art. 2015

| | | |
|---|--|---|
| SEK ART. 4202 | PP | |
| CHROMED | 2560 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4202 1 pz = 2 - kg 12,62/ m³ 0,355 4 pz = 2 - kg 37,18/ m³ 0,484 | Art.4202 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



CRO



Shell



PP0001 PP0004 PP0005 PP0006




Duna 02 Lounge

Design by Lievore Altherr Molina, 2014

Lounge chair with chromed steel four-leg base. Polypropylene shell available in 4 colors, with seat cushion in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015



| SEK ART. 4222 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|---|------|------|---|------|------|------|------|------|
| CHROMED | 3417 | 3560 | 3703 | 3846 | 3989 | 4132 | 4275 | 4418 | 4561 | 4704 | 4847 | 4990 | 5133 | 5810 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4222 1 pz = 2 - kg 12,62/ m³ 0,355 4 pz = 2 - kg 37,18/ m³ 0,484 | | Art.4222 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO



Shell




PP0001 PP0004 PP0005 PP0006



Duna 02 Lounge

Design by Lievore Altherr Molina, 2014



Lounge chair with chromed steel four-leg base and polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4212 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|---|------|------|------|---|------|------|------|-------|
| CHROMED | 5097 | 5466 | 5835 | 6204 | 6573 | 6942 | 7311 | 7680 | 8049 | 8418 | 8787 | 9156 | 9525 | 10812 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4212 1 pz = 2 - kg 12,62/ m³ 0,355 4 pz = 2 - kg 37,18/ m³ 0,484 | | Art.4212 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.10 EN 1728:2012 - EN 16139:2013 6.15 EN 1728:2012 - EN 16139:2013 6.17 EN 1728:2012 - EN 16139:2013 6.20 EN 1728:2012 - EN 16139:2013 6.25 EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.11 EN 1728:2012 - EN 16139:2013 6.16 EN 1728:2012 - EN 16139:2013 6.18 EN 1728:2012 - EN 16139:2013 6.24 EN 1728:2012 - EN 16139:2013 6.26 EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO



Shell




PP0001 PP0004 PP0005 PP0006



Duna 02 Lounge

Design by Lievore Altherr Molina, 2014



Lounge chair with chromed steel four-leg base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4232 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|---|------|------|---|------|-------|-------|-------|-------|
| CHROMED | 5251 | 5751 | 6251 | 6751 | 7251 | 7751 | 8251 | 8751 | 9251 | 9751 | 10251 | 10751 | 11251 | 13122 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4232 1 pz = 2 - kg 12,62/ m³ 0,355 4 pz = 2 - kg 30,18/ m³ 0,484 KD | | Art.4232 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




CRO



Duna 02


Design by Lievore Altherr Molina, 2014

Chair with oak veneer four-leg base. Polypropylene shell available in 4 colours.



| | | |
|--|--|---|
| SEK ART. 4203 | PP | |
| WOOD LEGS | 3834 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4203 1 pz = 2 - kg 12,88/ m³ 0,454 4 pz = 2 - kg 37,7/ m³ 0,447 | Art.4203 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



L0020 L0021 L0022 L0023

Shell




PP0001 PP0004 PP0005 PP0006



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with oak veneer four-leg base. Polypropylene shell available in 4 colours, with seat cushion in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4223 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|---|------|------|------|------|---|------|------|------|------|
| WOOD LEGS | 4691 | 4834 | 4977 | 5120 | 5263 | 5406 | 5549 | 5692 | 5835 | 5978 | 6121 | 6264 | 6407 | 7084 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.4223 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 37,71 m³ 0,484 KD | Art.4223 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



L0020 L0021 L0022 L0023

Shell




PP0001 PP0004 PP0005 PP0006



Duna 02


Design by Lievore Altherr Molina, 2014



Chair with oak veneer four-leg base and polypropylene shell available in 4 colours, with front upholstery in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4213 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|---|------|------|------|------|---|-------|-------|-------|-------|
| WOOD LEGS | 6371 | 6740 | 7109 | 7478 | 7847 | 8216 | 8585 | 8954 | 9323 | 9692 | 10061 | 10430 | 10799 | 12086 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.4213 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 37,71 m³ 0,484 | Art.4213 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



L0020 L0021 L0022 L0023



Shell




PP0001 PP0004 PP0005 PP0006



Duna 02

Design by Lievore Altherr Molina, 2014

Chair with oak veneer four-leg base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.



| SEK ART. 4233 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|---|------|-------|-------|---|-------|-------|-------|-------|
| WOOD LEGS | 6525 | 7025 | 7525 | 8025 | 8525 | 9025 | 9525 | 10025 | 10525 | 11025 | 11525 | 12025 | 12525 | 14396 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4233 1 pz = 2 - kg 12,88/ m³ 0,355 4 pz = 2 - kg 33,94/ m³ 0,484 | | Art.4233 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |


Frame Base



Duna 02

Design by Lievore Altherr Molina, 2014

Chair with chromed or powdercoated steel sled base and polypropylene shell available in 4 colours. Glides for wooden floors available upon request without surcharge.



| | | |
|---|--|---|
| SEK ART. 4200 | PP | |
| CHROMED / POWDERCOATED | 3012 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4200 1 pz = 2 - kg 12,04/ m³ 0,358 4 pz = 2 - kg 40,44/ m³ 0,472 | Art.4200 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



Shell



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with chromed or powdercoated steel sled base and polypropylene shell available in 4 colors, with cushion in leather, coated fabric, fabric or customer's own material applied on the seat surface. Glides for wooden floors available upon request without surcharge.

| SEK ART. 4220 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|---|------|------|---|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3869 | 4012 | 4155 | 4298 | 4441 | 4584 | 4727 | 4870 | 5013 | 5156 | 5299 | 5442 | 5585 | 6262 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4220 1 pz = 2 - kg 12,04/ m³ 0,358 4 pz = 2 - kg 40,44/ m³ 0,472 KD | | Art.4220 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with chromed or powdercoated steel sled base and polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material. Glides for wooden floors available upon request without surcharge.

| SEK ART. 4210 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|---|------|------|------|---|------|------|------|-------|
| CHROMED / POWDERCOATED | 5549 | 5918 | 6287 | 6656 | 7025 | 7394 | 7763 | 8132 | 8501 | 8870 | 9239 | 9608 | 9977 | 11264 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4210 1 pz = 2 - kg 12,04/ m³ 0,358 4 pz = 2 - kg 40,44/ m³ 0,472 | | Art.4210 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.10 EN 1728:2012 - EN 16139:2013 6.15 EN 1728:2012 - EN 16139:2013 6.17 EN 1728:2012 - EN 16139:2013 6.20 EN 1728:2012 - EN 16139:2013 6.25 EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.11 EN 1728:2012 - EN 16139:2013 6.16 EN 1728:2012 - EN 16139:2013 6.18 EN 1728:2012 - EN 16139:2013 6.24 EN 1728:2012 - EN 16139:2013 6.26 EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



Shell



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with chromed or powder-coated steel sled base and shell fully upholstered in leather, coated fabric, fabric or customer's own material. Glides for wooden floors available upon request without surcharge.

| SEK ART. 4230 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|---|------|------|---|-------|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 5703 | 6203 | 6703 | 7203 | 7703 | 8203 | 8703 | 9203 | 9703 | 10203 | 10703 | 11203 | 11703 | 13574 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4230 1 pz = 2 - kg 12,04/ m³ 0,358 4 pz = 2 - kg 33,44/ m³ 0,472 | | Art.4230 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Duna 02

Design by Lievore Altherr Molina, 2014

Chair with chromed steel swivel trestle base and polypropylene shell available in 4 colors.



| | | |
|---|--|-------------------------------------|
| SEK ART. 4205 | PP | |
| CHROMED | 4787 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4205 1 pz = 2 - kg 16,74/ m³ 0,356 4 pz = 5 - kg 59,24/ m³ 0,924 | Art.4205 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



CRO



Shell




PP0001 PP0004 PP0005 PP0006



Duna 02

Design by Lievore Altherr Molina, 2014

Chair with chromed steel swivel trestle base with polypropylene shell available in 4 colors, with seat cushion in leather, coated fabric, fabric or customer's own material.



| SEK ART. 4225 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED | 5644 | 5787 | 5930 | 6073 | 6216 | 6359 | 6502 | 6645 | 6788 | 6931 | 7074 | 7217 | 7360 | 8037 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4225 1 pz = 2 - kg 16,74/ m³ 0,356 4 pz = 5 - kg 59,24/ m³ 0,924 KD | | Art.4225 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO

Shell




PP0001 PP0004 PP0005 PP0006



Duna 02

Design by Lievore Altherr Molina, 2014

Chair with chromed steel swivel trestle base with polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material.



| SEK ART. 4215 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|------------------------|------|------|-------|-------|-------|-------|-------|-------|
| CHROMED | 7324 | 7693 | 8062 | 8431 | 8800 | 9169 | 9538 | 9907 | 10276 | 10645 | 11014 | 11383 | 11752 | 13039 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4215 1 pz = 2 - kg 16,74/ m³ 0,356 4 pz = 5 - kg 59,24/ m³ 0,924 | | Art.4215 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO



Shell




PP0001 PP0004 PP0005 PP0006



Duna 02

Design by Lievore Altherr Molina, 2014

Chair with chromed steel swivel trestle base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.



| SEK ART. 4235 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED | 7478 | 7978 | 8478 | 8978 | 9478 | 9978 | 10478 | 10978 | 11478 | 11978 | 12478 | 12978 | 13478 | 15349 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4235 1 pz = 2 - kg 16,74/ m³ 0,356 4 pz = 5 - kg 52,24/ m³ 0,924 | | Art.4235 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




CRO



Duna 02

Design by Lievore Altherr Molina, 2014



Armchair with polished or powdercoated aluminium swivel trestle base. Polypropylene shell available in 4 colors.

Accessories:
Set of glides Art. 2015

| | | |
|--|--|---|
| SEK ART. 4206 | PP | |
| POLISHED / POWDERCOATED | 4489 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4206 1 pz = 2 - kg 15,28/ m³ 0,367 4 pz = 2 - kg 46,2/ m³ 0,548 | Art.4206 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Armchair with polished or powdercoated aluminium swivel trestle base. Polypropylene shell available in 4 colors, with seat cushion in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4226 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|---|------|------|------|---|------|------|------|------|
| POLISHED / POWDERCOATED | 5346 | 5489 | 5632 | 5775 | 5918 | 6061 | 6204 | 6347 | 6490 | 6633 | 6776 | 6919 | 7062 | 7739 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4226 1 pz = 2 - kg 15,28/ m³ 0,367 4 pz = 2 - kg 46,2/ m³ 0,548 | | Art.4226 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Armchair with polished or powdercoated aluminium swivel trestle base. Polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4216 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|------|-------|-------|------|------|------|------|------|------|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7026 | 7395 | 7764 | 8133 | 8502 | 8871 | 9240 | 9609 | 9978 | 10347 | 10716 | 11085 | 11454 | 12741 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art.4216 1 pz = 2 - kg 15,28/ m³ 0,367 4 pz = 2 - kg 46,2/ m³ 0,548 | Art.4216 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Armchair with polished or powder-coated aluminium swivel trestle base. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

Accessories:
Set of glides Art. 2015

| SEK ART. 4236 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|---|-------|-------|---|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7180 | 7680 | 8180 | 8680 | 9180 | 9680 | 10180 | 10680 | 11180 | 11680 | 12180 | 12680 | 13180 | 15051 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4236 1 pz = 2 - kg 15,28/ m³ 0,367 4 pz = 2 - kg 39,2/ m³ 0,548 | | Art.4236 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |


Frame Base



Duna 02

Design by Lievore Altherr Molina, 2014

Armchair with polished or powdercoated aluminium fixed trestle base, mounted on selfbraking castors. Polypropylene shell available in 4 colors.



| | | |
|--|--|---|
| SEK ART. 4207 | PP | |
| POLISHED / POWDERCOATED | 5025 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4207 1 pz = 2 - kg 15,38/ m³ 0,367 4 pz = 2 - kg 46,6/ m³ 0,552 | Art.4207 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Armchair with polished or powdercoated aluminium fixed trestle base, mounted on selfbraking castors. Polypropylene shell available in 4 colors, with seat cushion in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4227 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|--|------|------|------|--|------|------|------|------|
| POLISHED / POWDERCOATED | 5882 | 6025 | 6168 | 6311 | 6454 | 6597 | 6740 | 6883 | 7026 | 7169 | 7312 | 7455 | 7598 | 8275 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4227 1 pz = 2 - kg 15,38/ m³ 0,367 4 pz = 2 - kg 46,6/ m³ 0,552 | | Art.4227 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Armchair with polished or powdercoated aluminium fixed trestle base, mounted on selfbraking castors. Polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4217 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|------|--|------|-------|-------|--|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7562 | 7931 | 8300 | 8669 | 9038 | 9407 | 9776 | 10145 | 10514 | 10883 | 11252 | 11621 | 11990 | 13277 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4217 1 pz = 2 - kg 15,38/ m³ 0,367 4 pz = 2 - kg 46,6/ m³ 0,552 | | Art.4217 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.10 EN 1728:2012 - EN 16139:2013 6.17 EN 1728:2012 - EN 16139:2013 6.20 EN 1728:2012 - EN 16139:2013 6.25 EN 1728:2012 - EN 16139:2013 6.4 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.11 EN 1728:2012 - EN 16139:2013 6.18 EN 1728:2012 - EN 16139:2013 6.24 EN 1728:2012 - EN 16139:2013 6.26 EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base






Shell



Duna 02

Design by Lievore Altherr Molina, 2014

Armchair with polished or powder-coated aluminium fixed trestle base, mounted on selfbraking castors. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.




| SEK ART. 4237 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|--|-------|-------|--|-------|-------|-------|-------|-------|
| POLISHED / POWDERCOATED | 7716 | 8216 | 8716 | 9216 | 9716 | 10216 | 10716 | 11216 | 11716 | 12216 | 12716 | 13216 | 13716 | 15587 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4237 1 pz = 2 - kg 15,38/ m³ 0,367 4 pz = 2 - kg 39,2/ m³ 0,552 | | Art.4237 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Duna 02


Design by Lievore Altherr Molina, 2014



Chair with polished or powdercoated aluminium five-star base, mounted on self braking castors and fitted with gas mechanism. Polypropylene shell available in 4 colors.

| | | |
|---|--|--|
| SEK ART. 4209 | PP | |
| GAS MECHANISM | 6168 | |
| Polypropylene fire retardant | + 441 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.4209 1 pz = 2 - kg 19,08/ m³ 0,41 4 pz = 5 - kg 68,6/ m³ 1,14 | Art.4209 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base






Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with polished or powdercoated aluminium five-star base, mounted on self braking castors and equipped with gas mechanism. Polypropylene shell available in 4 colors, with seat cushion in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4229 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|--|------|------|------|---|------|------|------|------|
| GAS MECHANISM | 7025 | 7168 | 7311 | 7454 | 7597 | 7740 | 7883 | 8026 | 8169 | 8312 | 8455 | 8598 | 8741 | 9418 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4229 1 pz = 2 - kg 19,08/ m³ 0,41 4 pz = 5 - kg 68,6/ m³ 1,14 KD | | Art.4229 COL requirement m² 0.56 H 140 cm. COM Meterage m 0.7 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.10 EN 1728:2012 - EN 16139:2013 6.17 EN 1728:2012 - EN 16139:2013 6.20 EN 1728:2012 - EN 16139:2013 6.26 EN 1728:2012 - EN 16139:2013 6.5 | | | | <ul style="list-style-type: none"> EN 1728:2012 - EN 16139:2013 6.11 EN 1728:2012 - EN 16139:2013 6.18 EN 1728:2012 - EN 16139:2013 6.25 EN 1728:2012 - EN 16139:2013 6.4 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



LU1 V39
matt



Shell




PP0001 PP0004 PP0005 PP0006



Duna 02


Design by Lievore Altherr Molina, 2014



Chair with polished or powdercoated aluminium five-star base, mounted on self braking castors and equipped with gas mechanism. Polypropylene shell available in 4 colors, with front upholstery in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4219 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|---|-------|------|-------|--|-------|-------|-------|---|-------|-------|-------|-------|
| GAS MECHANISM | 8705 | 9074 | 9443 | 9812 | 10181 | 10550 | 10919 | 11288 | 11657 | 12026 | 12395 | 12764 | 13133 | 14420 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4219 1 pz = 2 - kg 19,08/ m³ 0,41 4 pz = 5 - kg 68,6/ m³ 1,14 | | Art.4219 COL requirement m² 1.44 H 140 cm. COM Meterage m 1.05 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Duna 02

Design by Lievore Altherr Molina, 2014



Chair with polished or powder-coated aluminium five-star base, mounted on self braking castors and equipped with gas mechanism. Shell fully upholstered in leather, coated fabric, fabric or customer's own material.

| SEK ART. 4239 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|-------|-------|--|-------|-------|-------|---|-------|-------|-------|-------|
| GAS MECHANISM | 8859 | 9359 | 9859 | 10359 | 10859 | 11359 | 11859 | 12359 | 12859 | 13359 | 13859 | 14359 | 14859 | 16730 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.4239 1 pz = 2 - kg 19,08/ m³ 0,41 4 pz = 5 - kg 61,6/ m³ 1,14 KD | | Art.4239 COL requirement m² 2.66 H 140 cm. COM Meterage m 1.72 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Accessories



Design by Lievore Altherr Molina

SEK ART. 2015



Set of glides (white or black) in felt

202

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 2015 1 pz = 1  - kg 0,08/ m ³ 0,001 10 pz = 1  - kg 1,2/ m ³ 0,007 | | |
| FIRE RETARDANT TEST | | |



1000059

JUNO 02

Design by James Irvine

2012 — New Edition 2022



Collection overview

Type



4 legs



4 legs with armrests

Versions



Polypropylene



Polypropylene
with seat cushion




Outdoor version:
Only polypropylene

Juno 02 is an evolution of the previous model.
Structural tests and product certifications are in progress.
Contact us for more information.

Juno 02

Design by James Irvine, 2022



Four-leg polypropylene chair, made in 70% recycled material, available in 6 different colours. Provided with glides suitable for different surfaces. Minimum order: 2 items with the same finish.

Accessories:
Single trolley Art. 0500
Link Art. 3618


Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without trolley up to 10 units
– with trolley up to 15 units

| | | |
|----------------------|-----------|--|
| SEK ART. 3620 | PT | |
| | 1668 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art.3620 1 pz = 1 - kg 7,228/ m³ 0,27 2 pz = 1 - kg 11,356/ m³ 0,27 4 pz = 1 - kg 20,072/ m³ 0,338 6 pz = 1 - kg 28,788/ m³ 0,4 | Art.3620 Juno 02 is an evolution of the previous model. Structural tests and product certifications are in progress. Contact us for more information. | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • ANSI/BIFMA X5.1-2017/6 • ANSI/BIFMA X5.1-2017/10 • ANSI/BIFMA X5.1-2017/15 • ANSI/BIFMA X5.1-2017/24 • EN 1022:2018 7.3 |
| FIRE RETARDANT TEST | | |




Polypropylene



Juno 02

Design by James Irvine, 2022



Four-leg polypropylene chair with armrests, made in 70% recycled material, available in 6 different colours. Provided with glides suitable for different surfaces. Minimum order: 2 items with the same finish.

Accessories:
Single trolley Art. 0500
Link Art. 3618

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 5 units
– with trolley up to 5 units


| | | |
|----------------------|------|--|
| SEK ART. 3621 | PT | |
| | 2083 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art.3621 1 pz = 1 - kg 7,97/ m³ 0,262 2 pz = 1 - kg 12,4/ m³ 0,312 4 pz = 1 - kg 21,66/ m³ 0,406 | Art.3621 Juno 02 is an evolution of the previous model. Structural tests and product certifications are in progress. Contact us for more information. | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.5 • ANSI/BIFMA X5.1-2017/6 • ANSI/BIFMA X5.1-2017/10 • ANSI/BIFMA X5.1-2017/12 • ANSI/BIFMA X5.1-2017/15 • ANSI/BIFMA X5.1-2017/24 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6. 6 • ANSI/BIFMA X5.1-2017/7 • ANSI/BIFMA X5.1-2017/11 • ANSI/BIFMA X5.1-2017/13 • ANSI/BIFMA X5.1-2017/20 • EN 1022:2018 7.3 |
| FIRE RETARDANT TEST | | |

Polypropylene




PT00011PT00012PT00013PT00014PT00015PT00016



Juno 02

Design by James Irvine, 2022



Four-leg polypropylene chair with seat cushion. Made in 70% recycled material, available in 6 different colours. The cushion is available in fabric, leather, coated fabric or customer's material. Stacking protections included. Provided with glides suitable for different surfaces. Minimum order: 2 items with the same finish.

Accessories:
Single trolley Art. 0500
Link Art. 3618

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 10 units
– with trolley up to 10 units

| SEK ART. 3622 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| | 2786 | 2869 | 2952 | 3035 | 3118 | 3201 | 3284 | 3367 | 3450 | 3533 | 3616 | 3699 | 3782 | 4180 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.3622 1 pz = 1 - kg 8,174/ m³ 0,262 2 pz = 2 - kg 12,236/ m³ 0,27 4 pz = 1 - kg 25,16/ m³ 0,338 6 pz = 1 - kg 36,42/ m³ 0,4 | Art.3622 COL requirement m² 0.48 H 140 cm. COM Meterage m 064 Juno 02 is an evolution of the previous model. Structural tests and product certifications are in progress. Contact us for more information. | |
| FIRE RETARDANT TEST | | |

Polypropylene



Juno 02

Design by James Irvine, 2022



Four-leg polypropylene chair with armrests and seat cushion. Made in 70% recycled material, available in 6 different colours. The cushion is available in fabric, leather, coated fabric or customer's material. Stacking protections included. Provided with glides suitable for different surfaces. Minimum order: 2 items with the same finish.

Accessories:
Single trolley Art. 0500
Link Art. 3618

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 5 units
– with trolley up to 5 units

| SEK ART. 3623 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| | 3215 | 3298 | 3381 | 3464 | 3547 | 3630 | 3713 | 3796 | 3879 | 3962 | 4045 | 4128 | 4211 | 4596 |



| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.3623 1 pz = 1 - kg 9,242/ m³ 0,262 2 pz = 1 - kg 13,084/ m³ 0,312 4 pz = 1 - kg 26,748/ m³ 0,406 | Art.3623 COL requirement m² 0.48 H 140 cm. COM Meterage m 0.64 Juno 02 is an evolution of the previous model. Structural tests and product certifications are in progress. Contact us for more information. | |
| FIRE RETARDANT TEST | | |






Polypropylene



Accessories

Design by James Irvine

| | |
|---|--|
| <p>SEK ART. 0500</p>  <p>Trolley (Aava 02, Catifa 46, Catifa 53, Juno 02, Mixu)</p> <p>4549</p> | <p>SEK ART. 3618</p>  <p>Link</p> <p>143</p> |
|---|--|

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| <p>Art. 3618</p> <p>1 pz = 0  - kg 1,5/ m³ 0,012</p> <p>1 pz = 1  - kg 1,5/ m³ 0,012</p> <p>10 pz = 1  - kg 1,5/ m³ 0,012</p> <p>2 pz = 1  - kg 1,5/ m³ 0,012</p> <p>4 pz = 1  - kg 1,5/ m³ 0,012</p> | | |
| <p>FIRE RETARDANT TEST</p> | | |



80001059

KATA

Design by
Altherr Désile Park
2021



Kata

Collection overview

Bases



Solid oak frame

Solid black locust frame

Types of Upholstery



Micro-padded 3D Knit with graphic pattern



3D Knit with striped pattern

Options



Set of seat and lumbar cushions
Micro-padded 3D Knit with graphic pattern



Set of seat and lumbar cushions
Fabric, leather, coated fabric

Outdoor options

- Solid black locust frame
- 3D Knit with striped pattern
- Set of seat and lumbar cushions in outdoor fabrics




Outdoor

Kata


New Fabrics

The Kata lounge chair is a union of traditional craftsmanship and soft technology. An oak and black locust FSC certified wooden frame supports a tailor-made 3D knit textile. The knit cover is created from recycled polyester made from post-consumer plastic that is converted into durable, lightweight fibers suitable for indoor or outdoor use. The knit technology is formed to fit the frame, avoiding leftover material waste found in traditional manufacturing.

The unified seat and back structure is available in a textured knit with internal micro-padding in natural tones of linen, wheat, or charcoal, or a lightweight 3D knit in parallel striped pattern in a choice of colors: water, wheat, or charcoal.




3D Knit — Altherr, Désile, Park
3 colors
Micro-padded 3D Knit with graphic pattern



3D Knit — Altherr, Désile, Park
3 colors
3D Knit with striped pattern

Kata

Design by Altherr Désile Park, 2021



Lounge armchair with solid oak frame in natural or black stained finish. Shell with steel frame and micro-padded 3D Knit fabric with graphic pattern made with recycled polyester fibre yarns and available in 3 colours. Suitable for indoor use.

Accessories:
3D Knit cushions with graphic pattern Art. 5604

| | | |
|----------------------|---------|--|
| SEK ART. 5600 | 3D Knit | |
| OAK | 17956 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| Art.5600 1 pz = 1 - kg 14/ m ² 0,55 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.18 |
| FIRE RETARDANT TEST | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1022:2018 7.3 |

Frame Base




L0006 L0022



Kata

Design by Altherr Désile Park, 2021




Lounge armchair with solid oak frame in natural or black stained finish. Shell with steel frame and 3D Knit fabric with striped pattern made with recycled polyester fibre yarns and available in 3 colours. Suitable for indoor use.

Accessories:
Indoor cushions Art. 5605

| | | |
|----------------------|---------|--|
| SEK ART. 5601 | 3D Knit | |
| OAK | 16098 | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 5601 1 pz = 1 - kg 14/ m² 0,55 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Kata

Design by Altherr Désile Park, 2021



Lounge armchair with solid black locust frame with teak stained finish. Shell with steel frame and micro-padded 3D Knit fabric with graphic pattern made with recycled polyester fibre yarns and available in 3 colours. Suitable for indoor use.

Accessories:
3D Knit cushions with graphic pattern Art. 5604

| | | |
|----------------------|---------|--|
| SEK ART. 5602 | 3D Knit | |
| BLACK LOCUST | 19814 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art.5602 1 pz = 1 - kg 14/ m³ 0,55 | | |
| FIRE RETARDANT TEST | | |

Frame Base




L0023



Kata

Design by Altherr Désile Park, 2021



Lounge armchair with solid black locust frame with teak stained finish. Shell with steel frame and 3D Knit fabric with striped pattern made with recycled polyester fibre yarns and available in 3 colours. Suitable for indoor and outdoor use.

Accessories:
 Indoor cushions Art. 5605
 Outdoor cushions Art. 5606
 Protective slipcover Art. 5607

| | | |
|----------------------|---------|--|
| SEK ART. 5603 | 3D Knit | |
| BLACK LOCUST | 17956 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|---|
| Art. 5603 1 pz = 1 - kg 14/ m² 0,55 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1022:2018 |
| FIRE RETARDANT TEST | | |

Frame Base



L0023




Outdoor use

Kata

Design by Altherr Désile Park, 2021

Set composed of seat cushion and lumbar cushion upholstered with micro-padded 3D Knit fabric with graphic pattern made with recycled polyester fibre yarns and available in 3 colours. The accessory, which can be combined with the armchairs in micro-padded 3D Knit with a graphic pattern, is removable and suitable for indoor use.




| | | |
|-----------------------------------|---------|--|
| SEK ART. 5604 | 3D Knit | |
| SET OF CUSHIONS – GRAPHIC PATTERN | 3096 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art.5604 1 pz = 1 - kg 5/ m³ 0,07 | | |
| FIRE RETARDANT TEST | | |



Kata

Design by Altherr Désile Park, 2021



Set composed of seat cushion and lumbar cushion upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the two cushions that form the set can be made using different shades of the same cover. The accessory – which can be combined with the armchairs in 3D Knit with a striped pattern – is removable and available in both indoor and outdoor versions.

| SEK ART. 5605 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|------|---------------------------------|-------|------|------|------|------|------|------|------|------|------|------|------|
| SET OF CUSHIONS – INDOOR | 2476 | 2822 | 3168 | 3514 | 3860 | 4206 | 4552 | 4898 | 5244 | 5590 | 5936 | 6282 | 6628 | 8025 |
| Upholstery: two colors | 166 | 285 | 404 | 523 | 642 | 761 | 880 | 999 | 1118 | 1237 | 1356 | 1475 | 1594 | 2144 |
| SEK ART. 5606 | COM | Heritage Savane Silvertex | Patio | | | | | | | | | | | |
| SET OF CUSHIONS — OUTDOOR | 2859 | 3098 | 3337 | | | | | | | | | | | |
| Rivestimento: 2 colori | 285 | 404 | 523 | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5605 1 pz = 1 - kg 5/ m³ 0,07 Art. 5606 1 pz = 1 - kg 5/ m³ 0,07 | Art. 5605 COL requirement m² 3 H 140 cm. COM Meterage m 1.02 Art. 5606 H 140 cm. COM Meterage m 1.02 | |
| FIRE RETARDANT TEST | | |



Outdoor use


Kata

Design by Altherr Désile Park, 2021



Protective slipcover for outdoor use made of waterproof fabric with lower fastening lace.

| | | |
|----------------------|------|--|
| SEK ART. 5607 | - | |
| PROTECTIVE SLIPCOVER | 2727 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art.5607 1 pz = 1  - kg 1/ m³ 0,1 | | |
| FIRE RETARDANT TEST | | |



Outdoor use

KINESIT

Design by
Lievore Altherr Molina
2014



Kinesit

Collection overview

Bases



5 ways aluminum and gas mechanism
Optional armrests



Aluminum trestle swivel
Optional armrests



Aluminum trestle fixed
Optional armrests

Backrest



Low



Medium

Upholsteries



Polypropylene backrest, front face mesh and upholstered seat.



Polypropylene backrest with upholstered front face.



Entirely upholstered seat and backrest.

Options

Armrest types



Armrest fixed



Adjustable in 2D

Mechanism



-
- Built-in self-tensioning weight response mechanism
 - Backrest with 3-position recline
 - Adjustable lumbar support

Kinesit Met

Collection overview

Bases



5 ways aluminum and
gas mechanism
Optional armrests

Shells



Low backrest



Medium backrest

Upholsteries



Entirely upholstered seat
and backrest.

Kinesit Met

Options

Armrest types



Armrest fixed
Aluminium

Mechanism



-
- Built-in self-tensioning weight response mechanism
 - Backrest with 3-position recline
 - Adjustable lumbar support

Kinesit Met

Types of Upholstery

Kinesit Met is a sophisticated evolution of the Kinesit office chair, now available in a refreshed palette. Created as Arper's first regulatory-compliant office chair, Kinesit Met is available with metallic finished armrests and in new, rich and nuanced materials, colors, and textures. For this reason, we suggest the following possible combinations:


Frame Base



V14 matt




KVADRAT — Steelcut Trio 3
ST00205 + ST00226
Grade: Chairs G




KVADRAT — Steelcut Trio 3
ST00916 + ST00176
Grade: Chairs G




KVADRAT — Steelcut Trio 3
ST00153 + ST00113
Grade: Chairs G




KVADRAT — Re-wool
RW00828 + RW00218
Grade: Chairs E



KVADRAT — Remix 3
RX00733 + RX00743
Grade: Chairs C



KVADRAT — Canvas 2
CV00224 + CV00124
Grade: Chairs D



KVADRAT — Canvas 2
CV00414 + CV00124
Grade: Chairs D




KVADRAT — Hallingdal 65
HA00110 + HA00103
Grade: Chairs G


Kinesit Met




V15 matt



KVADRAT — Steelcut Trio 3
ST00916 + ST00176
Grade: Chairs G



KVADRAT — Re-wool
RW00408 + RW00858
Grade: Chairs E



KVADRAT — Re-wool
RW00198 + RW00768
Grade: Chairs E




KVADRAT — Remix 3
RX00196 + RX00266
Grade: Chairs C



KVADRAT — Remix 3
RX00973 + RX00996
Grade: Chairs C



KVADRAT — Remix 3
RX00286 + RX00163
Grade: Chairs C




KVADRAT — Remix 3
RX00842 + RX00412
Grade: Chairs C



KVADRAT — Canvas 2
CV00174 + CV00134
Grade: Chairs D




KVADRAT — Hallingdal 65
HA00180 + HA00126
Grade: Chairs G



KVADRAT — Hallingdal 65
HA00130 + HA00110
Grade: Chairs G



V16 matt



KVADRAT — Steelcut Trio 3
ST00416 + ST00336
Grade: Chairs G



KVADRAT — Re-wool
RW00558 + RW00648
Grade: Chairs E



KVADRAT — Remix 3
RX00346 + RX00373
Grade: Chairs C



KVADRAT — Remix 3
RX00326 + RX00252
Grade: Chairs C



KVADRAT — Remix 3
RX00346 + RX00433
Grade: Chairs C



KVADRAT — Canvas 2
CV00374 + CV00674
Grade: Chairs D



KVADRAT — Canvas 2
CV00674 + CV00454
Grade: Chairs D

Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell (available in black or white), front in polyester mesh in matching color. Seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.

| SEK ART. 4845 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED ALUMINIUM | 9644 | 9846 | 10048 | 10250 | 10452 | 10654 | 10856 | 11058 | 11260 | 11462 | 11664 | 11866 | 12068 | 12848 |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4845 1 pz = 1 - kg 21/ m³ 0,4 | Art.4845 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72 | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell (available in black and white) and front back and seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



| SEK ART. 4849 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POWDERCOATED ALUMINIUM | 10156 | 10358 | 10560 | 10762 | 10964 | 11166 | 11368 | 11570 | 11772 | 11974 | 12176 | 12378 | 12580 | 13371 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4849 1 pz = 1 - kg 21/ m³ 0,4 | Art.4849 COL requirement m² 1.64 H 140 cm. COM Meterage m 0.72 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Back and seat completely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



| SEK ART. 4852 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POWDERCOATED ALUMINIUM | 11026 | 11419 | 11812 | 12205 | 12598 | 12991 | 13384 | 13777 | 14170 | 14563 | 14956 | 15349 | 15742 | 17229 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4852 1 pz = 1 - kg 21/ m³ 0,4 | Art.4852 COL requirement m² 2.44 H 140 cm. COM Meterage m 1.38 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit Met

Design by Lievore Altherr Molina, 2021



Chair with powder coated aluminum 5 way swivel base on self-braking castors (black, available for hard and soft floors), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest and seat both with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, fixed aluminium armrests are available in the same finishes as the base and the seat and backrest can be made using different shades of the same cover.

| SEK ART. 4863 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POWDERCOATED ALUMINIUM | 13538 | 13931 | 14324 | 14717 | 15110 | 15503 | 15896 | 16289 | 16682 | 17075 | 17468 | 17861 | 18254 | 19658 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Aluminium armrests | + 2620 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4863 1 pz = 1 - kg 21/ m³ 0,401 | Art.4863 COL requirement m² 2.44 H 140 cm. COM Meterage m 1.38 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Armrest




Aluminium armrests



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching with base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with front in polyester mesh in the same color as the backshell (black or white). Seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



| SEK ART. 4855 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED ALUMINIUM | 9812 | 10014 | 10216 | 10418 | 10620 | 10822 | 11024 | 11226 | 11428 | 11630 | 11832 | 12034 | 12236 | 13002 |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.4855 1 pz = 1 - kg 22/ m³ 0,45 | Art.4855 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72 | |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with visible backshell (available in black and white) and front back and seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



| SEK ART. 4858 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POWDERCOATED ALUMINIUM | 10419 | 10645 | 10871 | 11097 | 11323 | 11549 | 11775 | 12001 | 12227 | 12453 | 12679 | 12905 | 13131 | 14063 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4858 1 pz = 1 - kg 22/ m³ 0,45 | Art.4858 COL requirement m² 1.74 H 140 cm. COM Meterage m 0.83 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. | | |

Frame Base



Polypropylene



Armrest



Armrest 2D



Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium back and seat completely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.

| SEK ART. 4861 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POWDERCOATED ALUMINIUM | 11538 | 11967 | 12396 | 12825 | 13254 | 13683 | 14112 | 14541 | 14970 | 15399 | 15828 | 16257 | 16686 | 18182 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4861 1 pz = 1 - kg 22/ m³ 0,45 | Art.4861 COL requirement m² 2.7 H 140 cm. COM Meterage m 1.49 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit Met

Design by Lievore Altherr Molina, 2021



Chair with powder coated aluminum 5 way swivel base on self-braking castors (black, available for hard and soft floors), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Mid-backrest and seat both with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, fixed aluminium armrests are available in the same finishes as the base and the seat and backrest can be made using different shades of the same cover.

| SEK ART. 4864 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POWDERCOATED ALUMINIUM | 14026 | 14455 | 14884 | 15313 | 15742 | 16171 | 16600 | 17029 | 17458 | 17887 | 18316 | 18745 | 19174 | 20742 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Aluminium armrests | + 2620 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4864 1 pz = 1 - kg 22/ m³ 0,448 | Art.4864 COL requirement m² 2.7 H 140 cm. COM Meterage m 1.49 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Armrest




Aluminium armrests



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum swivel trestle base on glides. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell (available in black or white), and front in polyester mesh in matching color. Seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



Accessories:
Set of glides Art. 2015

| SEK ART. 4843 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 8668 | 8870 | 9072 | 9274 | 9476 | 9678 | 9880 | 10082 | 10284 | 10486 | 10688 | 10890 | 11092 | 11883 |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4843 1 pz = 1 - kg 21/ m³ 0,401 | Art.4843 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72 | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum swivel trestle base on glides. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell (available in black and white) and front back and seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber, color matching with backshell, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



Accessories:
Set of glides Art. 2015

| SEK ART. 4846 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 9168 | 9370 | 9572 | 9774 | 9976 | 10178 | 10380 | 10582 | 10784 | 10986 | 11188 | 11390 | 11592 | 12383 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4846 1 pz = 1 - kg 21/ m³ 0,4 | Art.4846 COL requirement m² 1.64 H 140 cm. COM Meterage m 0.72 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum swivel trestle base on glides. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Back and seat completely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.

Accessories:
Set of glides Art. 2015



| SEK ART. 4850 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 10049 | 10442 | 10835 | 11228 | 11621 | 12014 | 12407 | 12800 | 13193 | 13586 | 13979 | 14372 | 14765 | 16229 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4850 1 pz = 1 - kg 21/ m³ 0,4 | Art.4850 COL requirement m² 2.44 H 140 cm. COM Meterage m 1.38 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum swivel trestle base on glides. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with visible backshell and front in polyester mesh in matching color (black or white). Seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



Accessories:
Set of glides Art. 2015

| SEK ART. 4853 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 8812 | 9014 | 9216 | 9418 | 9620 | 9822 | 10024 | 10226 | 10428 | 10630 | 10832 | 11034 | 11236 | 12026 |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4853 1 pz = 1 - kg 22/ m³ 0,45 | Art.4853 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum swivel trestle base on glides. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with visible backshell (available in black and white) and front back and seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



Accessories:
Set of glides Art. 2015

| SEK ART. 4856 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 9407 | 9633 | 9859 | 10085 | 10311 | 10537 | 10763 | 10989 | 11215 | 11441 | 11667 | 11893 | 12119 | 13085 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4856 1 pz = 1 - kg 22/ m³ 0,45 | Art.4856 COL requirement m² 1.74 H 140 cm. COM Meterage m 0.83 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat, Remix 3 Kvadrat, Steelcut Trio 3 Kvadrat, Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat, Elmosoft. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum swivel trestle base on glides. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium back and seat completely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.

Accessories:
Set of glides Art. 2015



| SEK ART. 4859 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 10561 | 10990 | 11419 | 11848 | 12277 | 12706 | 13135 | 13564 | 13993 | 14422 | 14851 | 15280 | 15709 | 17205 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4859 1 pz = 1 - kg 22/ m³ 0,45 | Art.4859 COL requirement m² 2,7 H 140 cm. COM Meterage m 1,49 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum fixed trestle base on self-breaking castors (color matching base). Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell (available in black or white), front in polyester mesh in matching color. Seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or 2D adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



| SEK ART. 4844 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 8847 | 9049 | 9251 | 9453 | 9655 | 9857 | 10059 | 10261 | 10463 | 10665 | 10867 | 11069 | 11271 | 12050 |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4844 1 pz = 1 - kg 21/ m³ 0,4 | Art.4844 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72 | |

FIRE RETARDANT TEST
 Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum fixed trestle base on self-breaking castors (color matching base). Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell (available in black and white) and front back and seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.

| SEK ART. 4847 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 9347 | 9549 | 9751 | 9953 | 10155 | 10357 | 10559 | 10761 | 10963 | 11165 | 11367 | 11569 | 11771 | 12573 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4847 1 pz = 1 - kg 21/ m³ 0,4 | Art.4847 COL requirement m² 1.64 H 140 cm. COM Meterage m 0.72 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum fixed trestle base on self-breaking castors (color matching base). Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Back and seat completely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



| SEK ART. 4851 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 10228 | 10621 | 11014 | 11407 | 11800 | 12193 | 12586 | 12979 | 13372 | 13765 | 14158 | 14551 | 14944 | 16407 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4851 1 pz = 1 - kg 21/ m³ 0,4 | Art.4851 COL requirement m² 2.44 H 140 cm. COM Meterage m 1.38 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum fixed trestle base on self-breaking castors (color matching base). Seat with built-in self-tensioning weight response mechanism, backrest (color matching base) with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with front in polyester mesh in the same color as the backshell (black or white). Seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



| SEK ART. 4854 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 9014 | 9216 | 9418 | 9620 | 9822 | 10024 | 10226 | 10428 | 10630 | 10832 | 11034 | 11236 | 11438 | 12193 |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4854 1 pz = 1 - kg 22/ m³ 0,45 | Art.4854 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum fixed trestle base on self-breaking castors (color matching base). Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with visible backshell (available in black and white) and front back and seat upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



| SEK ART. 4857 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 9597 | 9823 | 10049 | 10275 | 10501 | 10727 | 10953 | 11179 | 11405 | 11631 | 11857 | 12083 | 12309 | 13265 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.4857 1 pz = 1 - kg 22/ m³ 0,45 | Art.4857 COL requirement m² 1.74 H 140 cm. COM Meterage m 0.83 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat, Remix 3 Kvadrat, Steelcut Trio 3 Kvadrat, Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat, Elmosoft. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with aluminum fixed trestle base on self-breaking castors (color matching base). Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium back and seat completely upholstered in leather, customer's leather, coated fabric, fabric or customer's fabric. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



| SEK ART. 4860 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| POLISHED ALUMINIUM / POWDERCOATED | 10741 | 11170 | 11599 | 12028 | 12457 | 12886 | 13315 | 13744 | 14173 | 14602 | 15031 | 15460 | 15889 | 17385 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Upholstery: two colors | + 143 | + 238 | + 333 | + 428 | + 523 | + 618 | + 713 | + 808 | + 903 | + 998 | + 1093 | + 1188 | + 1283 | |
| Armrest 2D | + 2000 | | | | | | | | | | | | | |
| Armrest | + 727 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.4860 1 pz = 1 - kg 22/ m ³ 0,45 | Art.4860 COL requirement m ² 2,7 H 140 cm. COM Meterage m 1,49 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |


Frame Base



Polypropylene



Armrest



Armrest 2D



Armrest



LEAF CHAIR

Design by
Lievore Altherr Molina
2005



Leaf Chair

Collection overview
Available in the Chairs and Stools section

Type



Sled



Stackable sled



Lounge sled



Counter stool
sled



Bar stool
sled

Seat cushions are available



Outdoor



Leaf Table

Collection overview
Available in the Tables section

Type



h 50 cm



h 74 cm










h 74 cm



h 74 cm

Base

| | |  h 50 cm |  h 74 cm |  h 74 cm |  h 74 cm |
|-----|---|--|--|--|--|
| Top |  | Ø 79 cm | Ø 79 cm | | |
| |  | | Ø 79 cm | Ø 100 cm | |
| |  | | | | 79x79 cm |

Top finishes


— HPL



Outdoor

Leaf

Design by Lievore Altherr Molina, 2005



Stackable chair with sled base entirely made in powder-coated steel rod. Available in three colours: white, green and moka. Glides for wooden floors available upon request. Collection includes, coordinated with chairs, several models of table. (Leaf Table, Pricelist II).

Accessories:
Cushion - Outdoor Art. 1807

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 4 units


| | | |
|---|---------------------------------|--|
| SEK ART. 1801 | Steel | |
| POWDERCOATED | 3879 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1801 1 pz = 1 - kg 8,48/ m³ 0,282 4 pz = 1 - kg 23,3/ m³ 0,374 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 |
| FIRE RETARDANT TEST | | |

Frame Base



Leaf

Design by Lievore Altherr Molina, 2005




Chair with sled base entirely made in powder-coated steel rod. Available in three colours: white, green and moka. Glides for wooden floors available upon request. Collection includes, coordinated with chairs, several models of table. (Leaf Table, Pricelist II).

Accessories:
Cushion - Outdoor Art. 1807

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 1802 | Steel | |
| POWDERCOATED | 3620 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1802 1 pz = 1 - kg 8,1/ m³ 0,294 2 pz = 1 - kg 13,7/ m³ 0,394 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Leaf Lounge

Design by Lievore Altherr Molina, 2005



Lounge armchair with sled base entirely made in powder-coated steel rod. Available in three colours: white, green and moka. Glides for wooden floors available upon request. Collection includes, coordinated with chairs, several models of table. (Leaf Table, Pricelist II).

Accessories:
Cushion - Outdoor Art. 1809

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 1803 | Steel | |
| POWDERCOATED | 6775 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1803 1 pz = 1 - kg 10,44/ m³ 0,449 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Leaf Counter Stool

Design by Lievore Altherr Molina, 2017




Stool with sled base entirely made in powder-coated steel rod available in three colours: white, green and moka. Glides for wooden floors available upon request. Seat height 64 cm.

Accessories:
Cushion - Outdoor Art. 1807

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 1817 | Steel | |
| POWDERCOATED | 5239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1817 1 pz = 1 - kg 11,3/ m³ 0,422 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Leaf Bar Stool

Design by Lievore Altherr Molina, 2017



Stool with sled base entirely made in powder-coated steel rod available in three colours: white, green and moka. Glides for wooden floors available upon request. Seat height 74 cm.

Accessories:
Cushion - Outdoor Art. 1807

| | | |
|--|---------------------------------|---|
| SEK ART. 1818 | Steel | |
| POWDERCOATED | 5239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1818 1 pz = 1 - kg 11,6/ m³ 0,422 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 |
| FIRE RETARDANT TEST | | |

Frame Base



Standard: polycarbonate glide with polyurethane insert.









Upon request: polycarbonate glide with felt insert.



Accessories

Design by Lievore Altherr Molina

| | |
|--|--|
| <p>SEK ART. 1807</p>  <p>Cushion Polyurethane - PU (Outdoor)</p> | <p>SEK ART. 1809</p>  <p>Cushion Polyurethane - PU (Outdoor)</p> |
| <p>1036</p> | <p>1381</p> |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| <p>Art. 1807 1 pz = 1  - kg 1,38/ m³ 0,016 4 pz = 1  - kg 4,08/ m³ 0,108</p> <p>Art. 1809 1 pz = 1  - kg 1,335/ m³ 0,025 4 pz = 1  - kg 5,34/ m³ 0,072</p> | | |
| <p>FIRE RETARDANT TEST Classe 1IM Omologazione Italia Poliuretano autopellante. • BS5852 Sch. 5 Part 2 Poliuretano autopellante.</p> | | |



MIXU

Design in
collaboration with Gensler
2021



Mixu

Collection overview

Bases



4 steel legs



4 wooden legs



Counter stool
4 steel legs



Bar stool
4 steel legs



Counter stool
4 wooden legs



Bar stool
4 wooden legs

Mixu

Seat and backrest

Polypropylene



Polypropylene seat and backrest – single colour version



Polypropylene seat and backrest – two colours version

Polypropylene / Wood




Seat in wood and polypropylene backrest


Upholstery



Upholstered seat and polypropylene backrest



Seat and backrest upholstered




Seat upholstered in leather Elmosoft or coated fabric Valencia, backrest upholstered in fabric.

Glides color

Chromed bases: transparent glides.
Powdercoated bases: glides in the same color of the base

Mixu

Design in collaboration with Gensler, 2021




Chair on a four-legged base in chromed or powder-coated steel. Polypropylene seat made with 80% recycled materials and polypropylene backrest, both available in five colours. The finishes of the base, seat and backrest can be freely combined.

Accessories:
Single trolley Art. 0500

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 10 units
– with trolley up to 20 units

| | | |
|---|---------------------------------|--|
| SEK ART. 5800 | PM | |
| CHROMED / POWDERCOATED | 3062 | |
| Product already assembled | + 181 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5800 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 12520:2015 5.4.2 |
| Product already assembled Art.5800 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,65/ m³ 0,383 4 pz = 1 - kg 24,5/ m³ 0,476 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Seat



Backrest




Mixu

Design in collaboration with Gensler, 2021

Chair on a four-legged base in chromed or powder-coated steel. Seat made of plywood with a reconstituted oak finish (natural or stained black) and polypropylene backrest available in five colours. The finishes of the base, seat and backrest can be freely combined.

Accessories:
Single trolley Art. 0500




Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 8 units
– with trolley up to 8 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 5801 | PM | |
| CHROMED / POWDERCOATED | 4014 | |
| Product already assembled | + 181 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5801 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 | | |
| Product already assembled | | |
| Art.5801 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,65/ m³ 0,383 4 pz = 1 - kg 24,5/ m³ 0,476 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Seat




Backrest



Mixu

Design in collaboration with Gensler, 2021



Chair on a four-legged base in chromed or powder-coated steel. Seat upholstered in fabric, leather, coated fabric or customer's own material and polypropylene backrest available in five colours.

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 4 units
– with stacking pad, with trolley up to 4 units

| SEK ART. 5802 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|-----------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4014 | 4185 | 4356 | 4527 | 4698 | 4869 | 5040 | 5211 | 5382 | 5553 | 5724 | 5895 | 6066 | 6657 |
| Product already assembled | + 181 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.5802 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 KD | Art.5802 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.616 | | | | | | | | | | | | | |
| Product already assembled Art.5802 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,65/ m³ 0,383 4 pz = 1 - kg 24,5/ m³ 0,476 | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Backrest



Mixu

Design in collaboration with Gensler, 2021



Chair on a four-legged base in chromed or powder-coated steel. Seat and backrest upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the seat and backrest can be made using different shades of the same cover.

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 4 units
- with stacking pad, with trolley up to 4 units

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

| SEK ART. 5803 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 4831 | 5115 | 5399 | 5683 | 5967 | 6251 | 6535 | 6819 | 7103 | 7387 | 7671 | 7955 | 8239 | 9367 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstery: two colors | + 45 | + 80 | + 115 | + 150 | + 185 | + 220 | + 255 | + 290 | + 325 | + 360 | + 395 | + 430 | + 465 | + 612 |
| Product already assembled | + 181 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.5803 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 KD | Art.5803 COL requirement m² 2.22 H 140 cm. COM Meterage m 1.1 | |
| Product already assembled Art.5803 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,65/ m³ 0,383 4 pz = 1 - kg 24,5/ m³ 0,476 | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Mixu

Design in collaboration with Gensler, 2021



Chair on a four-legged base in chromed or powder-coated steel. Seat upholstered with Elmosoft leather or Valencia coated fabric. Backrest upholstered with an alternative material than the one used for the seat, chosen from the Arper portfolio or customer's own material.

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 4 units
- with stacking pad, with trolley up to 4 units

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

| SEK ART. 5804 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| SEAT: LEATHER ELMOSOFT | 6963 | 7156 | 7349 | 7542 | 7735 | 7928 | 8121 | 8314 | 8507 | 8700 | 8893 | 9086 | 9279 | 8029 |
| SEAT: COATED FABRIC VALENCIA | 5012 | 5205 | 5398 | 5591 | 5784 | 5977 | 6170 | 6363 | 6556 | 6749 | 6942 | 7135 | 7328 | |
| Product already assembled | + 181 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.5804 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 KD | Art.5804 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.18 | |
| Product already assembled | | |
| Art.5804 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,65/ m³ 0,383 4 pz = 1 - kg 24,5/ m³ 0,476 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Mixu


Design in collaboration with Gensler, 2021



Chair on a four-legged base in solid oak (natural or stained black finish). Polypropylene seat made with 80% recycled materials and polypropylene backrest, both available in five colours. The finishes of the base, seat and backrest can be freely combined.

| | | |
|---|---------------------------------|---|
| SEK ART. 5805 | PM | |
| WOOD LEGS | 4480 | |
| Product already assembled | + 181 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5805 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1022:2018 7.3 |
| Product already assembled Art.5805 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,15/ m³ 0,371 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Seat



PM00001 PM00002 PM00003 PM00004 PM00005

Backrest




PM00001 PM00002 PM00003 PM00004 PM00005



Mixu


Design in collaboration with Gensler, 2021



Chair on a four-legged base in solid oak (natural or stained black finish). Seat made of plywood with a reconstituted oak finish (natural or stained black) and polypropylene backrest available in five colours. The finishes of the base, seat and backrest can be freely combined.

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 5806 | PM | |
| WOOD LEGS | 5421 | |
| Product already assembled | + 181 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5806 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 | | |
| Product already assembled | | |
| Art.5806 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,15/ m³ 0,371 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Seat



L0006 L0022

Backrest




PM00001 PM00002 PM00003 PM00004 PM00005



Mixu


Design in collaboration with Gensler, 2021

Chair on a four-legged base in solid oak (natural or stained black finish). Seat upholstered in fabric, leather, coated fabric or customer's own material and polypropylene backrest available in five colours.



| SEK ART. 5807 | A | B | COM | C | COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|------|------|------|------|-----------------|------|------|------|------|------|------|------|------|---|----|
| WOOD LEGS | 5421 | 5592 | 5763 | 5934 | 6105 | 6276 | 6447 | 6618 | 6789 | 6960 | 7131 | 7302 | 7473 | 8063 | | |
| Product already assembled | + 181 | | | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | | RESISTANCE TEST | | | | | | | | | | |
| Art.5807 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 | Art.5807 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.616 | | | | | | | | | | | | | | | |
| Product already assembled Art.5807 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,15/ m³ 0,371 | | | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | | | |

Frame Base




Backrest



Mixu

Design in collaboration with Gensler, 2021



Chair on a four-legged base in solid oak (natural or stained black finish). Seat and backrest upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the seat and backrest can be made using different shades of the same cover.

| SEK ART. 5808 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 6249 | 6533 | 6817 | 7101 | 7385 | 7669 | 7953 | 8237 | 8521 | 8805 | 9089 | 9373 | 9657 | 10785 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstery: two colors | + 45 | + 80 | + 115 | + 150 | + 185 | + 220 | + 255 | + 290 | + 325 | + 360 | + 395 | + 430 | + 465 | + 612 |
| Product already assembled | + 181 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.5808 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 KD | Art.5808 COL requirement m² 2.22 H 140 cm. COM Meterage m 1.1 | |
| Product already assembled Art.5808 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,15/ m³ 0,371 | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Mixu

Design in collaboration with Gensler, 2021



Chair on a four-legged base in solid oak (natural or stained black finish). Seat upholstered with Elmosoft leather or Valencia coated fabric. Backrest upholstered with an alternative material than the one used for the seat, chosen from the Arper portfolio or customer's own material.

| SEK ART. 5809 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------|-------|-------|-------|------|------|------|------|------|------|-------|-------|-------|-------|------|
| SEAT: LEATHER ELMOFOFT | 8369 | 8562 | 8755 | 8948 | 9141 | 9334 | 9527 | 9720 | 9913 | 10106 | 10299 | 10492 | 10685 | 9447 |
| SEAT: COATED FABRIC VALENCIA | 6430 | 6623 | 6816 | 7009 | 7202 | 7395 | 7588 | 7781 | 7974 | 8167 | 8360 | 8553 | 8746 | |
| Product already assembled | + 181 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.5809 1 pz = 1 - kg 7,7/ m³ 0,169 2 pz = 1 - kg 14,53/ m³ 0,234 4 pz = 1 - kg 25,53/ m³ 0,234 KD | Art.5809 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.18 | |
| Product already assembled | | |
| Art.5809 1 pz = 1 - kg 8,15/ m³ 0,326 2 pz = 1 - kg 13,15/ m³ 0,371 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Mixu Counter Stool

Design in collaboration with Gensler, 2021




Stool on a four-legged base in chromed or powder-coated steel. Polypropylene seat made with 80% recycled materials and polypropylene backrest, both available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 65 cm.

Accessories:
Single trolley Art. 0500

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 4 units
– with trolley up to 4 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 5810 | PM | |
| CHROMED / POWDERCOATED | 3890 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5810 1 pz = 1 - kg 9,6/ m³ 0,262 2 pz = 1 - kg 16,1/ m³ 0,262 4 pz = 1 - kg 29,8/ m³ 0,328 | | |
| Product already assembled | | |
| Art.5810 1 pz = 1 - kg 9,65/ m³ 0,398 2 pz = 1 - kg 16,3/ m³ 0,435 4 pz = 1 - kg 29,3/ m³ 0,468 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Seat




Backrest



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Polypropylene seat made with 80% recycled materials and polypropylene backrest, both available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 75 cm.

Accessories:
Single trolley Art. 0500

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without trolley up to 4 units
– with trolley up to 4 units

| | | |
|---|---------------------------------|--|
| SEK ART. 5820 | PM | |
| CHROMED / POWDERCOATED | 3890 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5820 1 pz = 1 - kg 10,1/ m³ 0,29 2 pz = 1 - kg 17,8/ m³ 0,37 4 pz = 1 - kg 31,8/ m³ 0,37 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1022:2018 7.3 |
| Product already assembled Art.5820 1 pz = 1 - kg 10,15/ m³ 0,435 2 pz = 1 - kg 17,3/ m³ 0,468 4 pz = 1 - kg 31,3/ m³ 0,495 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.2 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.28 |
| FIRE RETARDANT TEST | | |

Frame Base



Seat




Backrest



Mixu Counter Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat made of plywood with a reconstituted oak finish (natural or stained black) and polypropylene backrest available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 65 cm.

Accessories:
Single trolley Art. 0500


Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 4 units
– with trolley up to 4 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 5811 | PM | |
| CHROMED / POWDERCOATED | 4831 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5811 1 pz = 1 - kg 9,6/ m³ 0,262 2 pz = 1 - kg 16,1/ m³ 0,262 4 pz = 1 - kg 29,8/ m³ 0,328 | | |
| Product already assembled | | |
| Art.5811 1 pz = 1 - kg 9,65/ m³ 0,398 2 pz = 1 - kg 16,3/ m³ 0,435 4 pz = 1 - kg 29,3/ m³ 0,468 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Seat




Backrest



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat made of plywood with a reconstituted oak finish (natural or stained black) and polypropylene backrest available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 75 cm.

Accessories:
Single trolley Art. 0500


Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– without tools up to 4 units
– with trolley up to 4 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 5821 | PM | |
| CHROMED / POWDERCOATED | 4831 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5821 1 pz = 1 - kg 10,1/ m³ 0,29 2 pz = 1 - kg 17,8/ m³ 0,37 4 pz = 1 - kg 31,8/ m³ 0,37 | | |
| Product already assembled | | |
| Art.5821 1 pz = 1 - kg 10,15/ m³ 0,435 2 pz = 1 - kg 17,3/ m³ 0,468 4 pz = 1 - kg 31,3/ m³ 0,495 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Seat




Backrest



Mixu Counter Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat upholstered in fabric, leather, coated fabric or customer's own material and polypropylene backrest available in five colours. Seat height 66.5 cm.

Accessories:
 Single trolley Art. 0500
 Stacking protection pad Art. 5830

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – with stacking pad, without tools up to 4 units
 – with stacking pad, with trolley up to 4 units

| SEK ART. 5812 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4831 | 5002 | 5173 | 5344 | 5515 | 5686 | 5857 | 6028 | 6199 | 6370 | 6541 | 6712 | 6883 | 7474 |
| Product already assembled | + 239 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.5812 1 pz = 1 - kg 9,6/ m³ 0,262 2 pz = 1 - kg 16,1/ m³ 0,262 4 pz = 1 - kg 29,8/ m³ 0,328 KD | Art.5812 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.616 | |
| Product already assembled Art.5812 1 pz = 1 - kg 9,65/ m³ 0,398 2 pz = 1 - kg 16,3/ m³ 0,435 4 pz = 1 - kg 29,3/ m³ 0,468 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Backrest



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat upholstered in fabric, leather, coated fabric or customer's own material and polypropylene backrest available in five colours. Seat height 76.5 cm.

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).
– with stacking pad, without tools up to 4 units
– with stacking pad, with trolley up to 4 units

| SEK ART. 5822 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4831 | 5002 | 5173 | 5344 | 5515 | 5686 | 5857 | 6028 | 6199 | 6370 | 6541 | 6712 | 6883 | 7474 |
| Product already assembled | + 239 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 5822 1 pz = 1 - kg 10,1/ m³ 0,29 2 pz = 1 - kg 17,8/ m³ 0,37 4 pz = 1 - kg 31,8/ m³ 0,37 KD | Art. 5822 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.616 | |
| Product already assembled Art. 5822 1 pz = 1 - kg 10,15/ m³ 0,435 2 pz = 1 - kg 17,3/ m³ 0,468 4 pz = 1 - kg 31,3/ m³ 0,495 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Backrest



Mixu Counter Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat and backrest upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the seat and backrest can be made using different shades of the same cover. Seat height 66.5 cm.

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 4 units
- with stacking pad, with trolley up to 4 units

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

| SEK ART. 5813 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 5659 | 5943 | 6227 | 6511 | 6795 | 7079 | 7363 | 7647 | 7931 | 8215 | 8499 | 8783 | 9067 | 10195 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstery: two colors | + 45 | + 80 | + 115 | + 150 | + 185 | + 220 | + 255 | + 290 | + 325 | + 360 | + 395 | + 430 | + 465 | + 612 |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.5813 1 pz = 1 - kg 9,6/ m³ 0,262 2 pz = 1 - kg 16,1/ m³ 0,262 4 pz = 1 - kg 29,8/ m³ 0,328 KD Product already assembled Art.5813 1 pz = 1 - kg 9,65/ m³ 0,398 2 pz = 1 - kg 16,3/ m³ 0,435 4 pz = 1 - kg 29,3/ m³ 0,468 | Art.5813 COL requirement m² 2.22 H 140 cm. COM Meterage m 1.1 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat and backrest upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the seat and backrest can be made using different shades of the same cover. Seat height 76.5 cm.

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 4 units
- with stacking pad, with trolley up to 4 units

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

| SEK ART. 5823 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED / POWDERCOATED | 5659 | 5943 | 6227 | 6511 | 6795 | 7079 | 7363 | 7647 | 7931 | 8215 | 8499 | 8783 | 9067 | 10195 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstery: two colors | + 45 | + 80 | + 115 | + 150 | + 185 | + 220 | + 255 | + 290 | + 325 | + 360 | + 395 | + 430 | + 465 | + 612 |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.5823 1 pz = 1 - kg 10,1/ m³ 0,29 2 pz = 1 - kg 17,8/ m³ 0,37 4 pz = 1 - kg 31,8/ m³ 0,37 KD Product already assembled Art.5823 1 pz = 1 - kg 10,15/ m³ 0,435 2 pz = 1 - kg 17,3/ m³ 0,468 4 pz = 1 - kg 31,3/ m³ 0,495 | Art.5823 COL requirement m² 2.22 H 140 cm. COM Meterage m 1.1 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Mixu Counter Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat upholstered with Elmosoft leather or Valencia coated fabric. Backrest upholstered with an alternative material than the one used for the seat, chosen from the Arper portfolio or customer's own material. Seat height 66.5 cm.

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 4 units
- with stacking pad, with trolley up to 4 units

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

| SEK ART. 5814 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|-------|------|
| SEAT: LEATHER ELMOFOT | 7779 | 7972 | 8165 | 8358 | 8551 | 8744 | 8937 | 9130 | 9323 | 9516 | 9709 | 9902 | 10095 | 8857 |
| SEAT: COATED FABRIC VALENCIA | 5841 | 6034 | 6227 | 6420 | 6613 | 6806 | 6999 | 7192 | 7385 | 7578 | 7771 | 7964 | 8157 | |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.5814 1 pz = 1 - kg 9,6/ m³ 0,262 2 pz = 1 - kg 16,1/ m³ 0,262 4 pz = 1 - kg 29,8/ m³ 0,328 KD | Art.5814 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.18 | |
| Product already assembled | | |
| Art.5814 1 pz = 1 - kg 9,65/ m³ 0,398 2 pz = 1 - kg 16,3/ m³ 0,435 4 pz = 1 - kg 29,3/ m³ 0,468 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in chromed or powder-coated steel. Seat upholstered with Elmosoft leather or Valencia coated fabric. Backrest upholstered with an alternative material than the one used for the seat, chosen from the Arper portfolio or customer's own material. Seat height 76.5 cm.

Stackability:
(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 4 units
- with stacking pad, with trolley up to 4 units

Accessories:
Single trolley Art. 0500
Stacking protection pad Art. 5830

| SEK ART. 5824 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|-------|------|
| SEAT: LEATHER ELMOFOFT | 7779 | 7972 | 8165 | 8358 | 8551 | 8744 | 8937 | 9130 | 9323 | 9516 | 9709 | 9902 | 10095 | 8857 |
| SEAT: COATED FABRIC VALENCIA | 5841 | 6034 | 6227 | 6420 | 6613 | 6806 | 6999 | 7192 | 7385 | 7578 | 7771 | 7964 | 8157 | |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.5824 1 pz = 1 - kg 10,1/ m³ 0,29 2 pz = 1 - kg 17,8/ m³ 0,37 4 pz = 1 - kg 31,8/ m³ 0,37 | Art.5824 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.18 | |
| Product already assembled | | |
| Art.5824 1 pz = 1 - kg 10,15/ m³ 0,435 2 pz = 1 - kg 17,3/ m³ 0,468 4 pz = 1 - kg 31,3/ m³ 0,495 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Mixu Counter Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Polypropylene seat made with 80% recycled materials and polypropylene backrest, both available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 65 cm.

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 5815 | PM | |
| WOOD LEGS | 7076 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5815 1 pz = 1 - kg 10,3/ m³ 0,262 2 pz = 1 - kg 16,8/ m³ 0,262 4 pz = 1 - kg 30,5/ m³ 0,328 | | |
| Product already assembled | | |
| Art.5815 1 pz = 1 - kg 9,65/ m³ 0,398 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Seat




Backrest



Mixu Bar Stool


Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Polypropylene seat made with 80% recycled materials and polypropylene backrest, both available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 75 cm.

| | | |
|---|---------------------------------|--|
| SEK ART. 5825 | PM | |
| WOOD LEGS | 7076 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5825 1 pz = 1 - kg 10,8/ m³ 0,29 2 pz = 1 - kg 18,5/ m³ 0,37 4 pz = 1 - kg 32,5/ m³ 0,37 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 • EN 1022:2018 7.3 |
| Product already assembled Art.5825 1 pz = 1 - kg 10,15/ m³ 0,435 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.28 |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Seat



PM00001 PM00002 PM00003 PM00004 PM00005

Backrest




PM00001 PM00002 PM00003 PM00004 PM00005



Mixu Counter Stool


Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat made of plywood with a reconstituted oak finish (natural or stained black) and polypropylene backrest available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 65 cm.

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 5816 | PM | |
| WOOD LEGS | 8018 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5816 1 pz = 1 - kg 10,3/ m³ 0,262 2 pz = 1 - kg 16,8/ m³ 0,262 4 pz = 1 - kg 30,5/ m³ 0,328 | | |
| Product already assembled | | |
| Art.5816 1 pz = 1 - kg 9,65/ m³ 0,398 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Seat



L0006 L0022

Backrest




PM00001 PM00002 PM00003 PM00004 PM00005



Mixu Bar Stool


Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat made of plywood with a reconstituted oak finish (natural or stained black) and polypropylene backrest available in five colours. The finishes of the base, seat and backrest can be freely combined. Seat height 75 cm.

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 5826 | PM | |
| WOOD LEGS | 8018 | |
| Product already assembled | + 239 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.5826 1 pz = 1 - kg 10,8/ m³ 0,29 2 pz = 1 - kg 18,5/ m³ 0,37 4 pz = 1 - kg 32,5/ m³ 0,37 | | |
| Product already assembled Art.5826 1 pz = 1 - kg 10,15/ m³ 0,435 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Seat



L0006 L0022

Backrest




PM00001 PM00002 PM00003 PM00004 PM00005



Mixu Counter Stool


Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat upholstered in fabric, leather, coated fabric or customer's own material and polypropylene backrest available in five colours. Seat height 66.5 cm.

| SEK ART. 5817 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|-----------------|------|------|------|------|------|------|------|-------|-------|
| WOOD LEGS | 8018 | 8189 | 8360 | 8531 | 8702 | 8873 | 9044 | 9215 | 9386 | 9557 | 9728 | 9899 | 10070 | 10660 |
| Product already assembled | + 239 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.5817 1 pz = 1 - kg 10,3/ m³ 0,262 2 pz = 1 - kg 16,8/ m³ 0,262 4 pz = 1 - kg 30,5/ m³ 0,328 KD | Art.5817 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.616 | | | | | | | | | | | | | |
| Product already assembled | | | | | | | | | | | | | | |
| Art.5817 1 pz = 1 - kg 9,65/ m³ 0,398 | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Backrest



Mixu Bar Stool


Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat upholstered in fabric, leather, coated fabric or customer's own material and polypropylene backrest available in five colours. Seat height 76.5 cm.

| SEK ART. 5827 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|-----------------|------|------|------|------|------|------|------|-------|-------|
| WOOD LEGS | 8018 | 8189 | 8360 | 8531 | 8702 | 8873 | 9044 | 9215 | 9386 | 9557 | 9728 | 9899 | 10070 | 10660 |
| Product already assembled | + 239 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.5827 1 pz = 1 - kg 10,8/ m³ 0,29 2 pz = 1 - kg 18,5/ m³ 0,37 4 pz = 1 - kg 32,5/ m³ 0,37 KD | Art.5827 COL requirement m² 1.08 H 140 cm. COM Meterage m 0.616 | | | | | | | | | | | | | |
| Product already assembled | | | | | | | | | | | | | | |
| Art.5827 1 pz = 1 - kg 10,15/ m³ 0,435 | | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Backrest



Mixu Counter Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat and backrest upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the seat and backrest can be made using different shades of the same cover. Seat height 26 1/4".

| SEK ART. 5818 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 8845 | 9129 | 9413 | 9697 | 9981 | 10265 | 10549 | 10833 | 11117 | 11401 | 11685 | 11969 | 12253 | 13370 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstery: two colors | + 45 | + 80 | + 115 | + 150 | + 185 | + 220 | + 255 | + 290 | + 325 | + 360 | + 395 | + 430 | + 465 | + 612 |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.5818 1 pz = 1 - kg 10,3/ m³ 0,262 2 pz = 1 - kg 16,8/ m³ 0,262 4 pz = 1 - kg 30,5/ m³ 0,328 KD | Art.5818 COL requirement m² 2.22 H 140 cm. COM Meterage m 1.1 | |
| Product already assembled Art.5818 1 pz = 1 - kg 9,65/ m³ 0,398 | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat and backrest upholstered with fabric, leather, coated fabric or customer's own material. On request and with an additional charge, the seat and backrest can be made using different shades of the same cover. Seat height 76.5 cm.

| SEK ART. 5828 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 8845 | 9129 | 9413 | 9697 | 9981 | 10265 | 10549 | 10833 | 11117 | 11401 | 11685 | 11969 | 12253 | 13370 |
| | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Upholstery: two colors | + 45 | + 80 | + 115 | + 150 | + 185 | + 220 | + 255 | + 290 | + 325 | + 360 | + 395 | + 430 | + 465 | + 612 |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.5828 1 pz = 1 - kg 10,8/ m³ 0,29 2 pz = 1 - kg 18,5/ m³ 0,37 4 pz = 1 - kg 32,5/ m³ 0,37 KD | Art.5828 COL requirement m² 2.22 H 140 cm. COM Meterage m 1.1 | |
| Product already assembled Art.5828 1 pz = 1 - kg 10,15/ m³ 0,435 | | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Mixu Counter Stool

Design in collaboration with Gensler, 2021




Stool on a four-legged base in solid oak (natural or stained black finish). Seat upholstered with Elmosoft leather or Valencia coated fabric. Backrest upholstered with an alternative material than the one used for the seat, chosen from the Arper portfolio or customer's own material. Seat height 66.5 cm.

| SEK ART. 5819 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SEAT: LEATHER ELMOSOFT | 10966 | 11159 | 11352 | 11545 | 11738 | 11931 | 12124 | 12317 | 12510 | 12703 | 12896 | 13089 | 13282 | 12043 |
| SEAT: COATED FABRIC VALENCIA | 9027 | 9220 | 9413 | 9606 | 9799 | 9992 | 10185 | 10378 | 10571 | 10764 | 10957 | 11150 | 11343 | |
| Product already assembled | + 239 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.5819 1 pz = 1 - kg 10,3/ m³ 0,262 2 pz = 1 - kg 16,8/ m³ 0,262 4 pz = 1 - kg 30,5/ m³ 0,328 KD | Art.5819 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.18 | |
| Product already assembled | | |
| Art.5819 1 pz = 1 - kg 9,65/ m³ 0,398 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Mixu Bar Stool

Design in collaboration with Gensler, 2021



Stool on a four-legged base in solid oak (natural or stained black finish). Seat upholstered with Elmosoft leather or Valencia coated fabric. Backrest upholstered with an alternative material than the one used for the seat, chosen from the Arper portfolio or customer's own material. Seat height 76.5 cm.

| SEK ART. 5829 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SEAT: LEATHER ELMOFOFT | 10966 | 11159 | 11352 | 11545 | 11738 | 11931 | 12124 | 12317 | 12510 | 12703 | 12896 | 13089 | 13282 | 12043 |
| SEAT: COATED FABRIC VALENCIA | 9027 | 9220 | 9413 | 9606 | 9799 | 9992 | 10185 | 10378 | 10571 | 10764 | 10957 | 11150 | 11343 | |
| Product already assembled | + 239 | | | | | | | | | | | | | |



| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art.5829 1 pz = 1 - kg 10,8/ m³ 0,29 2 pz = 1 - kg 18,5/ m³ 0,37 4 pz = 1 - kg 32,5/ m³ 0,37 KD | Art.5829 COL requirement m² 2.28 H 140 cm. COM Meterage m 1.18 | |
| Product already assembled | | |
| Art.5829 1 pz = 1 - kg 10,15/ m³ 0,435 | | |
| FIRE RETARDANT TEST | | |




Frame Base



Accessories

Design by Lievore Altherr Molina

| | |
|---|--|
| <p>SEK ART. 0500</p>  <p>Trolley (Aava 02, Catifa 46, Catifa 53, Juno 02, Mixu)</p> <p>4549</p> | <p>SEK ART. 5830</p>  <p>Stacking underseat cover for upholstered seat.</p> <p>352</p> |
|---|--|

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| <p>Art. 5830</p> <p>1 pz = 1  - kg 1/ m² 0,044</p> <p>2 pz = 1  - kg 1,5/ m² 0,044</p> <p>4 pz = 1  - kg 2,5/ m² 0,044</p> | | |
| <p>FIRE RETARDANT TEST</p> | | |



NORMA

Design by
Lievore Altherr Molina
2005



Collection overview

Type



4 legs chair —
Medium backrest



Stackable 4 legs chair —
Medium backrest



Counter stool
4 legs



Bar stool
4 legs

Base



4 legs — Upholstered

Armrest types



BI=
Aluminum armrest




BR=
Upholstered aluminum
armrest

Norma

Design by Lievore Altherr Molina, 2005

Chair with steel frame and upholstered legs. Polyurethane shell upholstered in hard leather without padding. Integrated armrests in aluminium are available on request (Art. 1702). Backrest height 86 cm.



| | | |
|--|---------------------------------|------------------------|
| SEK ART. 1702 | CT | |
| | 7644 | |
| Armrests BI | + 1417 | |
| Armrests BR | + 2179 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1702 1 pz = 1 - kg 10,7/ m³ 0,331 1 pz = 1 - kg 11/ m³ 0,355 2 pz = 1 - kg 19,3/ m³ 0,297 | | |
| FIRE RETARDANT TEST | | |



Armrest



Armrests BI




Armrests BR



Norma

Design by Lievore Altherr Molina, 2005




Chair with steel frame and upholstered legs. Polyurethane shell with medium backrest available with upholstery in fabric, coated fabric, leather or customer's material. Integrated armrests in aluminium, also upholstered, are available on request (Art. 1708). Backrest height 85 cm.

| SEK ART. 1708 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|-------|
| UPHOLSTERED | 6013 | 6239 | 6465 | 6691 | 6917 | 7143 | 7369 | 7595 | 7821 | 8047 | 8273 | 8499 | 8725 | 11276 |
| Armrests BI | + 1417 | | | | | | | | | | | | | |
| Armrests BR | + 2179 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1708 1 pz = 1 - kg 10,7/ m³ 0,279 1 pz = 1 - kg 11/ m³ 0,363 2 pz = 1 - kg 19,3/ m³ 0,405 | Art.1708 COL requirement m² 1.98 H 140 cm. COM Meterage m 1.21 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |




Armrest



Norma

Design by Lievore Altherr Molina, 2005



Stackable chair with steel frame and upholstered legs. Polyurethane shell with medium backrest available with upholstery in fabric, coated fabric, leather or customer's material. Integrated armrests in aluminium, also upholstered, are available on request (Art. 1709). Backrest height 85 cm.

– without tools up to 6 units

– with arms: without tools up to 4 units

| SEK ART. 1709 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|------|-----------------|------|------|------|------|------|------|------|------|-------|
| UPHOLSTERED | 6227 | 6453 | 6679 | 6905 | 7131 | 7357 | 7583 | 7809 | 8035 | 8261 | 8487 | 8713 | 8939 | 11907 |
| Armrests BI | + 1417 | | | | | | | | | | | | | |
| Armrests BR | + 2179 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1709 1 pz = 1 - kg 10,7/ m³ 0,311 1 pz = 1 - kg 11/ m³ 0,363 2 pz = 1 - kg 19,3/ m³ 0,405 | Art.1709 COL requirement m² 2.16 H 140 cm. COM Meterage m 1.21 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |



Armrest



Armrests BI



Armrests BR




Stackable




Norma Counter Stool

Design by Lievore Altherr Molina, 2005

Counter stool with steel frame and upholstered legs. Polyurethane shell upholstered in hard leather without padding. Seat height 64 cm.




| | | |
|--|---------------------------------|------------------------|
| SEK ART. 1714 | CT | |
| | 8466 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1714 1 pz = 1  - kg 9,5/ m³ 0,297 | | |
| FIRE RETARDANT TEST | | |



Norma Counter Stool

Design by Lievore Altherr Molina, 2005

Counter stool with steel frame and upholstered legs. Polyurethane shell upholstered in fabric, leather, coated fabric or customer's material. Seat height 64 cm.




| SEK ART. 1719 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|------------------------|------|------|------|------|------|------|-------|-------|-------|
| | 7668 | 7894 | 8120 | 8346 | 8572 | 8798 | 9024 | 9250 | 9476 | 9702 | 9928 | 10154 | 10380 | 12217 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1719 1 pz = 1 - kg 11,4/ m³ 0,297 | Art.1719 COL requirement m² 1.86 H 140 cm. COM Meterage m 1.21 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |




Norma Bar Stool

Design by Lievore Altherr Molina, 2005

Bar stool with steel frame and upholstered legs. Polyurethane shell upholstered in hard leather without padding. Seat height 76 cm.




| | | |
|--|---------------------------------|------------------------|
| SEK ART. 1713 | CT | |
| | 8466 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.1713 1 pz = 1  - kg 11,4/ m³ 0,297 | | |
| FIRE RETARDANT TEST | | |



Norma Bar Stool

Design by Lievore Altherr Molina, 2005



Bar stool with steel frame and upholstered legs. Polyurethane shell upholstered in fabric, leather, coated fabric or customer's material. Seat height 76 cm.

| SEK ART. 1712 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|-------------------------------------|------|------|------|------|-------------------------------------|------|-------|-------|-------|
| | 7668 | 7894 | 8120 | 8346 | 8572 | 8798 | 9024 | 9250 | 9476 | 9702 | 9928 | 10154 | 10380 | 12217 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.1712 1 pz = 1 - kg 9,5/ m³ 0,297 | Art.1712 COL requirement m² 1.86 H 140 cm. COM Meterage m 1.21 | | | | • EN 1728:2012 - EN 16139:2013 6.15 | | | | | • EN 1728:2012 - EN 16139:2013 6.16 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |



PLY STOOL

Design by
Lievore Altherr Molina
2013



Ply Stool

Collection overview
Available in the Chairs and Stools section

Type



Stool h 44 cm



Stool



Stool bar

Ply Table

Collection overview
Available in the Tables section

Type



h 44 cm



h 36 cm



Shape



37 x 39 cm



93 x 99 cm



93 x 53 cm



93 x 53 cm



55 x 54 cm


Finishes

— Wood

Ply


Design by Lievore Altherr Molina, 2013

Low table with oak veneer three-leg base, available in natural oak and black finishes. It is provided with glides with felt insert for wood floors. Height 44 cm.



| | | |
|--|---------------------------------|------------------------|
| SEK ART. 3800 | WOOD | |
| | 4727 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3800 1 pz = 1 - kg 3/ m³ 0,072 | | |
| FIRE RETARDANT TEST | | |

Frame Base




L0006 L0022



Ply Counter Stool


Design by Lievore Altherr Molina, 2013

Stool with oak veneer three-leg base and chromed steel footrest. It is available in natural oak and black finishes and provided with glides with felt insert for wood floors. Seat height 64 cm.




| | | |
|--|---------------------------------|------------------------|
| SEK ART. 3801 | WOOD | |
| | 7490 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3801 1 pz = 1 - kg 5,2/ m² 0,172 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Ply Bar Stool


Design by Lievore Altherr Molina, 2013



Bar stool with oak veneer three-leg base and chromed steel footrest. It is available in natural oak and black finishes and provided with glides with felt insert for wood floors. Seat height 76 cm.

| | | |
|---|---------------------------------|--|
| SEK ART. 3802 | WOOD | |
| | 8395 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3802 1 pz = 1  - kg 5,44/ m³ 0,172 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.9 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022



SAARI CHAIR

Design by
Lievore Altherr Molina
2009



Saari Chair

Collection overview Available in the Chairs and Stools section

Type



4 legs armchair
Options:
Castors

4 legs armchair
Options:
Castors



Armchair with aluminium
swivel trestle base

Armchair with aluminium
swivel trestle base

Armchair with aluminium
fixed trestle base mounted
on self-braking castors

Armchair with aluminium
fixed trestle base mounted
on self-braking castors

Options



— Castors

Saari Sofa

Collection overview

Available in the Sofas and Benches section

Type



Armchair — 71 cm



Armchair — 82,5 cm



Armchair XL — 90 cm



Sofa — 2 seats



Sofa — 3 seats



Bench — 2 seats

Legs finishes



Veneered steel



Chromed / Powdercoated

Options




USB

Saari

Design by Lievore Altherr Molina, 2009


Armchair with four-leg steel base available polished or powder-coated, or with oak-effect reconstituted veneer base. Frame in metal and plywood is upholstered in leather, coated fabric, fabric or customer's material. Also available with castors.



| SEK ART. 2702 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| VENEERED LEGS | 11205 | 11574 | 11943 | 12312 | 12681 | 13050 | 13419 | 13788 | 14157 | 14526 | 14895 | 15264 | 15633 | 19158 |
| POLISHED | 9692 | 10061 | 10430 | 10799 | 11168 | 11537 | 11906 | 12275 | 12644 | 13013 | 13382 | 13751 | 14120 | 17658 |
| POWDERCOATED | 9407 | 9776 | 10145 | 10514 | 10883 | 11252 | 11621 | 11990 | 12359 | 12728 | 13097 | 13466 | 13835 | 17385 |
| Castors | + 988 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2702 1 pz = 1 - kg 13/ m² 0,306 | Art.2702 COL requirement m² 3.25 H 140 cm. COM Meterage m 1.82 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Saari

Design by Lievore Altherr Molina, 2009


Armchair with four-leg steel base available polished or powder-coated, or with oak-effect reconstituted veneer base. Frame in metal and plywood is upholstered in leather, coated fabric, fabric or customer's material. Also available with castors.



| SEK ART. 2703 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| VENEERED LEGS | 11205 | 11574 | 11943 | 12312 | 12681 | 13050 | 13419 | 13788 | 14157 | 14526 | 14895 | 15264 | 15633 | 19158 |
| POLISHED | 9692 | 10061 | 10430 | 10799 | 11168 | 11537 | 11906 | 12275 | 12644 | 13013 | 13382 | 13751 | 14120 | 17658 |
| POWDERCOATED | 9407 | 9776 | 10145 | 10514 | 10883 | 11252 | 11621 | 11990 | 12359 | 12728 | 13097 | 13466 | 13835 | 17385 |
| Castors | + 988 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2703 1 pz = 1 - kg 13,5/ m³ 0,363 | Art.2703 COL requirement m² 3.25 H 140 cm. COM Meterage m 1.79 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Saari

Design by Lievore Altherr Molina, 2009

Armchair with polished or powder-coated aluminium swivel trestle base. Plywood shell is upholstered in leather, coated fabric, fabric or customer's own fabric.




Accessories:
Set of glides Art. 2015

| SEK ART. 2705 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED | 10729 | 11098 | 11467 | 11836 | 12205 | 12574 | 12943 | 13312 | 13681 | 14050 | 14419 | 14788 | 15157 | 19480 |
| POWDERCOATED | 10443 | 10812 | 11181 | 11550 | 11919 | 12288 | 12657 | 13026 | 13395 | 13764 | 14133 | 14502 | 14871 | 19194 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2705 1 pz = 1 - kg 17,5/ m³ 0,352 | Art.2705 COL requirement m² 3.25 H 140 cm. COM Meterage m 1.82 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Saari

Design by Lievore Altherr Molina, 2009

Tub armchair with polished or powder-coated aluminium swivel trestle base. Plywood shell upholstered in leather, coated fabric, fabric or customer's own fabric.




Accessories:
Set of glides Art. 2015

| SEK ART. 2706 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| POLISHED | 10729 | 11098 | 11467 | 11836 | 12205 | 12574 | 12943 | 13312 | 13681 | 14050 | 14419 | 14788 | 15157 | 19480 |
| POWDERCOATED | 10443 | 10812 | 11181 | 11550 | 11919 | 12288 | 12657 | 13026 | 13395 | 13764 | 14133 | 14502 | 14871 | 19194 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|------------------------|
| Art. 2706 1 pz = 1 - kg 18/ m² 0,365 | Art.2706 COL requirement m² 3.25 H 140 cm. COM Meterage m 1.82 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling. | | |


Frame Base



Saari

Design by Lievore Altherr Molina, 2009


Armchair with polished or powder-coated aluminium fixed trestle base mounted on self-braking castors. Plywood shell upholstered in leather, coated fabric, fabric or customer's own fabric.



| SEK ART. 2708 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED | 11205 | 11574 | 11943 | 12312 | 12681 | 13050 | 13419 | 13788 | 14157 | 14526 | 14895 | 15264 | 15633 | 19921 |
| POWDERCOATED | 10907 | 11276 | 11645 | 12014 | 12383 | 12752 | 13121 | 13490 | 13859 | 14228 | 14597 | 14966 | 15335 | 19634 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2708 1 pz = 1 - kg 17,5/ m³ 0,393 | Art.2708 COL requirement m² 3.25 H 140 cm. COM Meterage m 1.82 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Saari

Design by Lievore Altherr Molina, 2009




Tub armchair with polished or powder-coated aluminium fixed trestle base mounted on self-braking castors. Plywood shell upholstered in leather, coated fabric, fabric or customer's own fabric.

| SEK ART. 2709 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POLISHED | 11205 | 11574 | 11943 | 12312 | 12681 | 13050 | 13419 | 13788 | 14157 | 14526 | 14895 | 15264 | 15633 | 19921 |
| POWDERCOATED | 10907 | 11276 | 11645 | 12014 | 12383 | 12752 | 13121 | 13490 | 13859 | 14228 | 14597 | 14966 | 15335 | 19634 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.2709 1 pz = 1 - kg 18/ m² 0,379 | Art.2709 COL requirement m² 3.25 H 140 cm. COM Meterage m 1.82 | |


| FIRE RETARDANT TEST |
|---|
| Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling. |

Frame Base



SAYA

Design by
Lievore Altherr Molina
2013



Saya

Collection overview

Bases



4 wooden legs



4 legs in chromed steel



Sled



Counter stool sled



Bar stool sled

Shells

Wood




Upholstered cushion

Saya

Design by Lievore Altherr Molina, 2012

Chair with oak veneer four-leg base, available in 4 finishes. Optional glides with felt for wooden floors are included.




| | | |
|---|---------------------------------|------------------------|
| SEK ART. 3700 | WOOD | |
| WOOD LEGS | 7275 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3700 1 pz = 1 - kg 6,72/ m³ 0,365 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Saya

Design by Lievore Altherr Molina, 2012



Chair with oak veneer four-leg base available in 4 finishes and with fabric, leather, coated fabric or customer's material upholstered cushion applied on the seat. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 3714 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|------|------------------------|------|------|------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 9061 | 9180 | 9299 | 9418 | 9537 | 9656 | 9775 | 9894 | 10013 | 10132 | 10251 | 10370 | 10489 | 11002 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3714 1 pz = 1 - kg 6,72/ m³ 0,365 | Art.3714 COL requirement m² 0.672 H 140 cm. COM Meterage m 0.59 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




L0001 L0006 L0022 L0023



Saya

Design by Lievore Altherr Molina, 2012




Chair with chromed or powdercoated steel four-leg base and oak veneer shell, available in 4 finishes. Optional glides with felt for wooden floors are available upon request.


– without tools up to 10 units

| | | |
|--|---------------------------------|------------------------|
| SEK ART. 3701 | WOOD | |
| CHROMED / POWDERCOATED | 4155 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3701 1 pz = 2 - kg 9,25/ m³ 0,291 4 pz = 2 - kg 26,54/ m³ 0,401 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shell



Saya


Design by Lievore Altherr Molina, 2012



Chair with chromed or powdercoated steel four-leg base and oak veneer shell, available in 4 finishes. Fabric, leather, coated fabric or customer's fabric upholstered cushion applied on the seat. Optional glides with felt for wooden floors are available upon request.

| SEK ART. 3710 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 5953 | 6072 | 6191 | 6310 | 6429 | 6548 | 6667 | 6786 | 6905 | 7024 | 7143 | 7262 | 7381 | 7906 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.3710 1 pz = 2 - kg 9,25/ m³ 0,291 4 pz = 2 - kg 26,54/ m³ 0,401 | | Art.3710 COL requirement m² 0.672 H 140 cm. COM Meterage m 0.59 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base




Shell



Saya

Design by Lievore Altherr Molina, 2012



Chair with chromed or powdercoated steel sled base and oak veneer shell, available in 4 finishes. Optional glides with felt for wooden floors are available upon request.

– without tools up to 10 units

| | | |
|--|---------------------------------|--|
| SEK ART. 3702 | WOOD | |
| CHROMED / POWDERCOATED | 4882 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3702 1 pz = 2 - kg 11,66/ m³ 0,3 4 pz = 2 - kg 32,22/ m³ 0,41 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Saya

Design by Lievore Altherr Molina, 2012



Chair with chromed or powdercoated steel sled base and oak veneer shell. It is available in 4 finishes and with fabric, leather, coated fabric or customer's material upholstered cushion applied on the seat. Optional glides with felt for wooden floors are available upon request.


| SEK ART. 3711 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 6680 | 6799 | 6918 | 7037 | 7156 | 7275 | 7394 | 7513 | 7632 | 7751 | 7870 | 7989 | 8108 | 8633 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.3711 1 pz = 2 - kg 11,66/ m³ 0,3 4 pz = 2 - kg 32,22/ m³ 0,41 | | Art.3711 COL requirement m² 0.672 H 140 cm. COM Meterage m 0.59 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO V39
matt

Shell



L0001 L0006 L0022 L0023



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Saya Bar Stool

Design by Lievore Altherr Molina, 2012




Bar stool with chromed or powdercoated steel sled base and oak veneer shell, available in 4 finishes. Optional glides with felt for wooden floors are available upon request. Height 75 cm.


– without tools up to 10 units

| | | |
|---|---------------------------------|--|
| SEK ART. 3704 | WOOD | |
| CHROMED / POWDERCOATED | 5489 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3704 1 pz = 2 - kg 11,22/ m² 0,42 4 pz = 2 - kg 33,34/ m² 0,47 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.9 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 |
| FIRE RETARDANT TEST | | |

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Saya Bar Stool

Design by Lievore Altherr Molina, 2012



Bar stool with chromed or powdercoated steel sled base and oak veneer shell. It is available in 4 finishes and with fabric, leather, coated fabric or customer's material upholstered cushion applied on the seat. Optional glides with felt for wooden floors are available upon request. Seat height 75 cm.

| SEK ART. 3713 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|--|------|------|------|---|------|------|------|------|
| CHROMED / POWDERCOATED | 6894 | 7013 | 7132 | 7251 | 7370 | 7489 | 7608 | 7727 | 7846 | 7965 | 8084 | 8203 | 8322 | 8847 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.3713 1 pz = 2 - kg 11,22/ m³ 0,42 4 pz = 2 - kg 33,34/ m³ 0,47 | | Art.3713 COL requirement m² 0.564 H 140 cm. COM Meterage m 0.48 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.9 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.8 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO V39
matt



Shell



L0001 L0006 L0022 L0023



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Saya Counter Stool

Design by Lievore Altherr Molina, 2012

Stool with chromed or powdercoated steel sled base and oak veneer shell, available in 4 finishes. Optional glides with felt for wooden floors are available upon request. Height 65 cm.




– without tools up to 10 units

| | | |
|---|---------------------------------|------------------------|
| SEK ART. 3703 | WOOD | |
| CHROMED / POWDERCOATED | 5489 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.3703 1 pz = 2 - kg 10,74/ m³ 0,36 4 pz = 2 - kg 31,42/ m³ 0,41 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



Saya Counter Stool

Design by Lievore Altherr Molina, 2012



Stool with chromed or powdercoated steel sled base and oak veneer shell. It is available in 4 finishes and with fabric, leather, coated fabric or customer's material upholstered cushion applied on the seat. Optional glides with felt for wooden floors are available upon request. Seat height 65 cm.

| SEK ART. 3712 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 6894 | 7013 | 7132 | 7251 | 7370 | 7489 | 7608 | 7727 | 7846 | 7965 | 8084 | 8203 | 8322 | 8847 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.3712 1 pz = 2 - kg 10,74/ m³ 0,36 4 pz = 2 - kg 31,42/ m³ 0,41 | | Art.3712 COL requirement m² 0.564 H 140 cm. COM Meterage m 0.48 | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |

Frame Base



CRO V39
matt



Shell



L0001 L0006 L0022 L0023



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



STACY

Design by
Lievore Altherr
2018



Stacy

Collection overview

Bases



Sled



Sled with armrests

Seat and backrest



Polypropylene seat and backrest



Upholstered seat and polypropylene backrest



Seat and backrest upholstered in one-colour


Options



Anti-panic writing tablet — only available for chromed or powdercoated V25 sled



Row spacer



Chair linking system



Trolley

Stacy

Instructions for modular arrangements

Two-colour polypropylene versions



Polypropylene seat and backrest are available in a two colour version, with black seat and backrest in one of the other four colours available

Armrest layout



Polypropylene seat and backrest: polypropylene armrests come in the same colour as the seat




Upholstered seat and polypropylene backrest: the polypropylene armrest pad comes in the same colour as the backrest



Upholstered seat and backrest: the polypropylene armrest pad is available in 5 colours

Stackability



Max 40 pcs
For the polypropylene version with no armrests

Max 25 pcs
For all other versions


Glides color

Chromed bases: black glides.
Powdercoated bases: glides in the same color of the base

Upholstered versions: transparent stacking glides.


Quick linking

Quick linking system to be selected when placing an order.
Only versions with armrests.



Stacy

Design by Lievore Altherr, 2018




Chair on sled base in chromed or powder-coated steel. Polypropylene seat and backrest available in one matching colour, in 5 finishes, or in a two colour version, with black seat and backrest in one of the other four colours available. Stackability: up to 40 items by using the dedicated trolley. Quick linking system to be selected when placing an order.

Accessories:
 Anti-panic writing tablet Art. 6606
 Chair linking system Art. 6607
 Row spacer Art. 6609
 Numbers for chairs and lines Art. 6610
 Trolley for stacking chairs Art. 6611


Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 10 units
 – with trolley up to 40 units
 – with link: without tools up to 6 units
 – with link: with trolley up to 25 units

| | | |
|---|--|---|
| SEK ART. 6600 | PS | |
| CHROMED / POWDERCOATED | 2251 | |
| Polypropylene fire retardant | + 251 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.6600 1 pz = 1 - kg 5,3/ m³ 0,319 4 pz = 1 - kg 21,2/ m³ 0,369 | Art.6600 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 14703:2007 7.3 • ANSI/BIFMA X5.1-2017/10 • ANSI/BIFMA X5.1-2017/17 • ANSI/BIFMA X5.1-2017/7 • ANSI/BIFMA X5.1-2017/11 • ANSI/BIFMA X5.1-2017/24 |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base




Backrest



Stacy

Design by Lievore Altherr, 2018



Chair on sled base in chromed or powder-coated steel. Seat upholstery available in fabric, leather, coated fabric, or customer's material and polypropylene backrest available in 5 colours. Stackability: up to 25 items by using the dedicated trolley. Quick linking system to be selected when placing an order.

Accessories:

- Anti-panic writing tablet Art. 6606
- Chair linking system Art. 6607
- Row spacer Art. 6609
- Numbers for chairs and lines Art. 6610
- Trolley for stacking chairs Art. 6611

Stackability:


(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 8 units
- with trolley up to 25 units

| SEK ART. 6601 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3108 | 3203 | 3298 | 3393 | 3488 | 3583 | 3678 | 3773 | 3868 | 3963 | 4058 | 4153 | 4248 | 4656 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.6601 1 pz = 1 - kg 6/ m³ 0,319 4 pz = 1 - kg 24/ m³ 0,369 | Art.6601 COL requirement m² 0.84 H 140 cm. COM Meterage m 0.66 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Umami Kvadrat. | | |

Frame Base




Backrest



Stacy

Design by Lievore Altherr, 2018



Chair on sled base in chromed or coated steel. Backrest and seat upholstery available in fabric, leather, coated fabric, or customer's material. Stackability: up to 25 items by using the dedicated trolley. Quick linking system to be selected when placing an order.

Accessories:
 Anti-panic writing tablet Art. 6606
 Chair linking system Art. 6607
 Row spacer Art. 6609
 Numbers for chairs and lines Art. 6610
 Trolley for stacking chairs Art. 6611

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 8 units
 – with trolley up to 25 units


| SEK ART. 6602 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3644 | 3954 | 4264 | 4574 | 4884 | 5194 | 5504 | 5814 | 6124 | 6434 | 6744 | 7054 | 7364 | 8716 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.6602 1 pz = 1 - kg 6/ m³ 0,319 4 pz = 1 - kg 24/ m³ 0,369 | | Art.6602 COL requirement m² 1.86 H 140 cm. COM Meterage m 0.66 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Umami Kvadrat. | | | | | | | | | | | | | | |

Frame Base



Stacy

Design by Lievore Altherr, 2018



Chair on sled base with armrests in chromed or powder-coated steel. Polypropylene seat and backrest available in one matching colour, in 5 finishes, or in a two colour version, with black seat and backrest in one of the other four colours available. The polypropylene armrest pad comes in the same colour as the seat. Stackability: up to 25 items by using the dedicated trolley.

Accessories:

- Anti-panic writing tablet Art. 6606
- Chair linking system Art. 6607
- Row spacer Art. 6609
- Numbers for chairs and lines Art. 6610
- Trolley for stacking chairs Art. 6611


Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 6 units
- with trolley up to 25 units
- with link: without tools up to 4 units
- with link: with trolley up to 25 units

| | | |
|---|--|---|
| SEK ART. 6603 | PS | |
| CHROMED / POWDERCOATED | 3096 | |
| Polypropylene fire retardant | + 310 | (For all finishes qty min. 300 pcs) |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.6603 1 pz = 1 - kg 6,3/ m³ 0,319 4 pz = 1 - kg 25,2/ m³ 0,446 | Art.6603 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 12520:2015 5.4.2 • EN 1022:2018 7.3 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 16139:2013 Annex C |
| FIRE RETARDANT TEST | | |
| * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 2 Omologazione Italia Polipropilene. | | |

Frame Base



CRO V12 V25 V57 V63
matt matt matt matt



PS00001 PS00002 PS00003 PS00004 PS00005

Backrest




PS00001 PS00002 PS00003 PS00004 PS00005



Stacy

Design by Lievore Altherr, 2018



Chair on sled base with armrests in chromed or powder-coated steel. Seat upholstery available in fabric, leather, coated fabric, or customer's material and polypropylene backrest available in 5 colours. The polypropylene armrest pad comes in the same colour as the seat. Stackability: up to 25 items by using the dedicated trolley.

Accessories:
 Anti-panic writing tablet Art. 6606
 Chair linking system Art. 6607
 Row spacer Art. 6609
 Numbers for chairs and lines Art. 6610
 Trolley for stacking chairs Art. 6611

Stackability:
 (should the weight exceed 25 kilos a handling tool must be used).
 – without tools up to 5 units
 – with trolley up to 25 units

| SEK ART. 6604 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|------|--|-------|------|------|------------------------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 3929 | 4024 | 4119 | 4214 | 4309 | 4404 | 4499 | 4594 | 4689 | 4784 | 4879 | 4974 | 5069 | 5478 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.6604 1 pz = 1 - kg 7/ m³ 0,319 4 pz = 1 - kg 28/ m³ 0,446 | | Art.6604 COL requirement m² 0.84 H 140 cm. COM Meterage m 0.66 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 11M Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Umami Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Backrest



Stacy

Design by Lievore Altherr, 2018



Chair on sled base with armrests in chromed or powder-coated steel. Backrest and seat upholstery available in fabric, leather, coated fabric, or customer's fabric. The polypropylene armrest pad is available in 5 colours. Stackability: up to 25 items by using the dedicated trolley.

Accessories:

- Anti-panic writing tablet Art. 6606
- Chair linking system Art. 6607
- Row spacer Art. 6609
- Numbers for chairs and lines Art. 6610
- Trolley for stacking chairs Art. 6611

Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 5 units
- with trolley up to 25 units

| SEK ART. 6605 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|------|------------------------|------|------|------|------|------|------|------|------|------|
| CHROMED / POWDERCOATED | 4465 | 4775 | 5085 | 5395 | 5705 | 6015 | 6325 | 6635 | 6945 | 7255 | 7565 | 7875 | 8185 | 9537 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.6605 1 pz = 1 - kg 7/ m³ 0,319 4 pz = 1 - kg 28/ m³ 0,446 | Art.6605 COL requirement m² 1.86 H 140 cm. COM Meterage m 0.66 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Field Kvadrat. Remix 3 Kvadrat. Umami Kvadrat. | | | | | | | | | | | | | | |

Frame Base

















Stackable



Accessories

Design by Lievore Altherr

| | | | | |
|--|--|---|---|--|
| <p>SEK ART. 6606</p>  <p>Anti-panic writing tablet with quick linking system in anthracite HPL, 25.5 x 26.6 cm</p> | <p>SEK ART. 6607</p>  <p>Linking system (suitable both for chairs with and without armrests)</p> | <p>SEK ART. 6609</p>  <p>Row spacer</p> | <p>SEK ART. 6610</p>  <p>Numbers for chairs and lines</p> | <p>SEK ART. 6611</p>  <p>Trolley for stacking chairs (up to 40 chairs)</p> |
| 1715 | 488 | 369 | 35 | 5846 |
| <p>SEK ART. 6612</p>  <p>Trolley for writing tablet (up to 40)</p> | | | | |
| 7156 | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| <p>Art. 6606 1 pz = 1  - kg 8,5/ m³ 0,005 4 pz = 1  - kg 32,5/ m³ 0,015</p> <p>Art. 6607 1 pz = 1  - kg 0,73/ m³ 0,006</p> <p>Art. 6609 2 pz = 1  - kg 3/ m³ 0,002 4 pz = 1  - kg 5,8/ m³ 0,003</p> <p>Art. 6610 1 pz = 1  - kg 0,9/ m³ 0,004 1 pz = 1  - kg 3/ m³ 0,032</p> <p>Art. 6611 1 pz = 1  - kg 19/ m³ 0,25</p> | | |
| FIRE RETARDANT TEST | | |



SOFAS AND BENCHES

Sofas and Benches


| Sofas Arper Grade | Supplier | Collection | Upholstery Code | Program |
|-------------------------|--------------|------------------------|--------------------|-----------|
| A | Camira | Era | ER | Graded In |
| A | Camira | Phoenix | PH | Carded In |
| A | FiDiVi. | Jet | JE | Carded In |
| A | Gabriel | Fighter | FH | Graded In |
| B | Camira | Urban | UP | Carded In |
| B | Camira | Xtreme | XP | Graded In |
| B | Gabriel | Atlantic | AT | Graded In |
| B | Gabriel | Medley | MY | Graded In |
| B | Gabriel | Step | S1 | Graded In |
| B | Gabriel | Step Melange | SM | Graded In |
| B | Kvadrat | Revive 1 | R1 | Carded In |
| B | Spradling | Silvertex – Outdoor | SX | Carded In |
| B | Spradling | Valencia Coated Fabric | VL | Carded In |
| C | Camira | Main Line Flax | MF | Carded In |
| C | Camira | Synergy | SN | Carded In |
| C | Gabriel | Fame | FA | Graded In |
| C | Kvadrat | Field 2 | FI | Carded In |
| C | Kvadrat | Floyd | F1 | Carded In |
| C | Sunbrella | Heritage – Outdoor | HE | Carded In |
| C | Sunbrella | Savane – Outdoor | SV | Carded In |
| D | Camira | Blazer | BL | Graded In |
| D | Gabriel | Crisp | CR | Graded In |
| D | Kvadrat | Patio – Outdoor | PT | Carded In |
| D | Kvadrat | Remix 3 | RX | Carded In |
| D | Maharam | Messenger | MS | Carded In |
| E | Kvadrat | Clara 2 | CL | Graded In |
| E | Kvadrat | Re-wool | RW | Carded In |
| ES | Elmo Leather | Elmosoft Leather | ES | Carded In |

Sofas and Benches

| Sofas Arper Grade | Supplier | Collection | Upholstery Code | Program |
|-------------------------|--------------|---------------------|--------------------|-----------|
| F | Kvadrat | Canvas 2 | CV | Carded In |
| F | Kvadrat | Fiord 2 | FD | Carded In |
| G | Kvadrat | Hallingdal 65 | HA | Carded In |
| G | Kvadrat | Jaali | JA | Carded In |
| G | Kvadrat | Savanna | SA | Graded In |
| G | Kvadrat | Tonus 4 | T3 | Carded In |
| H | Elmo Leather | Neocoast Leather | P4 | Carded In |
| H | Kvadrat | Steelcut 2 | SE | Carded In |
| H | Kvadrat | Steelcut Trio 3 | ST | Carded In |
| I | Arper | Pelle fiore Leather | PF | Carded In |
| I | Kvadrat | Balder 3 | B1 | Carded In |
| I | Kvadrat | Divina 3 | DV | Carded In |
| I | Kvadrat | Divina MD | DI | Carded In |
| I | Kvadrat | Divina Melange 3 | DM | Carded In |
| I | Kvadrat | Tonica 2 | TN | Graded In |
| J | Kvadrat | Vidar 4 | VD | Carded In |
| COL | | COL | COL | |
| COM | | COM | COM | |

ARCOS

Design by
Lievore Altherr
2017



Arcos

Collection overview

Type



Chair

Armchair



2 seat sofa



3 seat sofa

Options



— Upholstered
armrest pad



USB

Types of Upholstery

Color is one of the main characteristics of the Arcos collection, consisting of chairs, armchairs and sofas conceived for home and contract spaces. In addition to the more traditional finishes, such as powder-coated black aluminium, the sled base and integrated armrests are available in four additional powder-coated aluminium finishes: blue, green, red earth and yellow ochre.

The aesthetic qualities of the product are enhanced through the chromatic balance between the color of the sled base and the upholstery. For this reason we suggest:

Frame Base



V62 matt
NCS S 5040-Y10R



KVADRAT
Remix 3
RX00422
Grade:
Chairs C
Sofas D



KVADRAT
Canvas 2
CV00424
Grade:
Chairs D
Sofas F



KVADRAT
Steelcut Trio 3
ST00466
Grade:
Chairs G
Sofas H



ELMO
Elmosoft
ES43054
Grade:
Chairs ES
Sofas ES




V60 matt
NCS S 7020-G10Y




SPRADLING
Valencia
VL05069
Grade:
Chairs B
Sofas B



KVADRAT
Remix 3
RX00982
Grade:
Chairs C
Sofas D



KVADRAT
Canvas 2
CV00946
Grade:
Chairs D
Sofas F



KVADRAT
Hallingdal 65
HA00944
Grade:
Chairs G
Sofas G



ELMO
Elmosoft
ES98015
Grade:
Chairs ES
Sofas ES




V61 matt
NCS S 5040-Y70R



KVADRAT
Remix 3
RX00443
Grade:
Chairs C
Sofas D



KVADRAT
Canvas 2
CV00454
Grade:
Chairs D
Sofas F




KVADRAT
Tonus 4
T300474
Grade:
Chairs F
Sofas G

Arcos



V59 matt
NCS S 8010-R70B




SPRADLING
Valencia
VL03068
Grade:
Chairs B
Sofas B




KVADRAT
Remix 3
RX00773
Grade:
Chairs C
Sofas D



KVADRAT
Canvas 2
CV00786
Grade:
Chairs D
Sofas F




KVADRAT
Canvas 2
CV00794
Grade:
Chairs D
Sofas F



KVADRAT
Hallingdal 65
HA00764
Grade:
Chairs G
Sofas G



KVADRAT
Steelcut Trio 3
ST00796
Grade:
Chairs G
Sofas H



KVADRAT
Divina MD
DI00783
Grade:
Chairs G
Sofas I



ELMO
Elmosoft
ES77127
Grade:
Chairs ES
Sofas ES




V39 matt

The powder-coated black aluminium finish is suitable for matching with all fabrics and leathers, in all shades of color.

Arcos Chair

Design by Lievore Altherr, 2017



Chair with sled base and integrated armrests made of powder-coated aluminum. Shell in metal and plywood is upholstered in leather, coated fabric, fabric or customer's material. Arper grade: CHAIR

Accessories:
 USB Art. 6001
 Replacement cover set Art. 6103

| SEK ART. 6100 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|-------|---|-------|-------|-------|-------|--|-------|-------|-------|-------|
| POWDERCOATED | 11753 | 12253 | 12753 | 13253 | 13753 | 14253 | 14753 | 15253 | 15753 | 16253 | 16753 | 17253 | 17753 | 19599 |
| Removable version | + 702 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.6100 1 pz = 1 - kg 13/ m² 0,352 | Art.6100 COL requirement m² 2.4 H 140 cm. COM Meterage m 1.52 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.13.1 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Arcos

Design by Lievore Altherr, 2017



Armchair with sled base and integrated armrests made of powder-coated aluminum. Shell in metal and plywood is upholstered in leather, coated fabric, fabric or customer's material. Arper Grade: SOFA.


Accessories:
 USB Art. 6001
 Replacement cover set Art. 6104



| SEK ART. 6101 | A | B | COM | C | COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|----|
| POWDERCOATED | 17265 | 18099 | 18933 | 19767 | 20601 | 21435 | 22269 | 23103 | 23937 | 24771 | 25605 | 26439 | 27273 | 30732 | | |
| Removable version | + 1191 | | | | | | | | | | | | | | | |
| Armrests CI - only pad | + 1131 | | | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 6101 1 pz = 1 - kg 27,96/ m³ 0,901 | Art.6101 COL requirement m² 5.46 H 140 cm. COM Meterage m 2.48 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. | | |

Frame Base



Armrest



Armrests CI - only pad




Arcos

Design by Lievore Altherr, 2017



Two seater sofa with sled base and integrated armrests made of powder-coated aluminum. Shell in metal and plywood is upholstered in leather, coated fabric, fabric or customer's material. Arper Grade: SOFA.


Accessories:
USB Art. 6001
Replacement cover set Art. 6105



| SEK ART. 6102 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 24826 | 26100 | 27374 | 28648 | 29922 | 31196 | 32470 | 33744 | 35018 | 36292 | 37566 | 38840 | 40114 | 45033 |
| Removable version | + 1965 | | | | | | | | | | | | | |
| Armrests CI - only pad | + 1131 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art. 6102 1 pz = 1 - kg 27/ m³ 1,063 | Art.6102 COL requirement m² 9.1 H 140 cm. COM Meterage m 4.08 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 |
| FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. | | |

Frame Base



Armrest



Armrests CI - only pad




Arcos

Design by Lievore Altherr, 2018



Three seater sofa with sled base and integrated armrests made of powder-coated aluminum. Shell in metal and plywood frame is upholstered in fabric, leather, coated fabric or customer's fabric or leather. Arper Grade: SOFA.


Accessories:
 USB Art. 6001
 Replacement cover set Art. 6107



| SEK ART. 6106 | A | B | COM | C | COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|----|
| POWDERCOATED | 30732 | 32637 | 34542 | 36447 | 38352 | 40257 | 42162 | 44067 | 45972 | 47877 | 49782 | 51687 | 53592 | 61023 | | |
| Removable version | + 3083 | | | | | | | | | | | | | | | |
| Armrests CI - only pad | + 1131 | | | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--|
| Art. 6106 1 pz = 1 - kg 50/ m³ 1,535 | Art.6106 COL requirement m² 16.1 H 140 cm. COM Meterage m 5.32 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. | | |

Frame Base



Armrest




Armrests CI - only pad



Accessories

Design by Lievore Altherr, 2017

| SEK ART. 6103 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER ART. 6100 | 1858 | 2358 | 2858 | 3358 | 3858 | 4358 | 4858 | 5358 | 5858 | 6358 | 6858 | 7358 | 7858 | 9704 |
| SEK ART. 6104 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6101 | 2488 | 3322 | 4156 | 4990 | 5824 | 6658 | 7492 | 8326 | 9160 | 9994 | 10828 | 11662 | 12496 | 15956 |
| SEK ART. 6105 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6102 | 4620 | 5894 | 7168 | 8442 | 9716 | 10990 | 12264 | 13538 | 14812 | 16086 | 17360 | 18634 | 19908 | 24802 |
| SEK ART. 6107 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6106 | 4632 | 6537 | 8442 | 10347 | 12252 | 14157 | 16062 | 17967 | 19872 | 21777 | 23682 | 25587 | 27492 | 34935 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| <p>Art. 6107 1 pz = 1  - kg 5/ m² 0,036</p> | <p>Art.6103 COL requirement m² 2.4 H 140 cm. COM Meterage m 1.52</p> <p>Art.6104 COL requirement m² 5.46 H 140 cm. COM Meterage m 2.48</p> <p>Art.6105 COL requirement m² 9.1 H 140 cm. COM Meterage m 4.08</p> <p>Art.6107 COL requirement m² 16.1 H 140 cm. COM Meterage m 5.32</p> | |
| FIRE RETARDANT TEST | | |



Accessories

SEK ART. 6001



Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included.

1655

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| FIRE RETARDANT TEST | | |



COLINA

Design by
Lievore Altherr Molina
2014



Colina

Collection overview

Type



Armchair S



Armchair M



Armchair L




Armchair sled



Armchair 4 legs

Colina S

Design by Lievore Altherr Molina, 2014



Armchair with plywood frame fully upholstered in fabric, leather, coated fabric or customer's own material. The version with removable cover is available upon request. Optional glides with felt for wooden floors are available upon request.

Accessories:
Replacement cover set Art. 4307


| SEK ART. 4300 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-------|-------|-------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 13241 | 14205 | 15169 | 16133 | 17097 | 18061 | 19025 | 19989 | 20953 | 21917 | 22881 | 23845 | 24809 | 29089 |
| Removable cover | + 441 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.4300 1 pz = 1 - kg 32,36/ m³ 0,662 | Art.4300 COL requirement m² 4.8 H 140 cm. COM Meterage m 2.92 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | | |



Colina M

Design by Lievore Altherr Molina, 2014

Armchair with plywood frame fully upholstered in fabric, leather, coated fabric or customer's own material. The version with removable cover is available upon request. Optional glides with felt for wooden floors are available upon request.



Accessories:
Replacement cover set Art. 4308

| SEK ART. 4301 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 15455 | 16621 | 17787 | 18953 | 20119 | 21285 | 22451 | 23617 | 24783 | 25949 | 27115 | 28281 | 29447 | 34280 |
| Removable cover | + 798 | | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art.4301 1 pz = 1 - kg 39,06/ m² 0,901 | Art.4301 COL requirement m² 5.52 H 140 cm. COM Meterage m 3.47 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |

FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Klasse 3 Kvadrat. Divina 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.
 • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Remix 3 Kvadrat.



Colina L

Design by Lievore Altherr Molina, 2014



Armchair with plywood frame fully upholstered in fabric, leather, coated fabric or customer's own material. The version with removable cover is available upon request. Optional glides with felt for wooden floors are available upon request.


Accessories:
Replacement cover set Art. 4309

| SEK ART. 4302 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-------|-------|-------|--|-------|-------|-------|-------|--|-------|-------|-------|-------|
| | 17432 | 18742 | 20052 | 21362 | 22672 | 23982 | 25292 | 26602 | 27912 | 29222 | 30532 | 31842 | 33152 | 38733 |
| Removable cover | + 881 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.4302 1 pz = 1 - kg 43,96/ m³ 0,901 | Art.4302 COL requirement m² 6.12 H 140 cm. COM Meterage m 3.91 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | | |



Colina M

Design by Lievore Altherr Molina, 2014



Armchair with plywood frame fully upholstered in fabric, leather, coated fabric or customer's own material. Base available in chromed or anthracite powder-coated steel. The version with removable cover is available upon request. Optional glides with felt for wooden floors are available upon request.

Accessories:
Replacement cover set Art. 4310
USB Art. 6001

| SEK ART. 4303 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHROMED / POWERCOATED | 15824 | 16490 | 17156 | 17822 | 18488 | 19154 | 19820 | 20486 | 21152 | 21818 | 22484 | 23150 | 23816 | 26695 |
| Removable cover | + 798 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art.4303 1 pz = 1 - kg 27,96/ m² 0,901 | Art.4303 COL requirement m² 4.38 H 140 cm. COM Meterage m 1.98 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.5 |


FIRE RETARDANT TEST
 Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.
 * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat.

Frame Base



Colina M

Design by Lievore Altherr Molina, 2014




Armchair with plywood frame fully upholstered in fabric, leather, coated fabric or customer's own material. Oak timber four-leg base available in 2 finishes. The version with removable cover is available upon request. Optional glides with felt for wooden floors are available upon request.

Accessories:
Replacement cover set Art. 4309
USB Art. 6001

| SEK ART. 4304 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WOOD LEGS | 17205 | 17871 | 18537 | 19203 | 19869 | 20535 | 21201 | 21867 | 22533 | 23199 | 23865 | 24531 | 25197 | 28101 |
| Removable cover | + 798 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| Art. 4304 1 pz = 1 - kg 27,06/ m³ 0,901 | Art. 4304 COL requirement m² 4.38 H 140 cm. COM Meterage m 1.98 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |





Frame Base



Accessories

Design by Lievore Altherr Molina, 2014

| SEK ART. 4307 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------|------|-------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER ART. 4300 | 3000 | 3964 | 4928 | 5892 | 6856 | 7820 | 8784 | 9748 | 10712 | 11676 | 12640 | 13604 | 14568 | 18873 |
| SEK ART. 4308 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 4301 | 3441 | 4607 | 5773 | 6939 | 8105 | 9271 | 10437 | 11603 | 12769 | 13935 | 15101 | 16267 | 17433 | 22243 |
| SEK ART. 4309 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 4302 | 3632 | 4942 | 6252 | 7562 | 8872 | 10182 | 11492 | 12802 | 14112 | 15422 | 16732 | 18042 | 19352 | 24957 |
| SEK ART. 4310 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 4303/4304 | 2822 | 3488 | 4154 | 4820 | 5486 | 6152 | 6818 | 7484 | 8150 | 8816 | 9482 | 10148 | 10814 | 13729 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| <p>Art. 4307 1 pz = 1  - kg 5/ m³ 0,036</p> <p>Art. 4308 1 pz = 1  - kg 5/ m³ 0,036</p> <p>Art. 4309 1 pz = 1  - kg 5/ m³ 0,036</p> <p>Art. 4310 1 pz = 1  - kg 5/ m³ 0,036</p> | <p>Art.4307 COL requirement m² 4.8 H 140 cm. COM Meterage m 2.92</p> <p>Art.4308 COL requirement m² 5.52 H 140 cm. COM Meterage m 3.47</p> <p>Art.4309 COL requirement m² 6.12 H 140 cm. COM Meterage m 3.91</p> <p>Art.4310 COL requirement m² 4.38 H 140 cm. COM Meterage m 1.98</p> | |
| FIRE RETARDANT TEST | | |



KIHK

Design by Ichiro Iwasaki


2018



Collection overview


(For more information please refer to User's Manual downloadable from our website)

Structure




Art. 6302 – S126

- Dimensions: 100x58x35,5 cm
- Dimensions of complete item: 126x63 cm
- Fills 2 units



Art. 6301 – S189

- Dimensions: 163x58x35,5 cm
- Dimensions of complete item: 189x63 cm
- Fills 3 units



Art. 6300 – S252

- Dimensions: 226x58x35,5 cm
- Dimensions of complete item: 252x63 cm
- Fills 4 units

Structure




V39 - matt

Legs




V39 - matt


Seating modules




Art. 6303 – Cushion
— Dimension: 63x63x10 cm
— Fills 1 unit




Art. 6304 – Cushion with standard backrest
— Dimension: 63x63x40 cm
— Fills 1 unit




Art. 6332 – Cushion with high backrest
— Dimension: 63x63x60 cm
— Fills 1 unit



Art. 6328 / 6329 – Angular cushion with standard backrest
— Dimension: 63x63x40 cm
— Fills 1 unit



Art. 6330 / 6331 – Angular cushion with high backrest
— Dimension: 63x63x60 cm
— Fills 1 unit




Art. 6334/6335 – Side armrest

Art. 6333 – Middle armrest

Art. 6336 – Separator between seats


Table modules




Art. 6310 – Rectangular side table
— Dimension: 31,5x63 cm
— Thick: 1,4 cm
— Fills 0,5 unit

Art. 6309 – Square side table
— Dimension: 63x63 cm
— Thick: 1,4 cm
— Fills 1 unit


Art. 6308 – Rectangular side table
— Dimension: 126x63 cm
— Thick: 1,4 cm
— Fills 2 units



Art. 6311 – Quarter round side table
— Dimension: 63x63 cm
— Thick: 1,4 cm
— For compositions with 90° corner




Art. 6312 – Triangular side table
— Dimension: 63x63x63 cm
— Thick: 1,4 cm
— For compositions with 120° corner




LM13 LM00022


Console



Art. 6305 – Console h 58 cm
— Dimensions: 252x40x58 cm




Art. 6306 – Console h. 72 cm
— Dimensions: 252x40x72 cm



Art. 6307 – Console h. 105cm
— Dimensions: 252x40x105 cm

Ottoman




Art. 6313 – Ottoman
— Dimensions: 126x157,5x36 cm




V39 - matt


Link



Art. 6316 – Plate-shaped
link
— Dimensions: 26,6x8 cm



Art. 6314 – C-shaped link
— Dimensions: 31x33x5 cm



Art. 6315 – Island-shaped link
— Dimensions:
33,4x36x5 cm




V39 - matt









Options



USB




Composition Examples






-
- 1 x Art. 6300 – Structure S252
 - 3 x Art. 6304 – Cushion with backrest
 - 4 x Art. 6310 – Rectangular table 31,5x63 cm
 - 2 x Art. 6314 – C-shaped link




-
- 2 x Art. 6300 – Structure S252
 - 1 x Art. 6301 – Structure S189
 - 7 x Art. 6303 – Cushion
 - 4 x Art. 6304 – Cushion with backrest
 - 1 x Art. 6305 – Console h 58 cm
 - 1 x Art. 6316 – Plate-shaped link

Kiik




- 2 x Art. 6300 – Structure S252
- 8 x Art. 6304 – Cushion with backrest
- 1 x Art. 6306 – Console h 72 cm




- 1 x Art. 6300 – Structure S252
- 1 x Art. 6302 – Structure S126
- 4 x Art. 6304 – Cushion with backrest
- 1 x Art. 6310 – Rectangular table 126x63 cm
- 1 x Art. 6307 – Console h 105 cm
- 1 x Art. 6313 – Ottoman
- 1 x Art. 6316 – Plate-shaped link

Kiik




-
- 2 x Art. 6300 – Structure S252
 - 6 x Art. 6303 – Cushion
 - 4 x Art. 6311 – 1/4 circle table 63x63 cm
 - 2 x Art. 6315 – Island-shaped link
 - 2 x Art. 6316 – Plate-shaped link




-
- 2 x Art. 6301 – Structure S189
 - 1 x Art. 6302 – Structure S126
 - 3 x Art. 6303 – Cushion
 - 5 x Art. 6304 – Cushion with backrest
 - 2 x Art. 6311 – 1/4 circle table 63x63 cm
 - 4 x Art. 6314 – C-shaped link

Kiik





















-
- 1 x Art. 6300 – Structure S252
 - 1 x Art. 6302 – Structure S126
 - 4 x Art. 6303 – Cushion
 - 2 x Art. 6304 – Cushion with backrest
 - 1 x Art. 6312 – Triangular table 63x63x63 cm
 - 3 x Art. 6316 – Plate-shaped link
 - 1 x Art. 6305 – Console h 58 cm


















-
- 3 x Art. 6302 – Structure S126
 - 6 x Art. 6303 – Cushion
 - 1 x Art. 6312 – Triangular table 63x63x63 cm
 - 3 x Art. 6316 – Plate-shaped link

Kiik

MODULE SEWING SCHEME

| ART. | Non removable cover | Removable cover / coated fabric | soft leather |
|------|---|--|---|
| 6303 |  |  |  |
| 6304 |  |  |  |
| 6328 |  |  |  |
| 6329 |  |  |  |
| 6332 |  |  |  |
| 6330 |  |  |  |

MODULE SEWING SCHEME


| ART. | Non removable cover | Removable cover / coated fabric | soft leather |
|------|---|--|---|
| 6331 |  |  <p>FRONT FRONT BACK</p> |  <p>FRONT FRONT BACK</p> |
| 6333 |  |  <p>FRONT FRONT BACK</p> |  <p>FRONT FRONT BACK</p> |
| 6334 |  |  <p>FRONT FRONT BACK</p> |  <p>FRONT FRONT BACK</p> |
| 6335 |  |  <p>FRONT FRONT BACK</p> |  <p>FRONT FRONT BACK</p> |
| 6313 |  |  |  |
| | | | |

Kiik

Design by Ichiro Iwasaki, 2018

Frame composed by a black powder coated metal frame and a set of legs made of pressure diecast aluminum, available in black powder coated. Structure is available in three dimensions to accommodate respectively two, three or four units that can be organized with pads or side tables.

Accessories:
 C-shaped link Art. 6314
 Island-shaped link Art. 6315
 Legs floor fixing system Art. 6320



| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| Art. 6300 1 pz = 2 - kg 21/ m³ 0,104 Art. 6301 1 pz = 2 - kg 17/ m³ 0,086 Art. 6302 1 pz = 2 - kg 14/ m³ 0,069 | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6. 6 • EN 1022:2018 |



Kiik

Design by Ichiro Iwasaki, 2018

| | | |
|----------------------|------|--|
| SEK ART. 6300 | - | |
| Frame - S252 | 9300 | |
| SEK ART. 6301 | - | |
| Frame - S189 | 8132 | |
| SEK ART. 6302 | - | |
| Frame - S126 | 7383 | |

FIRE RETARDANT TEST

Frame Base



V39
matt

Legs



V39
matt





Kiik

Design by Ichiro Iwasaki, 2018

One-seat module to be fixed to the structures. available in two versions: only cushion or cushion with backrest. both versions can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover.

Accessories:
 USB Art. 6001
 Replacement cover set Art. 6317
 Separator between seats Art. 6336




| SEK ART. 6303 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|---|------|------|--|------|------|------|------|------|
| Cushion 63 x 63 x 10 cm | 4393 | 4667 | 4941 | 5215 | 5489 | 5763 | 6037 | 6311 | 6585 | 6859 | 7133 | 7407 | 7681 | 8787 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.6303 1 pz = 1 - kg 5,5/ m³ 0,069 | | Art.6303 COL requirement m² 1.92 H 140 cm. COM Meterage m 1.18 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. Tonus 4 Kvadrat. | | | | | | | | | | | | | | |



Kiik

Design by Ichiro Iwasaki, 2018



One-seat module to be fixed to the structures. available in two versions: only cushion or cushion with backrest. both versions can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover.

- Accessories:
- USB Art. 6001
 - Replacement cover set Art. 6318
 - Middle armrest Art. 6333
 - Terminal armrest - Right Art. 6334
 - Terminal armrest - Left Art. 6335
 - Separator between seats Art. 6336

| SEK ART. 6304 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|---|-------|------|------|---|------|-------|--|-------|-------|-------|-------|-------|
| Backrest cushion 63 x 63 x 40 cm | 7120 | 7549 | 7978 | 8407 | 8836 | 9265 | 9694 | 10123 | 10552 | 10981 | 11410 | 11839 | 12268 | 13955 |
| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | |
| Art.6304 1 pz = 1 - kg 9/ m³ 0,224 | | Art.6304 COL requirement m² 3.24 H 140 cm. COM Meterage m 2.04 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. Tonus 4 Kvadrat. | | | | | | | | | | | | | | |




Kiik

Design by Ichiro Iwasaki, 2019



One-seat module in angular cushion with standard backrest version to be fixed to the structures for 90° configurations. It can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover. Available in right (Item 6328) and left (Item 6329) versions.

Accessories:
 USB Art. 6001
 Plate-shaped link Art. 6316
 Replacement cover set Art. 6337
 Replacement cover set Art. 6338



| SEK ART. 6328 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Cushion with right angular standard backrest | 10573 | 11085 | 11597 | 12109 | 12621 | 13133 | 13645 | 14157 | 14669 | 15181 | 15693 | 16205 | 16717 | 18717 |
| SEK ART. 6329 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Cushion with left angular standard backrest | 10573 | 11085 | 11597 | 12109 | 12621 | 13133 | 13645 | 14157 | 14669 | 15181 | 15693 | 16205 | 16717 | 18717 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6328 1 pz = 1 - kg 17,5/ m³ 0,224 Art. 6329 1 pz = 1 - kg 17,5/ m³ 0,224 | Art.6328 COL requirement m² 4.56 H 140 cm. COM Meterage m 1.78 Art.6329 COL requirement m² 4.56 H 140 cm. COM Meterage m 1.78 | |
| FIRE RETARDANT TEST | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. Tonus 4 Kvadrat. | | |



Kiik

Design by Ichiro Iwasaki, 2019

One-seat module with high backrest version to be fixed to the structures . It can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover.



Accessories:
 USB Art. 6001
 Plate-shaped link Art. 6316
 Middle armrest Art. 6333
 Terminal armrest - Right Art. 6334
 Terminal armrest - Left Art. 6335
 Separator between seats Art. 6336
 Replacement cover set Art. 6341

| SEK ART. 6332 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|-------|------------------------------------|-------|-------|-------|-------|-------------------------------------|-------|-------|-------|-------|
| Cushion with high backrest | 9168 | 9668 | 10168 | 10668 | 11168 | 11668 | 12168 | 12668 | 13168 | 13668 | 14168 | 14668 | 15168 | 17099 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.6332 1 pz = 1 - kg 14,5/ m³ 0,333 | Art.6332 COL requirement m² 4.42 H 140 cm. COM Meterage m 2.43 | | | | • EN 1728:2012 - EN 16139:2013 6.4 | | | | | • EN 1728:2012 - EN 16139:2013 6. 6 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Remix 3 Kvadrat. Tonus 4 Kvadrat. | | | | | | | | | | | | | | |




Kiik

Design by Ichiro Iwasaki, 2019



One-seat module in angular cushion with high backrest version to be fixed to the structures for 90° configurations. It can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover. Available in right (Item 6330) and left (Item 6331) versions.

Accessories:
 USB Art. 6001
 Plate-shaped link Art. 6316
 Replacement cover set Art. 6339
 Replacement cover set Art. 6340



| SEK ART. 6330 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Cushion with right angular high backrest | 13229 | 13860 | 14491 | 15122 | 15753 | 16384 | 17015 | 17646 | 18277 | 18908 | 19539 | 20170 | 20801 | 23350 |
| SEK ART. 6331 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Cushion with left angular high backrest | 13229 | 13860 | 14491 | 15122 | 15753 | 16384 | 17015 | 17646 | 18277 | 18908 | 19539 | 20170 | 20801 | 23350 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6330 1 pz = 1 - kg 20/ m³ 0,333 Art. 6331 1 pz = 1 - kg 20/ m³ 0,333 | Art.6330 COL requirement m² 6.24 H 140 cm. COM Meterage m 2.53 Art.6331 COL requirement m² 6.24 H 140 cm. COM Meterage m 2.53 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. Tonus 4 Kvadrat. | | |



Kiik

Design by Ichiro Iwasaki, 2019

Side armrest to be fixed to a one-seat module with backrest version, standard or high, at the ends of a configuration. It can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover. Available in right (Item 6334) and left (Item 6335) versions.




Accessories:

Separator between seats Art. 6336

Replacement cover set Art. 6343

Replacement cover set Art. 6344




| SEK ART. 6334 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| Terminal armrest - Right | 2846 | 3000 | 3154 | 3308 | 3462 | 3616 | 3770 | 3924 | 4078 | 4232 | 4386 | 4540 | 4694 | 5263 |
| SEK ART. 6335 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Terminal armrest - Left | 2846 | 3000 | 3154 | 3308 | 3462 | 3616 | 3770 | 3924 | 4078 | 4232 | 4386 | 4540 | 4694 | 5263 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--|
| Art. 6334 1 pz = 1 - kg 3,8/ m³ 0,03 Art. 6335 1 pz = 1 - kg 3,8/ m³ 0,03 | Art.6334 COL requirement m² 1.44 H 140 cm. COM Meterage m 0.83 Art.6335 COL requirement m² 1.44 H 140 cm. COM Meterage m 0.83 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.26 |
| FIRE RETARDANT TEST | | |



Kiik

Design by Ichiro Iwasaki, 2019



Middle armrest to be fixed between two one-seat module with backrest version, standard or high, facing in the same direction. It can be upholstered with fabric, leather, coated fabric, or customer's fabric or leather removable cover.

Accessories:
 Separator between seats Art. 6336
 Replacement cover set Art. 6342


| SEK ART. 6333 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|------|--|------|------|------|------|--|------|------|------|------|
| Middle armrest | 3322 | 3476 | 3630 | 3784 | 3938 | 4092 | 4246 | 4400 | 4554 | 4708 | 4862 | 5016 | 5170 | 5751 |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.6333 1 pz = 1 - kg 4/ m³ 0,03 | Art.6333 COL requirement m² 1.32 H 140 cm. COM Meterage m 0.58 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.20 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.26 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |



Kiik

Design by Ichiro Iwasaki, 2019

Separator between seats in painted MDF to be fixed between two one-seat modules with or without backrest.



| | | |
|--|---------------------------------|------------------------|
| SEK ART. 6336 | MDF | |
| Seat divider | 1441 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.6336 1 pz = 1 - kg 2,4/ m² 0,012 | | |
| FIRE RETARDANT TEST | | |















Kiik

Design by Ichiro Iwasaki, 2018

Side table available in 5 shapes and sizes. Square and rectangular shape side tables can be positioned on the frames as a replacement to cushions modules. The 31.5x63 cm rectangular side table can be positioned overhanging with respect to the frames using a special support link. The triangular and quarter round side tables work as connections for two or more arrangements, allowing for L-shaped and linear modules (120° and 90°). All side tables are available in laminate with black oak or natural oak effect; they can be powered with the Bachmann Pix accessory - USB version.

Accessories:
 USB Art. 6001
 C-shaped link Art. 6314
 Island-shaped link Art. 6315
 Plate-shaped link Art. 6316


| | |
|---|--|
| <p>ART. 6308</p>  |  |
| <p>ART. 6309</p>  |  |
| <p>ART. 6310</p>  |  |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| <p>Art. 6308 1 pz = 1  - kg 12/ m³ 0,033 1 pz = 2  - kg 12/ m³ 0,033</p> <p>Art. 6309 1 pz = 1  - kg 5/ m³ 0,017 1 pz = 2  - kg 5/ m³ 0,017</p> <p>Art. 6310 1 pz = 1  - kg 3/ m³ 0,009 1 pz = 2  - kg 3/ m³ 0,009</p> | | |



| | | |
|--------------------------------|-----------|--|
| SEK ART. 6308 | LM | |
| Rectangular table 126 x 63 cm | 2715 | |
| Grommet + electrification | + 1643 | |
| SEK ART. 6309 | LM | |
| Square table 63 x 63 cm | 1679 | |
| Grommet + electrification | + 1643 | |
| SEK ART. 6310 | LM | |
| Rectangular table 31,5 x 63 cm | 1155 | |
| Grommet + electrification | + 1643 | |
| FIRE RETARDANT TEST | | |

Top



LM13 LM00022



Single cable unit (1 USB + 1 connector)




Kiik

Design by Ichiro Iwasaki, 2018

Side table available in 5 shapes and sizes. Square and rectangular shape side tables can be positioned on the frames as a replacement to cushions modules. The 31.5x63 cm rectangular side table can be positioned overhanging with respect to the frames using a special support link. The triangular and quarter round side tables work as connections for two or more arrangements, allowing for L-shaped and linear modules (120° and 90°). All side tables are available in laminate with black oak or natural oak effect; they can be powered with the Bachmann Pix accessory - USB version.

Accessories:
 USB Art. 6001
 C-shaped link Art. 6314
 Island-shaped link Art. 6315
 Plate-shaped link Art. 6316




| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6311 1 pz = 1 - kg 5/ m³ 0,017 1 pz = 2 - kg 5/ m³ 0,017 Art. 6312 1 pz = 1 - kg 4/ m³ 0,017 1 pz = 2 - kg 4/ m³ 0,017 | | |



| | | |
|--|-----------|--|
| SEK ART. 6311 | LM | |
| 1/4 circle table 63 x 63 cm - 90° | 1953 | |
| Grommet + electrification | + 1643 | |
| SEK ART. 6312 | LM | |
| Triangular table 63 x 63 x 63 cm - 60° | 1715 | |
| Grommet + electrification | + 1643 | |

FIRE RETARDANT TEST

Top



LM13 LM00022



Single cable unit (1 USB + 1 connector)




Kiik Console

Design by Ichiro Iwasaki, 2018

Console available in three heights: 58.5, 72.5 and 105.5 cm in laminate with black oak or natural oak effect. The console can be powered with two Bachmann Pix accessories - USB version.

Accessories:
Floor fixing kit for consoles Art. 6321



| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| <p>Art. 6305</p> <p>1 pz = 3 - kg 42/ m³ 0,205</p> <p>1 pz = 5 - kg 44/ m³ 0,213</p> <p>Art. 6306</p> <p>1 pz = 3 - kg 45/ m³ 0,209</p> <p>1 pz = 5 - kg 47/ m³ 0,216</p> <p>Art. 6307</p> <p>1 pz = 3 - kg 49/ m³ 0,217</p> <p>1 pz = 5 - kg 51/ m³ 0,224</p> | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.7 • EN 1730:2012 - EN 15372:2016 6.4.3 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.6 • EN 1730:2012 - EN 15372:2016 6.9 • EN 1730:2012 - EN 15372:2016 7.2 |



Kiik Console

Design by Ichiro Iwasaki, 2018

| | | |
|---------------------------------------|-----------|--|
| SEK ART. 6305 | LM | |
| Console h 58.5 - 252x40x58.5 cm | 15683 | |
| Dual grommets + electrification | + 3132 | |
| SEK ART. 6306 | LM | |
| Console h 72.5 - 252x40x72.5 cm | 17468 | |
| Dual grommets + electrification | + 3132 | |
| SEK ART. 6307 | LM | |
| Console h 105.5 - 252 x 40 x 105.5 cm | 19196 | |
| Dual grommets + electrification | + 3132 | |
| FIRE RETARDANT TEST | | |

Frame Base



V39
matt

Top + side



LM13 LM00022



Single cable unit (1 USB + 1 connector)




Kiik

Design by Ichiro Iwasaki, 2018



Ottoman composed by a set of four legs made of black coated pressure die-cast aluminum, with a wide upholstered seat available in fabric, leather, coated fabric, or customer's fabric or leather removable cover.

Accessories:
 USB Art. 6001
 Replacement cover set Art. 6319
 Legs floor fixing system Art. 6320



| SEK ART. 6313 | A | B GOM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 27005 | 28076 | 29147 | 30218 | 31289 | 32360 | 33431 | 34502 | 35573 | 36644 | 37715 | 38786 | 39857 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art. 6313 1 pz = 1 - kg 50/ m² 0,508 | Art.6313 COL requirement m² 9.45 H 140 cm. COM Meterage m 3.44 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.27.1 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Remix 3 Kvadrat. Tonus 4 Kvadrat. | | |







Frame Base



Accessories

Design by Ichiro Iwasaki, 2018

Useful links to create arrangements and anchor some elements. The Plate-shaped link (Art.6316) can be used to connect two sofas or to anchor a triangular side table between two or three sofas in a linear (120°) arrangement. The C-shaped link (Art. 6314) can be used to anchor a 31.5x63 cm rectangular side table overhanging from a frame or to support a quarter round side table between two sofas in a L-shaped (90°) arrangement. The Island-shaped link (Art. 6315) can be used for special arrangements that require putting two frames one next to the other (S189 or S252) and a final arrangement with four or six pads and four quarter round side tables.







| | | |
|--|--|-------------------------------|
| <p>ART. 6314</p>  <p>C-shaped link - 31 x 33 x 5</p> <p>SEK 1215</p> | <p>ART. 6315</p>  <p>Island-shaped link - 33,4 x 36 x 5</p> <p>SEK 1346</p> | |
| <p>ART. 6316</p>  <p>Plate-shaped link - 26,6 x 8</p> <p>SEK 488</p> | | |
| <p>SHIPMENT DETAILS</p> <p>Art. 6314 1 pz = 1  - kg 3,5/ m³ 0,001</p> <p>Art. 6315 1 pz = 1  - kg 3,5/ m³ 0,001</p> <p>Art. 6316 1 pz = 1  - kg 1,5/ m³ 0,001</p> | <p>TECHNICAL SPECIFICATIONS</p> | <p>RESISTANCE TEST</p> |



Accessories

Design by Ichiro Iwasaki, 2018

| SEK ART. 6317 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|-------|-------|------|------|------|------|------|------|------|------|-------|-------|-------|
| SPARE COVER ART. 6303 - Cushion 63 x 63 x 10 cm | 1358 | 1632 | 1906 | 2180 | 2454 | 2728 | 3002 | 3276 | 3550 | 3824 | 4098 | 4372 | 4646 | 5763 |
| SEK ART. 6318 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6304 - Backrest cushion 63 x 63 x 40 cm | 2168 | 2597 | 3026 | 3455 | 3884 | 4313 | 4742 | 5171 | 5600 | 6029 | 6458 | 6887 | 7316 | 8990 |
| SEK ART. 6337 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6328 - Cushion with right angular standard backrest | 2595 | 3107 | 3619 | 4131 | 4643 | 5155 | 5667 | 6179 | 6691 | 7203 | 7715 | 8227 | 8739 | 10741 |
| SEK ART. 6338 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6329 - Cushion with left angular standard backrest | 2595 | 3107 | 3619 | 4131 | 4643 | 5155 | 5667 | 6179 | 6691 | 7203 | 7715 | 8227 | 8739 | 10741 |
| SEK ART. 6339 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6330 - Cushion with right angular high backrest | 3263 | 3894 | 4525 | 5156 | 5787 | 6418 | 7049 | 7680 | 8311 | 8942 | 9573 | 10204 | 10835 | 13383 |
| SEK ART. 6341 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6332 - Cushion with high backrest | 2370 | 2870 | 3370 | 3870 | 4370 | 4870 | 5370 | 5870 | 6370 | 6870 | 7370 | 7870 | 8370 | 10288 |






| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6317 1 pz = 1  - kg 5/ m³ 0,036 Art. 6318 1 pz = 1  - kg 5/ m³ 0,036 Art. 6337 1 pz = 1  - kg 5/ m³ 0,042 Art. 6338 1 pz = 1  - kg 5/ m³ 0,042 Art. 6339 1 pz = 1  - kg 5/ m³ 0,042 Art. 6341 1 pz = 1  - kg 5/ m³ 0,042 | Art.6317 COL requirement m² 1.92 H 140 cm. COM Meterage m 1.18 Art.6318 COL requirement m² 3.24 H 140 cm. COM Meterage m 2.04 Art.6337 COL requirement m² 4.56 H 140 cm. COM Meterage m 1.78 Art.6338 COL requirement m² 4.56 H 140 cm. COM Meterage m 1.78 Art.6339 COL requirement m² 6.24 H 140 cm. COM Meterage m 2.53 Art.6341 COL requirement m² 4.42 H 140 cm. COM Meterage m 2.43 | |
| FIRE RETARDANT TEST | | |



Accessories




Design by Ichiro Iwasaki, 2018



| SEK ART. 6319 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER | 3632 | 4703 | 5774 | 6845 | 7916 | 8987 | 10058 | 11129 | 12200 | 13271 | 14342 | 15413 | 16484 | 20802 |
| SEK ART. 6340 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6331- Cushion with left angular high backrest | 3263 | 3894 | 4525 | 5156 | 5787 | 6418 | 7049 | 7680 | 8311 | 8942 | 9573 | 10204 | 10835 | 13383 |
| SEK ART. 6342 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6333 - Middle armrest | 1191 | 1345 | 1499 | 1653 | 1807 | 1961 | 2115 | 2269 | 2423 | 2577 | 2731 | 2885 | 3039 | 3620 |
| SEK ART. 6343 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6334 - Terminal armrest - Right | 1191 | 1345 | 1499 | 1653 | 1807 | 1961 | 2115 | 2269 | 2423 | 2577 | 2731 | 2885 | 3039 | 3620 |
| SEK ART. 6344 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER ART. 6335 - Lateral armrest - Left | 1191 | 1345 | 1499 | 1653 | 1807 | 1961 | 2115 | 2269 | 2423 | 2577 | 2731 | 2885 | 3039 | 3620 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 6319 1 pz = 1  - kg 8/ m³ 0,036 Art. 6340 1 pz = 1  - kg 5/ m³ 0,042 Art. 6342 1 pz = 1  - kg 3/ m³ 0,042 Art. 6343 1 pz = 1  - kg 3/ m³ 0,042 Art. 6344 1 pz = 1  - kg 3/ m³ 0,042 | Art.6319 COL requirement m² 9.45 H 140 cm. COM Meterage m 3.44 Art.6340 COL requirement m² 6.24 H 140 cm. COM Meterage m 2.53 Art.6342 COL requirement m² 1.32 H 140 cm. COM Meterage m 0.58 Art.6343 COL requirement m² 1.44 H 140 cm. COM Meterage m 0.83 Art.6344 COL requirement m² 1.44 H 140 cm. COM Meterage m 0.83 | |
| FIRE RETARDANT TEST | | |



Accessories


| SEK ART. 6001 | SEK ART. 6320 | SEK ART. 6321 |
|--|---|---|
|  |  |  |
| Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included. | Legs floor fixing system | Floor fixing kit for consoles |
| 1655 | 654 | 1036 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---------------------------------|------------------------|
| Art. 6320 1 pz = 1  - kg 1/ m³ 0 | | |
| Art. 6321 1 pz = 1  - kg 1/ m³ 0,001 | | |
| FIRE RETARDANT TEST | | |



LOOP

Design by
Lievore Altherr Molina
2009



Loop

Collection overview

Type

Freestanding






Sofa — 2 seats

Sofa — 3 seats

Modular elements





Linear



With right armrest

With left armrest

Corner components




90°


135°

Loop


Modular system for circular compositions




30° concave



30° convex



45°



90°

Options



— Polished or powdercoated aluminium feet




— USB




— Cushion


A
ART. 2802 + ART. 2809 + ART. 2805




B
ART. 2802 + ART. 2805



C
ART. 2802 + ART. 2807 + ART. 2803




D
ART. 2804 + ART. 2808 + ART. 2809 + ART. 2807 + ART. 2803




E

1x ART. 2802 + 6x ART. 2820 + 3x ART. 2821 + 2x ART. 2822 + 1x ART. 2803




F



2x ART. 2823 + 6x ART. 2821
























G

12x ART. 2821



 MODULE SEWING SCHEME
 MODULE ZIPPER SCHEME

* Only for: Hallingdal 65 e Tonus 4. The other fabrics will be upholstered same as removable cover scheme.

| ART. | Non removable cover | * Removable cover / coated fabric | soft leather |
|------|---|--|---|
| 2800 |  |  |  |
| 2801 |  |  |  |
| 2802 |  |  |  |
| 2803 |  |  |  |
| 2804 |  |  |  |
| 2805 |  |  |  |
| 2806 |  |  |  |

— MODULE SEWING SCHEME
— MODULE ZIPPER SCHEME

* Only for: Hallingdal 65 e Tonus 4. The other fabrics will be upholstered same as removable cover scheme.

| ART. | Non removable cover | * Removable cover / coated fabric | soft leather |
|------|---------------------|-----------------------------------|--------------|
| 2807 | | | |
| 2808 | | | |
| 2809 | | | |
| 2820 | | | |
| 2821 | | | |
| 2822 | | | |
| 2823 | | | |


Loop

Design by Lievore Altherr Molina, 2009



Two seat sofa with wooden frame and stainless steel, polished aluminum or powdercoated feet. Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge.


Accessories:
Replacement cover set Art. 2810
USB Art. 6001



| SEK ART. 2800 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 28839 | 30161 | 31483 | 32805 | 34127 | 35449 | 36771 | 38093 | 39415 | 40737 | 42059 | 43381 | 44703 |
| Aluminum feet | + 881 | Art. 2800 | | | | | | | | | | | | |
| Fire retardant foam | + 2763 | Art. 2800 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art. 2800 1 pz = 1 - kg 55/ m³ 1,195 | Art.2800 COL requirement m² 10,86 H 140 cm. COM Meterage m 5,17 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 • EN 1022:2018 7.2 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



LU1 S03 V39 matt



Polished or powdercoated aluminium feet Quick Click



Loop




Design by Lievore Altherr Molina, 2009

Upholstered three seat sofa with wooden frame and stainless steel or powder-coated feet. Upholstery in fabric, customer's material, leather or coated fabric. Fully removable cover version available upon request without surcharge.

Accessories:

Replacement cover set Art. 2811


USB Art. 6001



| SEK ART. 2801 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 32006 | 33971 | 35936 | 37901 | 39866 | 41831 | 43796 | 45761 | 47726 | 49691 | 51656 | 53621 | 55586 |
| Aluminum feet | + 881 | Art. 2801 | | | | | | | | | | | | |
| Fire retardant foam | + 3168 | Art. 2801 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| Art. 2801 1 pz = 1 - kg 80/ m³ 1,524 | Art.2801 COL requirement m² 14.29 H 140 cm. COM Meterage m 6.61 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base




Loop

Design by Lievore Altherr Molina, 2009

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.


Accessories:
Replacement cover set Art. 2812
Replacement cover set Art. 2813
USB Art. 6001



| SEK ART. 2802 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 28255 | 29326 | 30397 | 31468 | 32539 | 33610 | 34681 | 35752 | 36823 | 37894 | 38965 | 40036 | 41107 | 45663 |
| SEK ART. 2803 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| | 28255 | 29326 | 30397 | 31468 | 32539 | 33610 | 34681 | 35752 | 36823 | 37894 | 38965 | 40036 | 41107 | 45663 |
| Fire retardant foam | + 2524 | | Art. 2802 | | | | | | | | | | | |
| Fire retardant foam | + 2524 | | Art. 2803 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art. 2802 1 pz = 1 - kg 44/ m³ 0,997 Art. 2803 1 pz = 1 - kg 44/ m³ 0,997 | Art.2802 COL requirement m² 9.44 H 140 cm. COM Meterage m 4.16 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.2803 COL requirement m² 9.44 H 140 cm. COM Meterage m 4.16 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Polished or powdercoated aluminium feet Quick Click




Loop

Design by Lievore Altherr Molina, 2009

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.


Accessories:
Replacement cover set Art. 2814
Replacement cover set Art. 2815
USB Art. 6001



| SEK ART. 2804 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 30411 | 32066 | 33721 | 35376 | 37031 | 38686 | 40341 | 41996 | 43651 | 45306 | 46961 | 48616 | 50271 | 57392 |
| SEK ART. 2805 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| | 30411 | 32066 | 33721 | 35376 | 37031 | 38686 | 40341 | 41996 | 43651 | 45306 | 46961 | 48616 | 50271 | 57392 |
| Fire retardant foam | + 2691 | | Art. 2804 | | | | | | | | | | | |
| Fire retardant foam | + 2691 | | Art. 2805 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 2804 1 pz = 1 - kg 54/ m³ 1,179 Art. 2805 1 pz = 1 - kg 54/ m³ 1,179 | Art.2804 COL requirement m² 10.66 H 140 cm. COM Meterage m 4.84 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.2805 COL requirement m² 10.66 H 140 cm. COM Meterage m 4.84 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| Classe 11M Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Polished or powdercoated aluminium feet Quick Click




Loop

Design by Lievore Altherr Molina, 2009

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

Accessories:
Replacement cover set Art. 2816
Replacement cover set Art. 2817
USB Art. 6001



| SEK ART. 2806 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 22099 | 23087 | 24075 | 25063 | 26051 | 27039 | 28027 | 29015 | 30003 | 30991 | 31979 | 32967 | 33955 | 38019 |
| SEK ART. 2807 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| | 26374 | 27981 | 29588 | 31195 | 32802 | 34409 | 36016 | 37623 | 39230 | 40837 | 42444 | 44051 | 45658 | 52605 |
| Fire retardant foam | + 1869 | Art. 2806 | | | | | | | | | | | | |
| Fire retardant foam | + 2144 | Art. 2807 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 2806 1 pz = 1 - kg 42,5/ m³ 0,755 Art. 2807 1 pz = 1 - kg 64/ m³ 1,1 | Art.2806 COL requirement m² 7.28 H 140 cm. COM Meterage m 3.54 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.2807 COL requirement m² 9.53 H 140 cm. COM Meterage m 5.01 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Polished or powdercoated aluminium feet Quick Click




Loop

Design by Lievore Altherr Molina, 2009

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.


Accessories:
Replacement cover set Art. 2818
Replacement cover set Art. 2819
USB Art. 6001



| SEK ART. 2808 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 26482 | 27482 | 28482 | 29482 | 30482 | 31482 | 32482 | 33482 | 34482 | 35482 | 36482 | 37482 | 38482 | 42687 |
| SEK ART. 2809 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| | 24219 | 25041 | 25863 | 26685 | 27507 | 28329 | 29151 | 29973 | 30795 | 31617 | 32439 | 33261 | 34083 | 37460 |
| Fire retardant foam | + | 2203 | Art. 2808 | | | | | | | | | | | |
| Fire retardant foam | + | 2119 | Art. 2809 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art. 2808 1 pz = 1 - kg 48/ m² 1,114 Art. 2809 1 pz = 1 - kg 42/ m² 0,899 | Art.2808 COL requirement m² 7.93 H 140 cm. COM Meterage m 3.96 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.2809 COL requirement m² 6.89 H 140 cm. COM Meterage m 3.81 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.5 |
| Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Polished or powdercoated aluminium feet Quick Click




Loop

Design by Lievore Altherr Molina, 2009

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

Accessories:
Replacement cover set Art. 2824
Replacement cover set Art. 2825
USB Art. 6001



| SEK ART. 2820 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 24207 | 25041 | 25875 | 26709 | 27543 | 28377 | 29211 | 30045 | 30879 | 31713 | 32547 | 33381 | 34215 | 37697 |
| SEK ART. 2821 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| | 24302 | 25088 | 25874 | 26660 | 27446 | 28232 | 29018 | 29804 | 30590 | 31376 | 32162 | 32948 | 33734 | 36792 |
| Fire retardant foam | + 2119 | | Art. 2820 | | | | | | | | | | | |
| Fire retardant foam | + 2119 | | Art. 2821 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2820 1 pz = 1 - kg 27/ m³ 0,845 Art. 2821 1 pz = 1 - kg 27/ m³ 0,845 | Art.2820 COL requirement m² 6.5 H 140 cm. COM Meterage m 2.81 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.2821 COL requirement m² 6.06 H 140 cm. COM Meterage m 2.64 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base



Polished or powdercoated aluminium feet Quick Click




Loop

Design by Lievore Altherr Molina, 2009

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.


Accessories:
Replacement cover set Art. 2826
Replacement cover set Art. 2827
USB Art. 6001



| SEK ART. 2822 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-------|-------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 24600 | 25588 | 26576 | 27564 | 28552 | 29540 | 30528 | 31516 | 32504 | 33492 | 34480 | 35468 | 36456 | 40543 |
| SEK ART. 2823 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| | 26589 | 27577 | 28565 | 29553 | 30541 | 31529 | 32517 | 33505 | 34493 | 35481 | 36469 | 37457 | 38445 | 42531 |
| Fire retardant foam | + | 2144 | Art. 2822 | | | | | | | | | | | |
| Fire retardant foam | + | 2203 | Art. 2823 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 2822 1 pz = 1 - kg 42/ m² 0,845 Art. 2823 1 pz = 1 - kg 30/ m² 0,845 | Art.2822 COL requirement m² 6.11 H 140 cm. COM Meterage m 2.88 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.2823 COL requirement m² 6.24 H 140 cm. COM Meterage m 3.17 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. | | |

Frame Base




Polished or powdercoated aluminium feet Quick Click



Loop

Design by Lievore Altherr Molina, 2011

Available in two different dimensions with black decorative piping stitched along the edge between back and front side. Upholstery made of down and fiber, upholstered in fabric, coated fabric, leather, COM customer's material.



| SEK ART. 2828 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| 52x46 cm | 1571 | 1714 | 1857 | 2000 | 2143 | 2286 | 2429 | 2572 | 2715 | 2858 | 3001 | 3144 | 3287 | 3965 |
| SEK ART. 2829 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 52x36 cm | 1405 | 1548 | 1691 | 1834 | 1977 | 2120 | 2263 | 2406 | 2549 | 2692 | 2835 | 2978 | 3121 | 3810 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.2828 1 pz = 1 - kg 2/ m³ 0,078 4 pz = 1 - kg 5/ m³ 0,153 Art.2829 1 pz = 1 - kg 2/ m³ 0,078 4 pz = 1 - kg 5/ m³ 0,153 | Art.2828 COL requirement m² 1.16 H 140 cm. COM Meterage m 0.69 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.2829 COL requirement m² 0.9 H 140 cm. COM Meterage m 0.68 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |







| FIRE RETARDANT TEST |
|--|
| Classe 11M Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 11M Omologazione Italia Steelcut Trio 3 Kvadrat. |



Accessories

Design by Lievore Altherr Molina, 2009

| | | | | | | | | | | | | | | |
|-----------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| SEK ART. 2810 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2800 | 10300 | 12551 | 14802 | 17053 | 19304 | 21555 | 23806 | 26057 | 28308 | 30559 | 32810 | 35061 | 37312 | 46842 |
| SEK ART. 2811 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2801 | 12061 | 14966 | 17871 | 20776 | 23681 | 26586 | 29491 | 32396 | 35301 | 38206 | 41111 | 44016 | 46921 | 59154 |
| SEK ART. 2812 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2802 | 10978 | 12859 | 14740 | 16621 | 18502 | 20383 | 22264 | 24145 | 26026 | 27907 | 29788 | 31669 | 33550 | 41377 |
| SEK ART. 2813 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2803 | 10978 | 12859 | 14740 | 16621 | 18502 | 20383 | 22264 | 24145 | 26026 | 27907 | 29788 | 31669 | 33550 | 41377 |
| SEK ART. 2814 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2804 | 12205 | 14349 | 16493 | 18637 | 20781 | 22925 | 25069 | 27213 | 29357 | 31501 | 33645 | 35789 | 37933 | 47282 |
| SEK ART. 2815 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2805 | 12205 | 14349 | 16493 | 18637 | 20781 | 22925 | 25069 | 27213 | 29357 | 31501 | 33645 | 35789 | 37933 | 47282 |





| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 2810 1 pz = 1  - kg 5/ m³ 0,23 Art. 2811 1 pz = 1  - kg 5/ m³ 0,23 Art. 2812 1 pz = 1  - kg 5/ m³ 0,23 Art. 2813 1 pz = 1  - kg 5/ m³ 0,23 Art. 2814 1 pz = 1  - kg 5/ m³ 0,23 Art. 2815 1 pz = 1  - kg 5/ m³ 0,23 | Art.2810 COL requirement m² 10.86 H 140 cm. COM Meterage m 5.17 Art.2811 COL requirement m² 14.29 H 140 cm. COM Meterage m 6.61 Art.2812 COL requirement m² 9.44 H 140 cm. COM Meterage m 4.16 Art.2813 COL requirement m² 9.44 H 140 cm. COM Meterage m 4.16 Art.2814 COL requirement m² 10.66 H 140 cm. COM Meterage m 4.84 Art.2815 COL requirement m² 10.66 H 140 cm. COM Meterage m 4.84 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |



Accessories

Design by Lievore Altherr Molina, 2009

| SEK ART. 2816 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER Art. 2806 | 7966 | 9395 | 10824 | 12253 | 13682 | 15111 | 16540 | 17969 | 19398 | 20827 | 22256 | 23685 | 25114 | 31268 |
| SEK ART. 2817 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2807 | 9573 | 11609 | 13645 | 15681 | 17717 | 19753 | 21789 | 23825 | 25861 | 27897 | 29933 | 31969 | 34005 | 42687 |
| SEK ART. 2818 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2808 | 9644 | 11478 | 13312 | 15146 | 16980 | 18814 | 20648 | 22482 | 24316 | 26150 | 27984 | 29818 | 31652 | 39067 |
| SEK ART. 2819 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2809 | 7871 | 9335 | 10799 | 12263 | 13727 | 15191 | 16655 | 18119 | 19583 | 21047 | 22511 | 23975 | 25439 | 31899 |





| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 2816 1 pz = 1  - kg 5/ m³ 0,23 Art. 2817 1 pz = 1  - kg 5/ m³ 0,23 Art. 2818 1 pz = 1  - kg 5/ m³ 0,23 Art. 2819 1 pz = 1  - kg 5/ m³ 0,23 | Art.2816 COL requirement m² 7.28 H 140 cm. COM Meterage m 3.54 Art.2817 COL requirement m² 9.53 H 140 cm. COM Meterage m 5.01 Art.2818 COL requirement m² 7.93 H 140 cm. COM Meterage m 3.96 Art.2819 COL requirement m² 6.89 H 140 cm. COM Meterage m 3.81 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut 2 Kvadrat. Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |



Accessories

Design by Lievore Altherr Molina, 2009

| SEK ART. 2824 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER Art. 2820 | 7871 | 9335 | 10799 | 12263 | 13727 | 15191 | 16655 | 18119 | 19583 | 21047 | 22511 | 23975 | 25439 | 31899 |
| SEK ART. 2825 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2821 | 7871 | 9335 | 10799 | 12263 | 13727 | 15191 | 16655 | 18119 | 19583 | 21047 | 22511 | 23975 | 25439 | 31899 |
| SEK ART. 2826 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2822 | 9728 | 11014 | 12300 | 13586 | 14872 | 16158 | 17444 | 18730 | 20016 | 21302 | 22588 | 23874 | 25160 | 30327 |
| SEK ART. 2827 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER Art. 2823 | 10336 | 11979 | 13622 | 15265 | 16908 | 18551 | 20194 | 21837 | 23480 | 25123 | 26766 | 28409 | 30052 | 37079 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 2824 1 pz = 1  - kg 5/ m³ 0,23 Art. 2825 1 pz = 1  - kg 5/ m³ 0,23 Art. 2826 1 pz = 1  - kg 5/ m³ 0,23 Art. 2827 1 pz = 1  - kg 5/ m³ 0,23 | Art.2824 COL requirement m² 6.5 H 140 cm. COM Meterage m 2.81 Art.2825 COL requirement m² 6.06 H 140 cm. COM Meterage m 2.64 Art.2826 COL requirement m² 6.11 H 140 cm. COM Meterage m 2.88 Art.2827 COL requirement m² 6.24 H 140 cm. COM Meterage m 3.17 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat, Steelcut 2 Kvadrat, Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. | | |



Accessories

SEK ART. 6001



Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included.

1655


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| FIRE RETARDANT TEST | | |



PIX

Design by Ichiro Iwasaki

2014



Pix

Collection overview

Type



1 seat



1 seat



1 seat



1 seat



2 seats



3 seats



5 seats




1 seat




2 seats

Upholstery




Upholstered and covered
in fabric, leather or coated
fabric

Sewing scheme



Pix




Pix Cubo



Outdoor

Pix

Design by Ichiro Iwasaki, 2014



One seat ottoman. Upholstery in leather, coated fabric, fabric or customer's own material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 49 cm diameter and 48 cm height.

Accessories:
Replacement cover set Art. 3016

| SEK ART. 3013 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-----------------|-------|---|------|------|------|------|------|------|------|------|-------|-------|
| | 5370 | 5763 | 6156 | 6549 | 6942 | 7335 | 7728 | 8121 | 8514 | 8907 | 9300 | 9693 | 10086 | 11490 |
| SEK ART. 3028 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 7085 | 7478 | 7871 | | | | | | | | | | | |
| Removable cover | + 536 Art. 3013 | | | | | | | | | | | | | |
| Fire retardant foam | + 83 Art. 3013 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | RESISTANCE TEST | | | | | | | | | | |
| Art.3013 1 pz = 1 - kg 5,92/ m³ 0,208 Art.3028 1 pz = 1 - kg 5,92/ m³ 0,208 | Art.3013 COL requirement m² 2.4 H 140 cm. COM Meterage m 1.32 Art.3028 H 140 cm. COM Meterage m 1.32 | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix

Design by Ichiro Iwasaki, 2014

One seat low ottoman. Upholstery in leather, coated fabric, fabric or customer's own material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 55 cm diameter and 32 cm height.



Accessories:
Replacement cover set Art. 3014

| SEK ART. 3011 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-----------------|-------|------|------------------------|------|------|------|------|------|------|------|------|-------|
| | 5180 | 5549 | 5918 | 6287 | 6656 | 7025 | 7394 | 7763 | 8132 | 8501 | 8870 | 9239 | 9608 | 11073 |
| SEK ART. 3026 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 6668 | 7037 | 7406 | | | | | | | | | | | |
| Removable cover | + 464 | Art. 3011 | | | | | | | | | | | | |
| Fire retardant foam | + 71 | Art. 3011 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3011 1 pz = 1 - kg 5,3/ m³ 0,121 Art.3026 1 pz = 1 - kg 5,3/ m³ 0,121 | Art.3011 COL requirement m² 2.04 H 140 cm. COM Meterage m 1.1 Art.3026 H 140 cm. COM Meterage m 1.1 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |



Outdoor use




Pix

Design by Ichiro Iwasaki, 2010

One small seat ottoman. Upholstery available in fabric, leather, coated fabric or customer's material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 67 cm diameter and 43 cm height.

Accessories:
Replacement cover set Art. 3004



| SEK ART. 3000 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-----------------|-------|------|------------------------|------|------|------|------|------|-------|-------|-------|-------|
| | 6322 | 6691 | 7060 | 7429 | 7798 | 8167 | 8536 | 8905 | 9274 | 9643 | 10012 | 10381 | 10750 | 12205 |
| SEK ART. 3022 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 8252 | 8621 | 8990 | | | | | | | | | | | |
| Removable cover | + 893 | Art. 3000 | | | | | | | | | | | | |
| Fire retardant foam | + 95 | Art. 3000 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3000 1 pz = 1 - kg 8/ m³ 0,215 | Art.3000 COL requirement m² 2.7 H 140 cm. COM Meterage m 1.65 | | | | | | | | | | | | | |
| Art.3022 1 pz = 1 - kg 8/ m³ 0,215 | Art.3022 H 140 cm. COM Meterage m 1.6 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix

Design by Ichiro Iwasaki, 2010

One large seat ottoman. Upholstery available in fabric, leather, coated fabric or customer's material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 87 cm diameter and 43 cm height.



Accessories:
Replacement cover set Art. 3005

| SEK ART. 3001 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-----------------|-------|------|--|-------|-------|-------|-------|---|-------|-------|-------|-------|
| | 8073 | 8621 | 9169 | 9717 | 10265 | 10813 | 11361 | 11909 | 12457 | 13005 | 13553 | 14101 | 14649 | 16884 |
| SEK ART. 3023 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 10669 | 11217 | 11765 | | | | | | | | | | | |
| Removable cover | + 1286 | Art. 3001 | | | | | | | | | | | | |
| Fire retardant foam | + 202 | Art. 3001 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3001 1 pz = 1 - kg 15/ m³ 0,395 | Art.3001 COL requirement m² 3.3 H 140 cm. COM Meterage m 2.31 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 | | | | |
| Art.3023 1 pz = 1 - kg 15/ m³ 0,395 | Art.3023 H 140 cm. COM Meterage m 2.2 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix

Design by Ichiro Iwasaki, 2014

Two seat low ottoman. Upholstery in leather, coated fabric, fabric or customer's own material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 95 cm diameter and 32 cm height.



Accessories:
Replacement cover set Art. 3015

| SEK ART. 3012 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-----------------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 9156 | 9704 | 10252 | 10800 | 11348 | 11896 | 12444 | 12992 | 13540 | 14088 | 14636 | 15184 | 15732 | 17980 |
| SEK ART. 3027 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 11812 | 12360 | 12908 | | | | | | | | | | | |
| Removable cover | + 1095 | Art. 3012 | | | | | | | | | | | | |
| Fire retardant foam | + 166 | Art. 3012 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3012 1 pz = 1 - kg 12,5/ m³ 0,346 | Art.3012 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.93 | | | | | | | | | | | | | |
| Art.3027 1 pz = 1 - kg 12,5/ m³ 0,346 | Art.3027 H 140 cm. COM Meterage m 1.87 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix

Design by Ichiro Iwasaki, 2010

Three seater ottoman. Upholstery available in fabric, leather, coated fabric or customer's material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 137 cm diameter and 44,5 cm height.



Accessories:
Replacement cover set Art. 3006

| SEK ART. 3002 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-----------------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 17158 | 18087 | 19016 | 19945 | 20874 | 21803 | 22732 | 23661 | 24590 | 25519 | 26448 | 27377 | 28306 | 32351 |
| SEK ART. 3024 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 22433 | 23362 | 24291 | | | | | | | | | | | |
| Removable cover | + 1988 | Art. 3002 | | | | | | | | | | | | |
| Fire retardant foam | + 512 | Art. 3002 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3002 1 pz = 1 - kg 36/ m³ 0,942 Art.3024 1 pz = 1 - kg 36/ m³ 0,942 | Art.3002 COL requirement m² 7.8 H 140 cm. COM Meterage m 3.69 Art.3024 H 140 cm. COM Meterage m 3.69 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix

Design by Ichiro Iwasaki, 2010

Five seater ottoman. Upholstery available in fabric, leather, coated fabric or customer's material. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 177 cm diameter and 45,5 cm height.



Accessories:
Replacement cover set Art. 3007

| SEK ART. 3003 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---|-----------------|-------|-------|--|-------|-------|-------|-------|---|-------|-------|-------|-------|
| | 20670 | 22004 | 23338 | 24672 | 26006 | 27340 | 28674 | 30008 | 31342 | 32676 | 34010 | 35344 | 36678 | 42020 |
| SEK ART. 3025 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 27768 | 29102 | 30436 | | | | | | | | | | | |
| Removable cover | + 3548 | Art. 3003 | | | | | | | | | | | | |
| Fire retardant foam | + 1071 | Art. 3003 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3003 1 pz = 1 - kg 60/ m³ 1,6 | Art.3003 COL requirement m² 9.96 H 140 cm. COM Meterage m 5.67 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 | | | | |
| Art.3025 1 pz = 1 - kg 60/ m³ 1,6 | Art.3025 H 140 cm. COM Meterage m 4.95 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix Cubo

Design by Ichiro Iwasaki, 2018



One-seat ottoman. Upholstery in fabric, leather, coated fabric or customer's fabric or leather. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 55x55 cm surface and 45 cm height.

Accessories:
Replacement cover set Art. 3019
Connection kit (Pix Cubo) Art. 3021

| SEK ART. 3017 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-----------------|-------|------|------------------------|------|------|------|------|------|-------|-------|-------|-------|
| | 6322 | 6691 | 7060 | 7429 | 7798 | 8167 | 8536 | 8905 | 9274 | 9643 | 10012 | 10381 | 10750 | 12205 |
| SEK ART. 3029 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 8371 | 8740 | 9109 | | | | | | | | | | | |
| Removable cover | + 893 | Art. 3017 | | | | | | | | | | | | |
| Fire retardant foam | + 95 | Art. 3017 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3017 1 pz = 1 - kg 5/ m² 0,211 | Art.3017 COL requirement m² 3.08 H 140 cm. COM Meterage m 1.72 | | | | | | | | | | | | | |
| Art.3029 1 pz = 1 - kg 5/ m² 0,211 | Art.3029 H 140 cm. COM Meterage m 1.72 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |




Outdoor use



Pix Cubo

Design by Ichiro Iwasaki, 2018



Two-seat ottoman. Upholstery in fabric, leather, coated fabric or customer's fabric or leather. Available in outdoor version thanks to a water-repellent inner lining in coated polyester. Fitted with glides. 110x55 cm surface and 45 cm height.

Accessories:
Replacement cover set Art. 3020
Connection kit (Pix Cubo) Art. 3021

| SEK ART. 3018 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|--|-----------------|-------|-------|---|-------|-------|-------|-------|--|-------|-------|-------|-------|
| | 9859 | 10407 | 10955 | 11503 | 12051 | 12599 | 13147 | 13695 | 14243 | 14791 | 15339 | 15887 | 16435 | 18694 |
| SEK ART. 3030 | COM Silvertex | Heritage Savane | Patio | | | | | | | | | | | |
| OUTDOOR | 12645 | 13193 | 13741 | | | | | | | | | | | |
| Removable cover | + 1095 | Art. 3018 | | | | | | | | | | | | |
| Fire retardant foam | + 166 | Art. 3018 | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.3018 1 pz = 1 - kg 11,5/ m³ 0,421 Art.3030 1 pz = 1 - kg 11,5/ m³ 0,421 | Art.3018 COL requirement m² 4 H 140 cm. COM Meterage m 2.24 Art.3030 H 140 cm. COM Meterage m 2.24 | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.5 | | | | | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.4 | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Canvas 2 Kvadrat. Field Kvadrat. Hallingdal 65 Kvadrat. Steelcut 2 Kvadrat. Tonus 4 Kvadrat. Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |








Outdoor use



Accessories

Design by Ichiro Iwasaki, 2010

| SEK ART. 3004 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|------|-------|-------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| SPARE COVER art. 3000 | 3500 | 3976 | 4452 | 4928 | 5404 | 5880 | 6356 | 6832 | 7308 | 7784 | 8260 | 8736 | 9212 | 10848 |
| SEK ART. 3005 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3001 | 3798 | 4464 | 5130 | 5796 | 6462 | 7128 | 7794 | 8460 | 9126 | 9792 | 10458 | 11124 | 11790 | 14836 |
| SEK ART. 3014 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3011 | 2012 | 2441 | 2870 | 3299 | 3728 | 4157 | 4586 | 5015 | 5444 | 5873 | 6302 | 6731 | 7160 | 8632 |
| SEK ART. 3015 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3012 | 2988 | 3607 | 4226 | 4845 | 5464 | 6083 | 6702 | 7321 | 7940 | 8559 | 9178 | 9797 | 10416 | 13050 |
| SEK ART. 3016 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3013 | 2239 | 2703 | 3167 | 3631 | 4095 | 4559 | 5023 | 5487 | 5951 | 6415 | 6879 | 7343 | 7807 | 9336 |





| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 3004 1 pz = 1  - kg 5/ m³ 0,037 Art. 3005 1 pz = 1  - kg 5/ m³ 0,037 Art. 3014 1 pz = 1  - kg 5/ m³ 0,037 Art. 3015 1 pz = 1  - kg 5/ m³ 0,04 Art. 3016 1 pz = 1  - kg 5/ m³ 0,04 | Art.3004 COL requirement m² 2.7 H 140 cm. COM Meterage m 1.65 Art.3005 COL requirement m² 3.3 H 140 cm. COM Meterage m 2.31 Art.3014 COL requirement m² 2.04 H 140 cm. COM Meterage m 1.1 Art.3015 COL requirement m² 3.3 H 140 cm. COM Meterage m 1.93 Art.3016 COL requirement m² 2.4 H 140 cm. COM Meterage m 1.32 | |
| FIRE RETARDANT TEST | | |



Accessories

Design by Ichiro Iwasaki, 2010

| SEK ART. 3006 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER art. 3002 | 5453 | 6489 | 7525 | 8561 | 9597 | 10633 | 11669 | 12705 | 13741 | 14777 | 15813 | 16849 | 17885 | 22361 |
| SEK ART. 3007 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3003 | 7109 | 8752 | 10395 | 12038 | 13681 | 15324 | 16967 | 18610 | 20253 | 21896 | 23539 | 25182 | 26825 | 33828 |
| SEK ART. 3019 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3017 | 3500 | 3976 | 4452 | 4928 | 5404 | 5880 | 6356 | 6832 | 7308 | 7784 | 8260 | 8736 | 9212 | 10848 |
| SEK ART. 3020 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 3018 | 3680 | 4299 | 4918 | 5537 | 6156 | 6775 | 7394 | 8013 | 8632 | 9251 | 9870 | 10489 | 11108 | 13753 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| <p>Art. 3006 1 pz = 1  - kg 5/ m³ 0,209</p> <p>Art. 3007 1 pz = 1  - kg 5/ m³ 0,209</p> <p>Art. 3019 1 pz = 1  - kg 5/ m³ 0,037</p> <p>Art. 3020 1 pz = 1  - kg 5/ m³ 0,037</p> | <p>Art.3006 COL requirement m² 7.8 H 140 cm. COM Meterage m 3.7</p> <p>Art.3007 COL requirement m² 9.96 H 140 cm. COM Meterage m 5.67</p> <p>Art.3019 COL requirement m² 3.08 H 140 cm. COM Meterage m 1.72</p> <p>Art.3020 COL requirement m² 4 H 140 cm. COM Meterage m 2.24</p> | |
| FIRE RETARDANT TEST | | |



Accessories


Design by Ichiro Iwasaki

SEK ART. 3021



Connection kit to link two Pix Cubo elements.

357


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 3021 1 pz = 1  - kg 0,7/ m³ 0,005 | | |
| FIRE RETARDANT TEST | | |



RALIK

Design by Ichiro Iwasaki

2023



Ralik

Collection overview

Seating modules



1-seater ottoman module



1-seater ottoman module with backrest



2-seater ottoman module



2-seater ottoman module with backrest



1-seater bench module



2-seater bench module

Ralik

Storage modules



Storage module L. 55,5 cm



Storage module L. 85,5 cm

Table modules



Fixed table module



Freestanding height adjustable side table module

Options




USB

Ralik


Cushions



— Cushion for 1-seater bench



— Cushion for 2-seater bench



Cushions available in two different formats, with linking system, specifically made to provide greater comfort to configurations, in which the 1-seater or 2-seater bench modules are placed against the backrest of the seat modules art. 7401 and 7403.

Ralik

Legend

Seating modules




Container modules



Table modules




Composition Examples



ART. 7400 + ART. 7403 + ART. 7414 + ART. 7402

+

ART. 7416 + ART. 7400 + ART. 7405 + ART. 7401



ART. 7402 + ART. 7403



+

ART. 7400 + ART. 7413

+


ART. 7416

ART. 7400
+
ART. 7401
+
ART. 7414




ART. 7400

Ralik




ART. 7403 + ART. 7402
+
ART. 7405 + ART. 7413
+
ART. 7417













































ART. 7400 + ART. 7401
+
ART. 7412 + ART. 7414

ART. 7403 + ART. 7415
+
ART. 7402 + ART. 7417
+
ART. 7404
+
ART. 7401
+
ART. 7402




MODULE SEWING SCHEME

| ART. | Non removable cover | Removable cover / coated fabric | soft leather |
|------|---|--|---|
| 7400 |  |    |    |
| 7401 |  |    |    |
| 7402 |  |    |    |
| 7403 |  |    |    |
| 7404 |  |    |    |
| 7405 |  |    |    |

Ralik

Design by Ichiro Iwasaki, 2023



1-seater ottoman module with base in polypropylene made with recycled materials, available in 5 colours and equipped with a removable system to link seat modules. Covered with removable upholstery in fabric, leather, coated fabric or customer's own material.

Accessories:
 USB Art. 6001
 Replacement cover set Art. 7406
 Fixed table module Art. 7416


| SEK ART. 7400 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1-seater ottoman module | 14243 | 14787 | 15331 | 15875 | 16419 | 16963 | 17507 | 18051 | 18595 | 19139 | 19683 | 20227 | 20771 | 22952 |
| Base in colored polypropylene (P63, P65, P67, P68) | + 397 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | | RESISTANCE TEST | | | | | | | | |
| Art.7400 1 pz = 1 - kg 25,6/ m³ 0,422 | Art.7400 COL requirement m² 6.36 H 140 cm. COM Meterage m 2.046 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Ralik

Design by Ichiro Iwasaki, 2023



1-seater module with backrest. Base in polypropylene made with recycled materials, available in 5 colours and equipped with a removable system to link between seat modules. Covered with removable upholstery in fabric, leather, coated fabric or customer's own material.

Accessories:
 USB Art. 6001
 Replacement cover set Art. 7407
 Fixed table module Art. 7416

| SEK ART. 7401 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1-seater ottoman module with backrest | 21546 | 22352 | 23158 | 23964 | 24770 | 25576 | 26382 | 27188 | 27994 | 28800 | 29606 | 30412 | 31218 | 34428 |
| Base in colored polypropylene (P63, P65, P67, P68) | + 397 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7401 1 pz = 1 - kg 31,5/ m³ 0,65 | Art.7401 COL requirement m² 10.2 H 140 cm. COM Meterage m 3.014 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base




Ralik

Design by Ichiro Iwasaki,

2-seater ottoman module with base in polypropylene made with recycled materials, available in 5 colours and equipped with a removable system to link between seat modules. Covered with removable upholstery in fabric, leather, coated fabric or customer's own material.

Accessories:
 USB Art. 6001
 Replacement cover set Art. 7408
 Fixed table module Art. 7416




| SEK ART. 7402 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2-seater ottoman module | 20911 | 21773 | 22635 | 23497 | 24359 | 25221 | 26083 | 26945 | 27807 | 28669 | 29531 | 30393 | 31255 | 34700 |
| Base in colored polypropylene (P63, P65, P67, P68) | + 397 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art.7402 1 pz = 1 - kg 38,5/ m³ 0,667 | Art.7402 COL requirement m² 9.84 H 140 cm. COM Meterage m 3.267 | |

| FIRE RETARDANT TEST |
|---------------------|
| |


Frame Base



Ralik

Design by Ichiro Iwasaki, 2023

2-seater module with backrest. Base in polypropylene made with recycled materials, available in 5 colours and equipped with a removable system to link between seat modules. Covered with removable upholstery in fabric, leather, coated fabric or customer's own material.



Accessories:
 USB Art. 6001
 Replacement cover set Art. 7409
 Fixed table module Art. 7416


| SEK ART. 7403 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|---|-------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2-seater ottoman module with backrest | 32319 | 33601 | 34883 | 36165 | 37447 | 38729 | 40011 | 41293 | 42575 | 43857 | 45139 | 46421 | 47703 | 52822 |
| Base in colored polypropylene (P63, P65, P67, P68) | + 397 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | RESISTANCE TEST | | | | | | | | | |
| Art.7403 1 pz = 1 - kg 44,5/ m³ 1,078 | Art.7403 COL requirement m² 15 H 140 cm. COM Meterage m 4.752 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |

Frame Base



Ralik

Design by Ichiro Iwasaki, 2023




1-seater bench module with base in polypropylene made with recycled materials, available in 5 colours and equipped with a removable system to link between seat modules. Covered with removable upholstery in fabric, leather, coated fabric or customer's own material.

Accessories:
 USB Art. 6001
 Replacement cover set Art. 7410
 Cushion Art. 7412
 Fixed table module Art. 7416

| SEK ART. 7404 | A | B | C | E | D | F | G | H | I | J | K | L | M | ES |
|--|--|-------|-------|-------|-------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1-seater bench module | 11113 | 11556 | 11999 | 12442 | 12885 | 13328 | 13771 | 14214 | 14657 | 15100 | 15543 | 15986 | 16429 | 18189 |
| Base in colored polypropylene (P63, P65, P67, P68) | + 397 | | | | | | | | | | | | | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | | | | | RESISTANCE TEST | | | | | | | | |
| Art.7404 1 pz = 1 - kg 17/ m³ 0,274 | Art.7404 COL requirement m² 4.8 H 140 cm. COM Meterage m 1.694 | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |


Frame Base



Ralik

Design by Ichiro Iwasaki, 2023

2-seater bench module with base in polypropylene made with recycled materials, available in 5 colours and equipped with a removable linking system between seat modules. Covered with removable upholstery in fabric, leather, coated fabric or customer's own material.



Accessories:
 USB Art. 6001
 Replacement cover set Art. 7411
 Cushion Art. 7413
 Fixed table module Art. 7416

| SEK ART. 7405 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2-seater bench module | 15604 | 16239 | 16874 | 17509 | 18144 | 18779 | 19414 | 20049 | 20684 | 21319 | 21954 | 22589 | 23224 | 25764 |
| Base in colored polypropylene (P63, P65, P67, P68) | + 397 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art.7405 1 pz = 1 - kg 26/ m² 0,448 | Art.7405 COL requirement m² 6.72 H 140 cm. COM Meterage m 2.31 | |

| FIRE RETARDANT TEST |
|---------------------|
| |

Frame Base





Ralik





Design by Ichiro Iwasaki, 2023

Storage modules available in two formats, with structure in curved and powder-coated sheet metal and shelves in plywood with reconstituted oak finish. The structure and top finishes can be freely combined. It can be electrified with the Pix accessory by Bachmann in USB version.



| | |
|---|---|
| ART. 7414  | ART. 7415  |
|---|---|


| | | |
|---------------------|-----------------------------|--------|
| | Top | |
| SEK ART.7414 | Container module L. 55,5 cm | 7111 |
| SEK ART.7415 | Container module L. 85,5 cm | 9606 |
| | Grommet + electrification | + 2381 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 7414 1 pz = 1  - kg 7,8/ m³ 0,088 1 pz = 2  - kg 8,5/ m³ 0,093 Art. 7415 1 pz = 1  - kg 12,5/ m³ 0,131 1 pz = 2  - kg 13,2/ m³ 0,135 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top




Single cable unit (1 USB + 1 connector)



Ralik

Design by Ichiro Iwasaki, 2023

Side table with central base and column in powder-coated metal, equipped with gas mechanism for height adjustment. Rectangular top in plywood and finish in reconstituted oak (1,2 cm thick). The base and top finishes can be freely combined.




| | | |
|----------------------|----------------------------|------|
| | Top | |
| SEK ART. 7417 | H. adj. freestanding table | 8845 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 7417 1 pz = 1 - kg 10/ m³ 0,12 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Top



Ralik

Design by Ichiro Iwasaki, 2023

Fixed table module, can be positioned on the right or left side or between ottoman, bench or seat with backrest modules. Support in powder-coated metal, square top in plywood and finish in reconstituted oak (1,2 cm thick). The support and top finishes can be freely combined.




| | | |
|----------------------|--------------------|------|
| | Top | |
| SEK ART. 7416 | Fixed table module | 3119 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 7416 1 pz = 2 - kg 3,6/ m² 0,045 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Top



Ralik

Design by Ichiro Iwasaki, 2023

Cushions available in two different formats, with linking system, specifically made to provide greater comfort to configurations, in which the 1-seater or 2-seater bench modules are placed against the backrest of the seat modules art. 7401 and 7403. Upholstery in fabric, leather, coated fabric or customer's own material.



| SEK ART. 7412 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Cushion for 1-seater bench | 2019 | 2258 | 2497 | 2736 | 2975 | 3214 | 3453 | 3692 | 3931 | 4170 | 4409 | 4648 | 4887 | 5829 |
| SEK ART. 7413 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| Cushion for 2-seater bench | 2767 | 3175 | 3583 | 3991 | 4399 | 4807 | 5215 | 5623 | 6031 | 6439 | 6847 | 7255 | 7663 | 9299 |




| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| <p>Art. 7412 1 pz = 1 - kg 1,35/ m³ 0,051</p> <p>Art. 7413 1 pz = 1 - kg 2,5/ m³ 0,075</p> | <p>Art.7412 COL requirement m² 1.68 H 140 cm. COM Meterage m 0.88</p> <p>Art.7413 COL requirement m² 3.36 H 140 cm. COM Meterage m 1.54</p> | |
| FIRE RETARDANT TEST | | |



Accessories

Design by Ichiro Iwasaki, 2023

| SEK ART. 7406 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| Cover art. 7400 | 3845 | 4389 | 4933 | 5477 | 6021 | 6565 | 7109 | 7653 | 8197 | 8741 | 9285 | 9829 | 10373 | 12554 |
| SEK ART. 7407 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| Cover art. 7401 | 5851 | 6657 | 7463 | 8269 | 9075 | 9881 | 10687 | 11493 | 12299 | 13105 | 13911 | 14717 | 15523 | 18734 |
| SEK ART. 7408 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| Cover art. 7402 | 4717 | 5579 | 6441 | 7303 | 8165 | 9027 | 9889 | 10751 | 11613 | 12475 | 13337 | 14199 | 15061 | 18507 |




| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 7406 1 pz = 1  - kg 2,05/ m³ 0,05 Art. 7407 1 pz = 1  - kg 2,3/ m³ 0,05 Art. 7408 1 pz = 1  - kg 2,15/ m³ 0,05 | Art.7406 COL requirement m² 6.36 H 140 cm. COM Meterage m 2.046 Art.7407 COL requirement m² 10.2 H 140 cm. COM Meterage m 3.014 Art.7408 COL requirement m² 9.84 H 140 cm. COM Meterage m 3.267 | |
| FIRE RETARDANT TEST | | |



Accessories

Design by Ichiro Iwasaki, 2023

| SEK ART. 7409 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Cover art. 7403 | 7610 | 8892 | 10174 | 11456 | 12738 | 14020 | 15302 | 16584 | 17866 | 19148 | 20430 | 21712 | 22994 | 28112 |
| SEK ART. 7410 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| Cover art. 7404 | 3573 | 4016 | 4459 | 4902 | 5345 | 5788 | 6231 | 6674 | 7117 | 7560 | 8003 | 8446 | 8889 | 10649 |
| SEK ART. 7411 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| Cover art. 7405 | 3856 | 4491 | 5126 | 5761 | 6396 | 7031 | 7666 | 8301 | 8936 | 9571 | 10206 | 10841 | 11476 | 14016 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| <p>Art. 7409 1 pz = 1  - kg 2,8/ m³ 0,05</p> <p>Art. 7410 1 pz = 1  - kg 1,8/ m³ 0,05</p> <p>Art. 7411 1 pz = 1  - kg 2/ m³ 0,05</p> | <p>Art.7409 COL requirement m² 15 H 140 cm. COM Meterage m 4.752</p> <p>Art.7410 COL requirement m² 4.8 H 140 cm. COM Meterage m 1.694</p> <p>Art.7411 COL requirement m² 6.72 H 140 cm. COM Meterage m 2.31</p> | |
| FIRE RETARDANT TEST | | |



Accessories

SEK ART. 6001



Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included.

1655

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| | | |
| FIRE RETARDANT TEST | | |



SAARI SOFA

Design by
Lievore Altherr Molina
2009



Saari Chair

Collection overview Available in the Chairs and Stools section

Type



4 legs armchair
Options:
Castors

4 legs armchair
Options:
Castors



Armchair with aluminium
swivel trestle base

Armchair with aluminium
swivel trestle base

Armchair with aluminium
fixed trestle base mounted
on self-braking castors

Armchair with aluminium
fixed trestle base mounted
on self-braking castors

Options



— Castors

Saari Sofa

Collection overview

Available in the Sofas and Benches section

Type



Armchair — 71 cm



Armchair — 82,5 cm



Armchair XL — 90 cm



Sofa — 2 seats



Sofa — 3 seats



Bench — 2 seats

Legs finishes



Veneered steel



Chromed / Powdercoated
















Options



USB

— MODULE SEWING SCHEME


— MODULE ZIPPER SCHEME

| ART. | Non removable cover | Removable cover / coated fabric | soft leather |
|------|---|--|---|
| 2710 |  |  |  |
| 2711 |  |  |  |
| 2712 |  |  |  |
| 2713 |  |  |  |
| 2714 |  |  |  |
| | | | |

Saari S

Design by Lievore Altherr Molina, 2009

Armchair (71 cm wide seat) with polished or powder-coated four-leg steel base, or with oak effect reconstituted veneer base. Upholstered shell with metal and plywood frame available in leather, coated fabric, fabric or customer's material. Fully removable cover version available upon request without surcharge.




Accessories:
Replacement cover set Art. 2715
USB Art. 6001

| SEK ART. 2710 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|-------------------------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| VENEERED LEGS | 16717 | 17371 | 18025 | 18679 | 19333 | 19987 | 20641 | 21295 | 21949 | 22603 | 23257 | 23911 | 24565 | 27505 |
| POLISHED | 15027 | 15681 | 16335 | 16989 | 17643 | 18297 | 18951 | 19605 | 20259 | 20913 | 21567 | 22221 | 22875 | 25838 |
| POWDERCOATED | 15027 | 15681 | 16335 | 16989 | 17643 | 18297 | 18951 | 19605 | 20259 | 20913 | 21567 | 22221 | 22875 | 25838 |
| Fire retardant foam | + 2227 Art. 2710 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|------------------------|
| Art. 2710 1 pz = 1 - kg 15/ m ² 0,671 | Art.2710 COL requirement m ² 4.51 H 140 cm. COM Meterage m 2.75 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. | | |


Frame Base



Saari M

Design by Lievore Altherr Molina, 2009

Armchair (82.5 cm wide seat) with polished or powder-coated four-leg steel base, or with oak effect reconstituted veneer four-leg base. Upholstered shell with metal and plywood frame available in leather, coated fabric, fabric or customer's material. Fully removable cover version available upon request without surcharge.




Accessories:
Replacement cover set Art. 2716
USB Art. 6001

| SEK ART. 2711 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|----------|------------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| veneered legs | 18729 | 19563 | 20397 | 21231 | 22065 | 22899 | 23733 | 24567 | 25401 | 26235 | 27069 | 27903 | 28737 | 32125 |
| polished | 17039 | 17873 | 18707 | 19541 | 20375 | 21209 | 22043 | 22877 | 23711 | 24545 | 25379 | 26213 | 27047 | 30423 |
| powdercoated | 17039 | 17873 | 18707 | 19541 | 20375 | 21209 | 22043 | 22877 | 23711 | 24545 | 25379 | 26213 | 27047 | 30423 |
| Fire retardant foam | + 2358 | Art. 2711 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|------------------------|
| Art. 2711 1 pz = 1 - kg 19/ m³ 0,671 | Art.2711 COL requirement m² 5.29 H 140 cm. COM Meterage m 3.14 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. | | |

Frame Base




Saari XL

Design by Lievore Altherr Molina, 2014



Armchair (90 cm wide seat) with polished or powder-coated four-leg steel base, or with oak effect reconstituted veneer four-leg base. Metal and plywood frame shell upholstered in leather, coated fabric, fabric or customer's own material. The version with removable cover is available upon request without surcharge.


Accessories:
Replacement cover set Art. 2723
USB Art. 6001



| SEK ART. 2722 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 22636 | 23660 | 24684 | 25708 | 26732 | 27756 | 28780 | 29804 | 30828 | 31852 | 32876 | 33900 | 34924 |
| POLISHED | 20968 | 21992 | 23016 | 24040 | 25064 | 26088 | 27112 | 28136 | 29160 | 30184 | 31208 | 32232 | 33256 | 37697 |
| POWDERCOATED | 20968 | 21992 | 23016 | 24040 | 25064 | 26088 | 27112 | 28136 | 29160 | 30184 | 31208 | 32232 | 33256 | 37697 |
| Fire retardant foam | + 2905 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2722 1 pz = 1 - kg 37/ m³ 0,843 | Art.2722 COL requirement m² 7.56 H 140 cm. COM Meterage m 3.69 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Saari

Design by Lievore Altherr Molina, 2009



Two seater sofa with polished or powder-coated four-leg steel base, or with oak effect reconstituted veneer four-leg base. Shell with metal and plywood frame, upholstery available in leather, coated fabric, fabric or customer's material. Fully removable cover version available upon request without surcharge.


Accessories:
Replacement cover set Art. 2717
USB Art. 6001



| SEK ART. 2712 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 29112 | 30541 | 31970 | 33399 | 34828 | 36257 | 37686 | 39115 | 40544 | 41973 | 43402 | 44831 | 46260 | 52284 |
| POLISHED | 27446 | 28875 | 30304 | 31733 | 33162 | 34591 | 36020 | 37449 | 38878 | 40307 | 41736 | 43165 | 44594 | 50604 |
| POWDERCOATED | 27446 | 28875 | 30304 | 31733 | 33162 | 34591 | 36020 | 37449 | 38878 | 40307 | 41736 | 43165 | 44594 | 50604 |
| Fire retardant foam | + 4191 Art. 2712 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 2712 1 pz = 1 - kg 32/ m² 0,634 | Art.2712 COL requirement m² 10,5 H 140 cm. COM Meterage m 4.46 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Saari

Design by Lievore Altherr Molina, 2009



Three seater sofa with polished or powder-coated four-leg steel base, or with oak effect reconstituted veneer four-leg base. Shell with metal and plywood frame, upholstery available in leather, coated fabric, fabric or customer's material. Fully removable cover version available upon request without surcharge.


Accessories:
Replacement cover set Art. 2718
USB Art. 6001



| SEK ART. 2713 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 35138 | 36936 | 38734 | 40532 | 42330 | 44128 | 45926 | 47724 | 49522 | 51320 | 53118 | 54916 | 56714 | 64000 |
| POLISHED | 33470 | 35268 | 37066 | 38864 | 40662 | 42460 | 44258 | 46056 | 47854 | 49652 | 51450 | 53248 | 55046 | 62321 |
| POWDERCOATED | 33470 | 35268 | 37066 | 38864 | 40662 | 42460 | 44258 | 46056 | 47854 | 49652 | 51450 | 53248 | 55046 | 62321 |
| Fire retardant foam | + 5990 Art. 2713 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--|
| Art. 2713 1 pz = 1 - kg 49/ m³ 1,524 | Art.2713 COL requirement m² 15.12 H 140 cm. COM Meterage m 6.05 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.27.1 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Saari

Design by Lievore Altherr Molina, 2009



Two seater bench with polished or powder-coated four-leg steel base, or with oak effect reconstituted veneer four-leg base. Upholstered seat with metal and plywood frame available in leather, coated fabric, fabric or customer's material. Fully removable cover version available upon request without surcharge.


Accessories:
Replacement cover set Art. 2719
USB Art. 6001



| SEK ART. 2714 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| VENEERED LEGS | 16098 | 16693 | 17288 | 17883 | 18478 | 19073 | 19668 | 20263 | 20858 | 21453 | 22048 | 22643 | 23238 | 25624 |
| POLISHED | 14419 | 15014 | 15609 | 16204 | 16799 | 17394 | 17989 | 18584 | 19179 | 19774 | 20369 | 20964 | 21559 | 23945 |
| POWDERCOATED | 14419 | 15014 | 15609 | 16204 | 16799 | 17394 | 17989 | 18584 | 19179 | 19774 | 20369 | 20964 | 21559 | 23945 |
| Fire retardant foam | + 822 Art. 2714 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 2714 1 pz = 1 - kg 27/ m² 0,645 | Art.2714 COL requirement m² 3.72 H 140 cm. COM Meterage m 2.15 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Field Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |







Frame Base



Accessories

Design by Lievore Altherr Molina, 2009

| | | | | | | | | | | | | | | |
|-----------------------|----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| SEK ART. 2715 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2710 | 4858 | 5692 | 6526 | 7360 | 8194 | 9028 | 9862 | 10696 | 11530 | 12364 | 13198 | 14032 | 14866 | 18241 |
| SEK ART. 2716 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2711 | 5810 | 6798 | 7786 | 8774 | 9762 | 10750 | 11738 | 12726 | 13714 | 14702 | 15690 | 16678 | 17666 | 21790 |
| SEK ART. 2717 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2712 | 10549 | 12252 | 13955 | 15658 | 17361 | 19064 | 20767 | 22470 | 24173 | 25876 | 27579 | 29282 | 30985 | 38102 |
| SEK ART. 2718 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2713 | 13586 | 15444 | 17302 | 19160 | 21018 | 22876 | 24734 | 26592 | 28450 | 30308 | 32166 | 34024 | 35882 | 43460 |
| SEK ART. 2719 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2714 | 4346 | 5048 | 5750 | 6452 | 7154 | 7856 | 8558 | 9260 | 9962 | 10664 | 11366 | 12068 | 12770 | 15968 |
| SEK ART. 2723 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 2722 | 6132 | 7310 | 8488 | 9666 | 10844 | 12022 | 13200 | 14378 | 15556 | 16734 | 17912 | 19090 | 20268 | 25445 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 2715 1 pz = 1  - kg 5/ m³ 0,039 Art. 2716 1 pz = 1  - kg 5/ m³ 0,039 Art. 2717 1 pz = 1  - kg 5/ m³ 0,23 Art. 2718 1 pz = 1  - kg 5/ m³ 0,23 Art. 2719 1 pz = 1  - kg 5/ m³ 0,23 Art. 2723 1 pz = 1  - kg 5/ m³ 0,039 | Art.2715 COL requirement m² 4.51 H 140 cm. COM Meterage m 2.75 Art.2716 COL requirement m² 5.29 H 140 cm. COM Meterage m 3.14 Art.2717 COL requirement m² 12.6 H 140 cm. COM Meterage m 4.46 Art.2718 COL requirement m² 15.12 H 140 cm. COM Meterage m 6.05 Art.2719 COL requirement m² 3.72 H 140 cm. COM Meterage m 2.15 Art.2723 COL requirement m² 7.56 H 140 cm. COM Meterage m 3.69 | |
| FIRE RETARDANT TEST | | |



Accessories

SEK ART. 6001



Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included.

1655

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| FIRE RETARDANT TEST | | |



SEAN

Design by Jean-Marie Massaud

2009



Sean

Collection overview

Type



Armchair



Sofa — 2 seats



Sofa — 3 seats




Bench — 2 seats

Options



USB
— only on powder coated bases




DESCRIPTION

1. WOODEN FRAME
2. MULTI-DENSITY POLYURETHANE
3. DACRON FIBER PADDING
4. RESIN FIBER PADDING

Sean

Design by Jean-Marie Massaud, 2009

Armchair with MDF frame and aluminium legs, upholstered in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request with a surcharge.




Accessories:
Replacement cover set Art. 1405
USB Art. 6001

| SEK ART. 1400 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 18170 | 18956 | 19742 | 20528 | 21314 | 22100 | 22886 | 23672 | 24458 | 25244 | 26030 | 26816 | 27602 | 30672 |
| Removable version | + 3798 | Art. 1400 | | | | | | | | | | | | |
| Polished aluminium | + 1310 | Art. 1400 | | | | | | | | | | | | |
| Fire retardant foam | + 881 | Art. 1400 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art. 1400 1 pz = 1 - kg 43/ m³ 0,406 | Art.1400 COL requirement m² 7.25 H 140 cm. COM Meterage m 4.07 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Sean

Design by Jean-Marie Massaud, 2009

Two-seat sofa with MDF frame and aluminium feet, upholstered in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request with a surcharge.


Accessories:
Replacement cover set Art. 1406
USB Art. 6001



| SEK ART. 1401 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|--------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 26088 | 27207 | 28326 | 29445 | 30564 | 31683 | 32802 | 33921 | 35040 | 36159 | 37278 | 38397 | 39516 | 44247 |
| Removable version | + 5775 | Art. 1401 | | | | | | | | | | | | |
| Polished aluminium | + 1822 | Art. 1401 | | | | | | | | | | | | |
| Fire retardant foam | + 1322 | Art. 1401 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art. 1401 1 pz = 1 - kg 65/ m² 0,769 | Art.1401 COL requirement m² 11.56 H 140 cm. COM Meterage m 5.72 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Sean



Design by Jean-Marie Massaud, 2009

Three-seat sofa with MDF frame and aluminium legs, upholstered in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request with a surcharge.


Accessories:
Replacement cover set Art. 1407
USB Art. 6001



| SEK ART. 1402 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 34852 | 36400 | 37948 | 39496 | 41044 | 42592 | 44140 | 45688 | 47236 | 48784 | 50332 | 51880 | 53428 | 59869 |
| Removable version | + 7775 | Art. 1402 | | | | | | | | | | | | |
| Polished aluminium | + 2251 | Art. 1402 | | | | | | | | | | | | |
| Fire retardant foam | + 1715 | Art. 1402 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 1402 1 pz = 1 - kg 89/ m³ 1,044 | Art.1402 COL requirement m² 15,88 H 140 cm. COM Meterage m 7.37 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Sean



Design by Jean-Marie Massaud, 2009

Two-seat bench with MDF frame and aluminium legs, upholstered in fabric, leather, coated fabric or customer's material. Fully removable cover version available upon request with a surcharge.


Accessories:
Replacement cover set Art. 1408
USB Art. 6001



| SEK ART. 1403 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|--------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| POWDERCOATED | 12336 | 12812 | 13288 | 13764 | 14240 | 14716 | 15192 | 15668 | 16144 | 16620 | 17096 | 17572 | 18048 | 19909 |
| Removable version | + 2976 | Art. 1403 | | | | | | | | | | | | |
| Polished aluminium | + 1822 | Art. 1403 | | | | | | | | | | | | |
| Fire retardant foam | + 381 | Art. 1403 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 1403 1 pz = 1 - kg 26/ m² 0,692 | Art.1403 COL requirement m² 3.72 H 140 cm. COM Meterage m 2.53 | |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |





Frame Base



Accessories

Design by Jean-Marie Massaud, 2009

| SEK ART. 1405 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER art. 1400 | 8347 | 9883 | 11419 | 12955 | 14491 | 16027 | 17563 | 19099 | 20635 | 22171 | 23707 | 25243 | 26779 | 29768 |
| SEK ART. 1406 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 1401 | 14312 | 16253 | 18194 | 20135 | 22076 | 24017 | 25958 | 27899 | 29840 | 31781 | 33722 | 35663 | 37604 | 42091 |
| SEK ART. 1407 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 1402 | 18516 | 21350 | 24184 | 27018 | 29852 | 32686 | 35520 | 38354 | 41188 | 44022 | 46856 | 49690 | 52524 | 56344 |
| SEK ART. 1408 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER art. 1403 | 2965 | 3799 | 4633 | 5467 | 6301 | 7135 | 7969 | 8803 | 9637 | 10471 | 11305 | 12139 | 12973 | 14741 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| <p>Art. 1405 1 pz = 1  - kg 5/ m³ 0,23</p> <p>Art. 1406 1 pz = 1  - kg 5/ m³ 0,23</p> <p>Art. 1407 1 pz = 1  - kg 5/ m³ 0,23</p> <p>Art. 1408 1 pz = 1  - kg 5/ m³ 0,23</p> | <p>Art.1405 COL requirement m² 7.25 H 140 cm. COM Meterage m 4.07</p> <p>Art.1406 COL requirement m² 11.56 H 140 cm. COM Meterage m 5.72</p> <p>Art.1407 COL requirement m² 15.88 H 140 cm. COM Meterage m 7.37</p> <p>Art.1408 COL requirement m² 3.72 H 140 cm. COM Meterage m 2.53</p> | |
| FIRE RETARDANT TEST | | |



Accessories

SEK ART. 6001



Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included.

1655

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| | | |
| FIRE RETARDANT TEST | | |



SHAAL

Design by Doshi-Levien

2022 — Product Update 2023



Shaal

Collection overview

Upholstery Types



(A) — Monomaterial


The outer panel and the cushions are upholstered with the same material



(B) — Bimaterial

The outer panel and the cushions are upholstered with different materials in specially designed combinations

Base



Base in polypropilene made with recycled materials, equipped with height-adjustable glides.

Options




— Cushions




USB

Shaal

Free-standing



2-seater sofa configuration



3-seater sofa configuration




Daybed




Ottoman

Modular system

1,5 seater




Left end module




Right end module

1 seater




Left end module




Right end module


90° corner module




Central module



Chaise-longue module



Left end module




Right end module


Shaal

Examples of possible layouts


ART. 6900 + ART. 6904 + ART. 6905 +
ART. 6905 + ART. 6904 + ART. 6901




ART. 6902 + ART. 6905 + ART. 6905 + ART. 6903




ART. 6900 + ART. 6904 + ART. 6905 + ART. 6901




ART. 6902 + ART. 6905 + ART. 6904 + ART. 6903




ART. 6933 + ART. 6901




ART. 6900 + ART. 6934



ART. 6933 + ART. 6905 + ART. 6901



ART. 6900 + ART. 6905 + ART. 6934



Shaal


Upholstery

A rigid padded panel gives shape to a backrest that welcomes the soft Shaal cushions.

Shaal is available in the traditional single-material versions that involve the same upholstery for the panel that wraps around the sofa and for its internal part made up of the seat and backrest cushions.

Additionally, to further exalt the sophistication of the encounter of these two elements, 5 special versions have been created that make it possible to match different materials in specially designed combinations.


External panel



Synergy — Camira


74 colors

Cushions




Main Line Flax — Camira

57 colors



Valencia — Spradling


67 colors



Fabthirty — Rubelli

60 colors


External panel



Divina 3 — Kvadrat Raf Simons


56 colors

Cushions




Vidar 4 — Kvadrat Raf Simons

41 colors




Pelle Fiore — Arper

11 colors



Fiord 2 — Kvadrat

39 colors



ElmoSoft — Elmo

70 colors




Vidar 4 — Kvadrat Raf Simons

41 colors


MODULE SEWING SCHEME

Soft leather


ART. 6902




ART. 6903




ART. 6900




ART. 6901




ART. 6904




ART. 6905



ART. 6914




ART. 6916




MODULE SEWING SCHEME

Soft leather


ART. 6933




ART. 6934



ART. 6941




ART. 6939




MODULE SEWING SCHEME

Fabric / Coated fabric


ART. 6902 — ART. 6910




ART. 6903 — ART. 6911




ART. 6900 — ART. 6908




ART. 6901 — ART. 6909




ART. 6904 — ART. 6912




ART. 6905 — ART. 6913



ART. 6914 — ART. 6915




ART. 6916 — ART. 6917




MODULE SEWING SCHEME

Fabric / Coated fabric


ART. 6933— ART. 6935




ART. 6934 — ART. 6936



ART. 6941 — ART. 6942




ART. 6939




MODULE SEWING SCHEME

Outer panel: leather / Cushions: fabric


ART. 6910




ART. 6911




ART. 6908




ART. 6909




ART. 6912




ART. 6913



ART. 6915




ART. 6917




MODULE SEWING SCHEME

Outer panel: leather / Cushions: fabric


ART. 6935



ART. 6936



ART. 6942




Shaal Monomaterial Upholstery

Design by Doshi Levien, 2022



2-seater sofa configuration with an outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.



Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6930

| SEK ART. 6914 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|----------|----------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| | 67904 | 71442 | 74980 | 78518 | 82056 | 85594 | 89132 | 92670 | 96208 | 99746 | 103284 | 106822 | 110360 | 124514 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 6914 1 pz = 2 - kg 129/ m³ 2,076 | Art.6914 COL requirement m² 44.46 H 140 cm. COM Meterage m 14.30 | |
| FIRE RETARDANT TEST | | |

Frame Base



P25



Shaal Monomaterial Upholstery

Design by Doshi Levien, 2022



3-seater sofa configuration with an outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.


Accessories:

USB Art. 6001

Lumbar cushion 66x32 cm Art. 6906

Pillow 60x40 cm Art. 6907

Replacement cover set Art. 6932



| SEK ART. 6916 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| | 74460 | 78430 | 82400 | 86370 | 90340 | 94310 | 98280 | 102250 | 106220 | 110190 | 114160 | 118130 | 122100 | 137964 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art. 6916 1 pz = 2 - kg 150,6/ m³ 2,796 | Art. 6916 COL requirement m² 46.80 H 140 cm. COM Meterage m 16.06 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.6 • EN 1022:2018 7.3 |
| FIRE RETARDANT TEST | | |

Frame Base



P25




Shaal Monomaterial Upholstery



Design by Doshi Levien, 2023

Daybed with outer structure composed of a wraparound panel made of coated plywood. The outer panel and the inner cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The inner cushions have removable upholstery. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.



Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6943

| SEK ART. 6941 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | 61690 | 64219 | 66748 | 69277 | 71806 | 74335 | 76864 | 79393 | 81922 | 84451 | 86980 | 89509 | 92038 | 102151 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--|
| Art. 6941 1 pz = 1 - kg 80/ m³ 1,86 | Art.6941 COL requirement m² 29,04 H 140 cm. COM Meterage m 10.373 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.27.1 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base




Shaal Monomaterial Upholstery

Design by Doshi Levien, 2023



Ottoman with removable upholstery in fabric, leather, coated fabric or customer's own material. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
Replacement cover set Art. 6940



| SEK ART. 6939 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 14651 | 15150 | 15649 | 16148 | 16647 | 17146 | 17645 | 18144 | 18643 | 19142 | 19641 | 20140 | 20639 | 22635 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| Art. 6939 1 pz = 1 - kg 5/ m³ 0,36 | Art.6939 COL requirement m² 7.44 H 140 cm. COM Meterage m 2.057 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 4.1-4.2 • EN 1728:2012 - EN 16139:2013 6.5 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1022:2018 |
| FIRE RETARDANT TEST | | |

Frame Base



P25




Shaal Monomaterial Upholstery

Design by Doshi Levien, 2022

Left or right end module, 1,5-seater. Outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6918
 Replacement cover set Art. 6919



| SEK ART. 6900 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Left end module | 37230 | 39215 | 41200 | 43185 | 45170 | 47155 | 49140 | 51125 | 53110 | 55095 | 57080 | 59065 | 61050 | 68982 |
| SEK ART. 6901 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Right end module | 37230 | 39215 | 41200 | 43185 | 45170 | 47155 | 49140 | 51125 | 53110 | 55095 | 57080 | 59065 | 61050 | 68982 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6900 1 pz = 1 - kg 75,3/ m³ 1,254 Art. 6901 1 pz = 1 - kg 75,3/ m³ 1,254 | Art.6900 COL requirement m² 23,40 H 140 cm. COM Meterage m 8.03 Art.6901 COL requirement m² 23,40 H 140 cm. COM Meterage m 8.03 | |

Frame Base



P25




Shaal Monomaterial Upholstery

Design by Doshi Levien, 2022

Left or right end module, 1-seater. Outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6920
 Replacement cover set Art. 6921



| SEK ART. 6902 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Left end module | 33952 | 35721 | 37490 | 39259 | 41028 | 42797 | 44566 | 46335 | 48104 | 49873 | 51642 | 53411 | 55180 | 62257 |
| SEK ART. 6903 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Right end module | 33952 | 35721 | 37490 | 39259 | 41028 | 42797 | 44566 | 46335 | 48104 | 49873 | 51642 | 53411 | 55180 | 62257 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6902 1 pz = 1 - kg 64,5/ m³ 1,038 Art. 6903 1 pz = 1 - kg 64,5/ m³ 1,038 | Art.6902 COL requirement m² 22,23 H 140 cm. COM Meterage m 7.15 Art.6903 COL requirement m² 22,23 H 140 cm. COM Meterage m 7.15 | |

Frame Base



P25




Shaal Monomaterial Upholstery

Design by Doshi Levien, 2022

90° corner module and 1-seater central module. Outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides. The various configurations must always be completed with end modules.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6922
 Replacement cover set Art. 6923



| SEK ART. 6904 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 90° corner module | 32591 | 34156 | 35721 | 37286 | 38851 | 40416 | 41981 | 43546 | 45111 | 46676 | 48241 | 49806 | 51371 | 57630 |
| SEK ART. 6905 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 1-seater central module | 24630 | 25867 | 27104 | 28341 | 29578 | 30815 | 32052 | 33289 | 34526 | 35763 | 37000 | 38237 | 39474 | 44407 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6904 1 pz = 1 - kg 64,5/ m³ 1,038 Art. 6905 1 pz = 1 - kg 56/ m³ 1,038 | Art.6904 COL requirement m² 22,23 H 140 cm. COM Meterage m 6.33 Art.6905 COL requirement m² 22,23 H 140 cm. COM Meterage m 5.01 | |

Frame Base



P25




Shaal Monomaterial Upholstery

Design by Doshi Levien, 2023

Chaise longue end module left or right. Outer structure composed of a wraparound panel made of coated plywood. The outer panel and the inner cushions are upholstered with the same material: fabric, leather, coated fabric or customer's own material. The inner cushions have removable upholstery. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6937
 Replacement cover set Art. 6938



| SEK ART. 6933 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Left end chaise module | 58685 | 60772 | 62859 | 64946 | 67033 | 69120 | 71207 | 73294 | 75381 | 77468 | 79555 | 81642 | 83729 | 92070 |
| SEK ART. 6934 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| Left end chaise module | 58685 | 60772 | 62859 | 64946 | 67033 | 69120 | 71207 | 73294 | 75381 | 77468 | 79555 | 81642 | 83729 | 92070 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6933 1 pz = 1 - kg 75/ m³ 1,86 Art. 6934 1 pz = 1 - kg 75/ m³ 1,86 | Art.6933 COL requirement m² 25,68 H 140 cm. COM Meterage m 8.173 Art.6934 COL requirement m² 25,68 H 140 cm. COM Meterage m 8.173 | |
| FIRE RETARDANT TEST | | |

Frame Base



P25




Shaal Bimaterial Upholstery

Design by Doshi Levien, 2022



2-seater sofa configuration with an outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with different materials in specially designed combinations. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6930



| | | | | | |
|----------------------|--------------------------|----------------------|------------------|-----------------------|------------------|
| SEK ART. 6915 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 76476 | 81898 | 92558 | 99746 | 110792 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 6915 1 pz = 2 - kg 129/ m² 2,07 | | |
| FIRE RETARDANT TEST | | |

Frame Base




Shaal Bimaterial Upholstery



Design by Doshi Levien, 2022

3-seater sofa configuration with an outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with different materials in specially designed combinations. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6932



| | | | | | |
|----------------------|--------------------------|----------------------|------------------|-----------------------|------------------|
| SEK ART. 6917 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 84052 | 90108 | 102786 | 110180 | 121248 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6917 1 pz = 2 - kg 150,6/ m³ 2,796 | | |
| FIRE RETARDANT TEST | | |

Frame Base



P25




Shaal Bimaterial Upholstery



Design by Doshi Levien, 2023

Daybed with outer structure composed of a wraparound panel made of coated plywood. The outer panel and the inner cushions are upholstered with different materials in specially designed combinations. The inner cushions have removable upholstery. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6943



| | | | | | | |
|----------------------|--------------------------|----------------------|------------------|-----------------------|------------------|--|
| SEK ART. 6942 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar | |
| | 68085 | 71953 | 80412 | 84450 | 92456 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6942 1 pz = 1 - kg 80/ m³ 1,86 | Art.6942 COL requirement m² 29,04 H 140 cm. COM Meterage m 10.353 | |
| FIRE RETARDANT TEST | | |

Frame Base



P25




Shaal Bimaterial Upholstery

Design by Doshi Levien, 2022

Left or right end module, 1,5-seater. Outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with different materials in specially designed combinations. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6918
 Replacement cover set Art. 6919



| | | | | | |
|----------------------|--------------------------|----------------------|------------------|-----------------------|------------------|
| SEK ART. 6908 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Fiord 2 + Pelle Fiore | ElmoSoft + Vidar |
| | 42026 | 45054 | 51393 | 55090 | 60624 |
| SEK ART. 6909 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 42026 | 45054 | 51393 | 55090 | 60624 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6908 1 pz = 1 - kg 75,3/ m³ 1,254 Art. 6909 1 pz = 1 - kg 75,3/ m³ 1,254 | | |

Frame Base



P25




Shaal Bimaterial Upholstery

Design by Doshi Levien, 2022

Left or right end module, 1-seater. Outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with different materials in specially designed combinations. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6920
 Replacement cover set Art. 6921



| | | | | | |
|----------------------|--------------------------|----------------------|------------------|-----------------------|------------------|
| SEK ART. 6910 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 38238 | 40949 | 46279 | 49873 | 55396 |
| SEK ART. 6911 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 38238 | 40949 | 46279 | 49873 | 55396 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6910 1 pz = 1 - kg 64,5/ m³ 1,038 Art. 6911 1 pz = 1 - kg 64,5/ m³ 1,038 | | |

Frame Base



P25




Shaal Bimaterial Upholstery

Design by Doshi Levien, 2022

90° corner module and 1-seater central module. Outer structure composed of a wraparound panel made of covered plywood. The outer panel and the cushions are upholstered with different materials in specially designed combinations. The cushions have removable covers. Base in polypropylene made with recycled materials, equipped with height-adjustable glides. The configurations must always be completed with end modules.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6922
 Replacement cover set Art. 6923



| SEK ART. 6912 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
|---------------|--------------------------|----------------------|------------------|-----------------------|------------------|
| | 36436 | 38828 | 45360 | 48683 | 54512 |
| SEK ART. 6913 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 27647 | 29541 | 34894 | 40030 | 45088 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6912 1 pz = 1 - kg 64,5/ m³ 1,038 Art. 6913 1 pz = 1 - kg 56/ m³ 1,038 | | |

Frame Base



P25




Shaal Bimaterial Upholstery

Design by Doshi Levien, 2023

Chaise longue end module left or right. Outer structure composed of a wraparound panel made of coated plywood. The outer panel and the inner cushions are upholstered with different materials in specially designed combinations. The inner cushions have removable upholstery. Base in polypropylene made with recycled materials, equipped with height-adjustable glides.

Accessories:
 USB Art. 6001
 Lumbar cushion 66x32 cm Art. 6906
 Pillow 60x40 cm Art. 6907
 Replacement cover set Art. 6937
 Replacement cover set Art. 6938



| | | | | | |
|----------------------|--------------------------|----------------------|------------------|-----------------------|------------------|
| SEK ART. 6935 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 64116 | 67303 | 74266 | 77464 | 84744 |
| SEK ART. 6936 | Synergy + Main Line Flax | Valencia + Fabthirty | Divina 3 + Vidar | Pelle Fiore + Fiord 2 | ElmoSoft + Vidar |
| | 64116 | 67303 | 74266 | 77464 | 84744 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6935 1 pz = 1 - kg 75/ m³ 1,86 Art. 6936 1 pz = 1 - kg 75/ m³ 1,86 | Art.6935 COL requirement m² 25,68 H 140 cm. COM Meterage m 8.137 Art.6936 COL requirement m² 25,68 H 140 cm. COM Meterage m 8.173 | |
| FIRE RETARDANT TEST | | |

Frame Base



P25




arper

Shaal

Design by Doshi Levien, 2022

Cushions available in two different sizes, upholstered in fabric, leather, coated fabric or customer's own material.



| SEK ART. 6906 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| Lumbar cushion 66 x 32 cm | 1622 | 1838 | 2054 | 2270 | 2486 | 2702 | 2918 | 3134 | 3350 | 3566 | 3782 | 3998 | 4214 | 5070 |
| SEK ART. 6907 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Cushion 60 x 40 cm | 1599 | 1803 | 2007 | 2211 | 2415 | 2619 | 2823 | 3027 | 3231 | 3435 | 3639 | 3843 | 4047 | 4865 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 6906 1 pz = 1 - kg 3,024/ m³ 0,069 Art. 6907 1 pz = 1 - kg 3,17/ m³ 0,069 | Art.6906 COL requirement m² 2.15 H 140 cm. COM Meterage m 0.88 Art.6907 COL requirement m² 2.07 H 140 cm. COM Meterage m 0.83 | |
| FIRE RETARDANT TEST | | |





Frame Base



Accessories

Design by Doshi Levien, 2022

| SEK ART. 6920 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------------------|------|----------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER — Art. 6902 and Art. 6910 | 4434 | 5432 | 6430 | 7428 | 8426 | 9424 | 10422 | 11420 | 12418 | 13416 | 14414 | 15412 | 16410 | 20401 |
| SEK ART. 6921 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6903 and Art. 6911 | 4434 | 5432 | 6430 | 7428 | 8426 | 9424 | 10422 | 11420 | 12418 | 13416 | 14414 | 15412 | 16410 | 20401 |
| SEK ART. 6930 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6914 and Art. 6915 | 8868 | 10864 | 12860 | 14856 | 16852 | 18848 | 20844 | 22840 | 24836 | 26832 | 28828 | 30824 | 32820 | 40802 |
| SEK ART. 6932 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art.6916 e Art. 6917 | 9776 | 12090 | 14404 | 16718 | 19032 | 21346 | 23660 | 25974 | 28288 | 30602 | 32916 | 35230 | 37544 | 46790 |





| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6920 1 pz = 1  - kg 2,604/ m³ 0,03 Art. 6921 1 pz = 1  - kg 2,604/ m³ 0,03 Art. 6930 1 pz = 2  - kg 5,208/ m³ 0,06 Art. 6932 1 pz = 2  - kg 5,436/ m³ 0,06 | Art.6920 COL requirement m² 14,82 H 140 cm. COM Meterage m 3.91 Art.6921 COL requirement m² 14,82 H 140 cm. COM Meterage m 3.91 Art.6930 COL requirement m² 29,64 H 140 cm. COM Meterage m 7.81 Art.6932 COL requirement m² 31,20 H 140 cm. COM Meterage m 9.02 | |
| FIRE RETARDANT TEST | | |



Accessories

Design by Doshi Levien, 2022

| SEK ART. 6918 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------------------|------|----------|----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER — Art. 6900 and Art. 6908 | 4888 | 6045 | 7202 | 8359 | 9516 | 10673 | 11830 | 12987 | 14144 | 15301 | 16458 | 17615 | 18772 | 23395 |
| SEK ART. 6919 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6901 and Art. 6909 | 4888 | 6045 | 7202 | 8359 | 9516 | 10673 | 11830 | 12987 | 14144 | 15301 | 16458 | 17615 | 18772 | 23395 |
| SEK ART. 6922 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6904 and Art. 6912 | 4457 | 5478 | 6499 | 7520 | 8541 | 9562 | 10583 | 11604 | 12625 | 13646 | 14667 | 15688 | 16709 | 20787 |
| SEK ART. 6923 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6905 and Art. 6913 | 4196 | 5024 | 5852 | 6680 | 7508 | 8336 | 9164 | 9992 | 10820 | 11648 | 12476 | 13304 | 14132 | 17441 |




| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| <p>Art. 6918 1 pz = 1  - kg 2,718/ m³ 0,03</p> <p>Art. 6919 1 pz = 1  - kg 2,718/ m³ 0,03</p> <p>Art. 6922 1 pz = 1  - kg 2,822/ m³ 0,03</p> <p>Art. 6923 1 pz = 1  - kg 2,604/ m³ 0,03</p> | <p>Art.6918 COL requirement m² 15.60 H 140 cm. COM Meterage m 4.51</p> <p>Art.6919 COL requirement m² 15.60 H 140 cm. COM Meterage m 4.51</p> <p>Art.6922 COL requirement m² 14.82 H 140 cm. COM Meterage m 3.96</p> <p>Art.6923 COL requirement m² 14.82 H 140 cm. COM Meterage m 3.25</p> | |
| FIRE RETARDANT TEST | | |



Accessories

Design by Doshi Levien, 2023

| SEK ART. 6937 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
|---------------------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SPARE COVER — Art. 6933 and Art. 6935 | 7133 | 8403 | 9673 | 10943 | 12213 | 13483 | 14753 | 16023 | 17293 | 18563 | 19833 | 21103 | 22373 | 27455 |
| SEK ART. 6938 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6934 and Art. 6936 | 7133 | 8403 | 9673 | 10943 | 12213 | 13483 | 14753 | 16023 | 17293 | 18563 | 19833 | 21103 | 22373 | 27455 |
| SEK ART. 6940 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6939 | 1894 | 2393 | 2892 | 3391 | 3890 | 4389 | 4888 | 5387 | 5886 | 6385 | 6884 | 7383 | 7882 | 9878 |
| SEK ART. 6943 | A | B | C | D | E | F | G | H | I | J | K | L | M | ES |
| SPARE COVER — Art. 6941 and Art. 6942 | 8902 | 11431 | 13960 | 16489 | 19018 | 21547 | 24076 | 26605 | 29134 | 31663 | 34192 | 36721 | 39250 | 49364 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| <p>Art. 6937 1 pz = 1  - kg 2,82/ m³ 0,03</p> <p>Art. 6938 1 pz = 1  - kg 2,82/ m³ 0,03</p> <p>Art. 6940 1 pz = 1  - kg 1,8/ m³ 0,03</p> | <p>Art.6937 COL requirement m² 18,36 H 140 cm. COM Meterage m 4.972</p> <p>Art.6938 COL requirement m² 18,36 H 140 cm. COM Meterage m 4.972</p> <p>Art.6940 COL requirement m² 7,44 H 140 cm. COM Meterage m 2.057</p> <p>Art.6943 COL requirement m² 29,04 H 140 cm. COM Meterage m 10.373</p> | |
| FIRE RETARDANT TEST | | |



Accessories

SEK ART. 6001



Power supply kit consisting of 2 units with 2 USB A sockets each, 1 power supply unit and cable clamps. Electric cable not included.


1655

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---------------------|--------------------------|-----------------|
| | | |
| FIRE RETARDANT TEST | | |

STEEVE

Design by Jean-Marie Massaud

2015



Steeve

Collection overview

Upholstery Types

In the entirely upholstered version the frame and cushions can be in the same material and color (A), or in the same material but in different colours (B).



(A) — Entirely upholstered with a single material - one colour

(B) — Entirely upholstered with a single material in different colours

The exposed frame version is finished with veneered wood externally, while the frame internal upholstery is in the same material and colour as the seat and backrest cushions. (C)



(C) — Wood external frame with internal upholstery in a single material - one colour


Options





— Cushions

Steeve

Free-standing





Armchair



Sofa — 2 seats

Sofa — 3 seats




Bench — 2 seats

Bench — 3 seats

Steeve

Modular system

2 seats




Without armrest

With right armrest

With left armrest

3 seats




Without armrest

With right armrest

With left armrest

Corner components



90° dx

90° sx


Steeve

Examples of possible layouts



For linear compositions of modules, Art 5315 (seat link, for linear modules only) needs to be ordered. Please see final page for price.

In case of Steeve composition made of 2 or more linear modules, backrest must be fitted with holes for linking device (option available without surcharge and must be requested at order confirmation).

ART. 5234 + ART. 5254 + ART. 5233




ART. 5254+ ART. 5232 + ART. 5232 + ART. 5258 + ART. 5233



ART. 5215

Art. 5315





Link kit for linear modules

For compositions of modules, art 5315 (seat link, for linear modules only) needs to be ordered. When placing the order, please specify if back needs to be connected as well (option offered without surcharge).

Steeve Upholstered Frame

Design by Jean-Marie Massaud, 2015

Armchair available with armrests. The frame can be entirely upholstered with a single material in just one colour, or with a single material in two colours. The seat and backrest cushions have the same upholstery as the frame internal side.



| SEK ART. 5215 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Entirely upholstered with a single material in just one color | 27982 | 29625 | 31268 | 32911 | 34554 | 36197 | 37840 | 39483 | 41126 | 42769 | 44412 | 46055 | 47698 | 54391 |
| Entirely upholstered with a single material in two colors | 286 | 512 | 738 | 964 | 1190 | 1416 | 1642 | 1868 | 2094 | 2320 | 2546 | 2772 | 2998 | 4073 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art. 5215 1 pz = 1 - kg 54,55/ m³ 0,508 | Art.5215 COL requirement m² 10,54 H 140 cm. COM Meterage m 5.5 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



V44
matt




Steeve Upholstered Frame

Design by Jean-Marie Massaud, 2015

Two seat sofa available in the following versions: with or without armrests, with right or left armrest. The frame can be entirely upholstered with a single material in just one colour, or with a single material in different colours. The seat and backrest cushions have the same upholstery as the frame internal side.

Accessories:
Link Kit Art. 5315



| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| <p>Art. 5231 1 pz = 1 - kg 84,6/ m³ 0,889</p> <p>Art. 5232 1 pz = 1 - kg 67,88/ m³ 0,889</p> <p>Art. 5233 1 pz = 1 - kg 76,24/ m³ 0,889</p> <p>Art. 5234 1 pz = 1 - kg 76,24/ m³ 0,889</p> | <p>Art.5231 COL requirement m² 17.5 H 140 cm. COM Meterage m 8.51 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5232 COL requirement m² 13.83 H 140 cm. COM Meterage m 6.7 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5233 COL requirement m² 16.06 H 140 cm. COM Meterage m 7.57 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5234 COL requirement m² 16.06 H 140 cm. COM Meterage m 7.57 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | |



Steeve Upholstered Frame

Design by Jean-Marie Massaud, 2015

| SEK ART. 5231 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Entirely upholstered with a single material in just one color | 39924 | 42495 | 45066 | 47637 | 50208 | 52779 | 55350 | 57921 | 60492 | 63063 | 65634 | 68205 | 70776 | 80944 |
| Entirely upholstered with a single material in two colors | + 500 | + 917 | + 1334 | + 1751 | + 2168 | + 2585 | + 3002 | + 3419 | + 3836 | + 4253 | + 4670 | + 5087 | + 5504 | + 6858 |
| SEK ART. 5232 | | | | | | | | | | | | | | |
| A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES | |
| Entirely upholstered with a single material in just one color | 32958 | 35065 | 37172 | 39279 | 41386 | 43493 | 45600 | 47707 | 49814 | 51921 | 54028 | 56135 | 58242 | 66667 |
| Entirely upholstered with a single material in two colors | + 500 | + 917 | + 1334 | + 1751 | + 2168 | + 2585 | + 3002 | + 3419 | + 3836 | + 4253 | + 4670 | + 5087 | + 5504 | + 6858 |
| SEK ART. 5233 | | | | | | | | | | | | | | |
| A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES | |
| Entirely upholstered with a single material in just one color | 36460 | 38841 | 41222 | 43603 | 45984 | 48365 | 50746 | 53127 | 55508 | 57889 | 60270 | 62651 | 65032 | 74645 |
| Entirely upholstered with a single material in two colors | + 500 | + 917 | + 1334 | + 1751 | + 2168 | + 2585 | + 3002 | + 3419 | + 3836 | + 4253 | + 4670 | + 5087 | + 5504 | + 6858 |
| SEK ART. 5234 | | | | | | | | | | | | | | |
| A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES | |
| Entirely upholstered with a single material in just one color | 36460 | 38841 | 41222 | 43603 | 45984 | 48365 | 50746 | 53127 | 55508 | 57889 | 60270 | 62651 | 65032 | 74645 |
| Entirely upholstered with a single material in two colors | + 500 | + 917 | + 1334 | + 1751 | + 2168 | + 2585 | + 3002 | + 3419 | + 3836 | + 4253 | + 4670 | + 5087 | + 5504 | + 6858 |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base



Steeve Upholstered Frame

Design by Jean-Marie Massaud, 2015

Three seat sofa available in the following versions: with or without armrests, with right or left armrest. The frame can be entirely upholstered with a single material in just one colour, or with a single material in different colours. The seat and backrest cushions have the same upholstery as the frame internal side.



Accessories:
Link Kit Art. 5315

| | |
|-------------------------|-------------------------|
| <p>ART. 5247</p> | <p>ART. 5248</p> |
| <p>ART. 5249</p> | <p>ART. 5250</p> |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|--|
| <p>Art. 5247 1 pz = 1 - kg 114,9/ m³ 1,27</p> <p>Art. 5248 1 pz = 1 - kg 98,18/ m³ 1,27</p> <p>Art. 5249 1 pz = 1 - kg 106,5/ m³ 1,27</p> <p>Art. 5250 1 pz = 1 - kg 106,5/ m³ 1,27</p> | <p>Art.5247 COL requirement m² 25,58 H 140 cm. COM Meterage m 11,77 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5248 COL requirement m² 20,62 H 140 cm. COM Meterage m 9,68 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5249 COL requirement m² 23,04 H 140 cm. COM Meterage m 10,63 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5250 COL requirement m² 23,04 H 140 cm. COM Meterage m 10,63 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |



Steeve Upholstered Frame

Design by Jean-Marie Massaud, 2015

| SEK ART. 5247 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Entirely upholstered with a single material in just one color | 50045 | 53557 | 57069 | 60581 | 64093 | 67605 | 71117 | 74629 | 78141 | 81653 | 85165 | 88677 | 92189 | 106163 |
| Entirely upholstered with a single material in two colors | + 690 | + 1261 | + 1832 | + 2403 | + 2974 | + 3545 | + 4116 | + 4687 | + 5258 | + 5829 | + 6400 | + 6971 | + 7542 | + 9895 |
| SEK ART. 5248 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Entirely upholstered with a single material in just one color | 43140 | 46105 | 49070 | 52035 | 55000 | 57965 | 60930 | 63895 | 66860 | 69825 | 72790 | 75755 | 78720 | 90529 |
| Entirely upholstered with a single material in two colors | + 690 | + 1261 | + 1832 | + 2403 | + 2974 | + 3545 | + 4116 | + 4687 | + 5258 | + 5829 | + 6400 | + 6971 | + 7542 | + 9895 |
| SEK ART. 5249 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Entirely upholstered with a single material in just one color | 46652 | 49962 | 53272 | 56582 | 59892 | 63202 | 66512 | 69822 | 73132 | 76442 | 79752 | 83062 | 86372 | 99459 |
| Entirely upholstered with a single material in two colors | + 690 | + 1261 | + 1832 | + 2403 | + 2974 | + 3545 | + 4116 | + 4687 | + 5258 | + 5829 | + 6400 | + 6971 | + 7542 | + 9895 |
| SEK ART. 5250 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Entirely upholstered with a single material in just one color | 46652 | 49962 | 53272 | 56582 | 59892 | 63202 | 66512 | 69822 | 73132 | 76442 | 79752 | 83062 | 86372 | 99459 |
| Entirely upholstered with a single material in two colors | + 690 | + 1261 | + 1832 | + 2403 | + 2974 | + 3545 | + 4116 | + 4687 | + 5258 | + 5829 | + 6400 | + 6971 | + 7542 | + 9895 |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. | | | | | | | | | | | | | | |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | | |


Frame Base



Steeve Upholstered Frame

Design by Jean-Marie Massaud, 2015

Right or left 90° corner components, already equipped with seat links. The frame can be entirely upholstered with a single material in just one colour, or with a single material in two colours. The seat and backrest cushions have the same upholstery as the frame internal side.



| SEK ART. 5254 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Entirely upholstered with a single material in just one color | 24576 | 26244 | 27912 | 29580 | 31248 | 32916 | 34584 | 36252 | 37920 | 39588 | 41256 | 42924 | 44592 | 51462 |
| Entirely upholstered with a single material in two colors | 143 | 262 | 381 | 500 | 619 | 738 | 857 | 976 | 1095 | 1214 | 1333 | 1452 | 1571 | 2263 |
| SEK ART. 5258 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Entirely upholstered with a single material in just one color | 24576 | 26244 | 27912 | 29580 | 31248 | 32916 | 34584 | 36252 | 37920 | 39588 | 41256 | 42924 | 44592 | 51462 |
| Entirely upholstered with a single material in two colors | 143 | 262 | 381 | 500 | 619 | 738 | 857 | 976 | 1095 | 1214 | 1333 | 1452 | 1571 | 2263 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 5254 1 pz = 1 - kg 53,18/ m³ 0,508 Art. 5258 1 pz = 1 - kg 53,18/ m³ 0,508 | Art. 5254 COL requirement m² 8.52 H 140 cm. COM Meterage m 5.51 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art. 5258 COL requirement m² 8.52 H 140 cm. COM Meterage m 5.51 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base




Steeve Wooden Frame

Design by Jean-Marie Massaud, 2015



Armchair available with armrests. Frame with reconstituted veneer on the external side and with fabric, leather or coated fabric on the inside. The seat and backrest cushions have the same upholstery as the frame internal side.



| SEK ART. 5211 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| External side wood + inside upholstered with a single material in just one color | 33935 | 35316 | 36697 | 38078 | 39459 | 40840 | 42221 | 43602 | 44983 | 46364 | 47745 | 49126 | 50507 | 55891 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| Art. 5211 1 pz = 1 - kg 54,55/ m³ 0,508 | Art. 5211 COL requirement m² 8.15 H 140 cm. COM Meterage m 3.85 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.6 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



V44
matt

Top



L0006 L0022 L0028







Steeve Wooden Frame

Design by Jean-Marie Massaud, 2015

Two seat sofa available in the following versions: with or without armrests, with right or left armrest. Frame with reconstituted veneer on the external side and with fabric, leather or coated fabric on the inside. The seat and backrest cushions have the same upholstery as the frame internal side.

Accessories:
Link Kit Art. 5315



| | |
|--|---|
|  <p>ART. 5227</p> |  <p>ART. 5228</p> |
|  <p>ART. 5229</p> |  <p>ART. 5230</p> |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| <p>Art. 5227 1 pz = 1 - kg 84,6/ m³ 0,889</p> <p>Art. 5228 1 pz = 1 - kg 67,88/ m³ 0,889</p> <p>Art. 5229 1 pz = 1 - kg 76,24/ m³ 0,889</p> <p>Art. 5230 1 pz = 1 - kg 76,24/ m³ 0,889</p> | <p>Art.5227 COL requirement m² 13.42 H 140 cm. COM Meterage m 6.64 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5228 COL requirement m² 12.38 H 140 cm. COM Meterage m 5.7 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5229 COL requirement m² 12.92 H 140 cm. COM Meterage m 6.09 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5230 COL requirement m² 12.92 H 140 cm. COM Meterage m 6.09 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | |



Steeve Wooden Frame

Design by Jean-Marie Massaud, 2015

| SEK ART. 5227 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| External side wood + inside upholstered with a single material in just one color | 47069 | 49367 | 51665 | 53963 | 56261 | 58559 | 60857 | 63155 | 65453 | 67751 | 70049 | 72347 | 74645 | 83861 |
| SEK ART. 5228 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 36174 | 38186 | 40198 | 42210 | 44222 | 46234 | 48246 | 50258 | 52270 | 54282 | 56294 | 58306 | 60318 | 68466 |
| SEK ART. 5229 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 41555 | 43674 | 45793 | 47912 | 50031 | 52150 | 54269 | 56388 | 58507 | 60626 | 62745 | 64864 | 66983 | 75538 |
| SEK ART. 5230 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 41555 | 43674 | 45793 | 47912 | 50031 | 52150 | 54269 | 56388 | 58507 | 60626 | 62745 | 64864 | 66983 | 75538 |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base



V44
matt

Top



L0006 L0022 L0028



Steeve Wooden Frame

Design by Jean-Marie Massaud, 2015

Three seat sofa available in the following versions: with or without armrests, with right or left armrest. Frame with reconstituted veneer on the external side and with fabric, leather or coated fabric on the inside. The seat and backrest cushions have the same upholstery as the frame internal side.

Accessories:
Link Kit Art. 5315



| | |
|-------------------------|-------------------------|
| <p>ART. 5243</p> | <p>ART. 5244</p> |
| <p>ART. 5245</p> | <p>ART. 5246</p> |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| <p>Art. 5243 1 pz = 1 - kg 114,9/ m³ 1,27</p> <p>Art. 5244 1 pz = 1 - kg 98,18/ m³ 1,27</p> <p>Art. 5245 1 pz = 1 - kg 106,5/ m³ 1,27</p> <p>Art. 5246 1 pz = 1 - kg 106,5/ m³ 1,27</p> | <p>Art.5243 COL requirement m² 20.1 H 140 cm. COM Meterage m 9.2 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5244 COL requirement m² 17.13 H 140 cm. COM Meterage m 8.33 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5245 COL requirement m² 19.07 H 140 cm. COM Meterage m 8.79 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.5246 COL requirement m² 19.07 H 140 cm. COM Meterage m 8.79 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | |



Steeve Wooden Frame

Design by Jean-Marie Massaud, 2015

| SEK ART. 5243 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| External side wood + inside upholstered with a single material in just one color | 59774 | 62954 | 66134 | 69314 | 72494 | 75674 | 78854 | 82034 | 85214 | 88394 | 91574 | 94754 | 97934 | 110711 |
| SEK ART. 5244 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 48794 | 51711 | 54628 | 57545 | 60462 | 63379 | 66296 | 69213 | 72130 | 75047 | 77964 | 80881 | 83798 | 95470 |
| SEK ART. 5245 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 54332 | 57285 | 60238 | 63191 | 66144 | 69097 | 72050 | 75003 | 77956 | 80909 | 83862 | 86815 | 89768 | 101495 |
| SEK ART. 5246 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 54332 | 57285 | 60238 | 63191 | 66144 | 69097 | 72050 | 75003 | 77956 | 80909 | 83862 | 86815 | 89768 | 101495 |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1IM Omologazione Italia Coated fabric Valencia Spradling. * FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. | | | | | | | | | | | | | | |

Frame Base



V44
matt

Top




L0006 L0022 L0028



Steeve Wooden Frame

Design by Jean-Marie Massaud, 2015

Right or left 90° corner components, already equipped with seat links. Frame with reconstituted veneer on the external side and with fabric, leather or coated fabric on the inside. The seat and backrest cushions have the same upholstery as the frame internal side.




| SEK ART. 5253 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| External side wood + inside upholstered with a single material in just one color | 28624 | 30160 | 31696 | 33232 | 34768 | 36304 | 37840 | 39376 | 40912 | 42448 | 43984 | 45520 | 47056 | 53141 |
| SEK ART. 5257 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| External side wood + inside upholstered with a single material in just one color | 28624 | 30160 | 31696 | 33232 | 34768 | 36304 | 37840 | 39376 | 40912 | 42448 | 43984 | 45520 | 47056 | 53141 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 5253 1 pz = 1 - kg 53,18/ m³ 0,508 Art. 5257 1 pz = 1 - kg 53,18/ m³ 0,508 | Art.5253 COL requirement m² 7.12 H 140 cm. COM Meterage m 4.43 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.5257 COL requirement m² 7.12 H 140 cm. COM Meterage m 4.43 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Remix 3 Kvadrat. | | |

Frame Base



Shell



Steeve

Design by Jean-Marie Massaud, 2015

Two or three seat bench with one material one color upholstery available with fabric, leather or coated fabric.

Accessories:
Link Kit Art. 5315



| SEK ART. 5201 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Entirely upholstered with a single material in just one color | 20087 | 21253 | 22419 | 23585 | 24751 | 25917 | 27083 | 28249 | 29415 | 30581 | 31747 | 32913 | 34079 | 38721 |

| SEK ART. 5202 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Entirely upholstered with a single material in just one color | 25755 | 27362 | 28969 | 30576 | 32183 | 33790 | 35397 | 37004 | 38611 | 40218 | 41825 | 43432 | 45039 | 51689 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 5201 1 pz = 1 - kg 45,18/ m² 0,889 Art. 5202 1 pz = 1 - kg 64,13/ m² 1,27 | Art.5201 COL requirement m² 6.8 H 140 cm. COM Meterage m 3.54 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.5202 COL requirement m² 9.13 H 140 cm. COM Meterage m 4.83 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Contact us for upholstered with a single material in different color. | |


Frame Base



Steeve

Design by Jean-Marie Massaud, 2015

Different sizes of cushions. The upholstery is made from down and fiber, available in leather, customer's leather, coated fabric, fabric or customer's fabric.



| SEK ART. 5267 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|----------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| Cushion 60 x 60 cm | 2012 | 2238 | 2464 | 2690 | 2916 | 3142 | 3368 | 3594 | 3820 | 4046 | 4272 | 4498 | 4724 | 5787 |
| SEK ART. 5268 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Cushion 45 x 45 cm | 1560 | 1726 | 1892 | 2058 | 2224 | 2390 | 2556 | 2722 | 2888 | 3054 | 3220 | 3386 | 3552 | 4393 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 5267 1 pz = 1 - kg 2,9/ m² 0,13 Art. 5268 1 pz = 1 - kg 4,6/ m² 0,075 | Art.5267 COL requirement m² 1.18 H 140 cm. COM Meterage m 0.72 Art.5268 COL requirement m² 0.91 H 140 cm. COM Meterage m 0.55 | |
| FIRE RETARDANT TEST | | |

Accessories


Design by Jean-Marie Massaud


SEK ART. 5315

Link kit for linear modules

751

ART. 5315



| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 5315 1 pz = 1  - kg 1,85/ m³ 0,004 | | |
| FIRE RETARDANT TEST | | |



ZINTA

Design by
Lievore Altherr Molina
2014



Zinta

Collection overview

Zinta Lounge

Cushions available



- Exposed backrest
- Single seat cushion



- Multi backrest cushions
- Single seat cushion




- Multi backrest cushions
- Multi seat cushions


Right and/or left armrest version
For Art. 4401 and 4419: armrest not available




Modular




120 cm




180 cm




270 cm




90° dx



90° sx



135° dx




135° sx

Zinta

Zinta Waiting

Cushions available



- Single backrest cushion
- Single seat cushion




- Multi backrest cushions
- Multi seat cushions


Armrest available
for multi cushions
version




Modular




240 cm




300 cm




90° dx



90° sx



135° dx



135° sx


Zinta

Zinta Eating

Cushions available




— Exposed backrest and seat



— Exposed backrest
— Single seat cushion


Modular




140 cm




240 cm



300 cm




90° dx




90° sx


Zinta Lounge



Zinta Waiting



Zinta Eating




Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014



Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately. Armrests not available.

Accessories:
Link Kit Art. 4428



| SEK ART. 4401 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bench L1200 - 1 seat cushion & 1 back cushion | 33375 | 34244 | 35113 | 35982 | 36851 | 37720 | 38589 | 39458 | 40327 | 41196 | 42065 | 42934 | 43803 | 47271 |
| SEK ART. 4419 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L1200 - 1 seat cushion | 31221 | 32055 | 32889 | 33723 | 34557 | 35391 | 36225 | 37059 | 37893 | 38727 | 39561 | 40395 | 41229 | 44616 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4401 1 pz = 1 - kg 34/ m³ 1,002 Art. 4419 1 pz = 1 - kg 34/ m³ 1,002 | Art.4401 COL requirement m² 7.03 H 140 cm. COM Meterage m 2.86 Art.4419 COL requirement m² 5.07 H 140 cm. COM Meterage m 1.82 | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately.

Accessories:
Armrest (right or left) Art. 4416
Link Kit Art. 4428



| SEK ART. 4402 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bench L 1800 - 2 seat cushions L900 & 2 back cushions L900 | 45889 | 47449 | 49009 | 50569 | 52129 | 53689 | 55249 | 56809 | 58369 | 59929 | 61489 | 63049 | 64609 | 71383 |
| SEK ART. 4403 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L1800 - 1 seat cushion & 2 back cushions L900 | 44996 | 46294 | 47592 | 48890 | 50188 | 51486 | 52784 | 54082 | 55380 | 56678 | 57976 | 59274 | 60572 | 65857 |
| SEK ART. 4420 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L1800 - 1 seat cushion | 40341 | 41353 | 42365 | 43377 | 44389 | 45401 | 46413 | 47425 | 48437 | 49449 | 50461 | 51473 | 52485 | 56832 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art. 4402 1 pz = 1 - kg 48/ m³ 1,415 Art. 4403 1 pz = 1 - kg 48/ m³ 1,415 Art. 4420 1 pz = 1 - kg 46/ m³ 1,415 | Art.4402 COL requirement m² 13.02 H 140 cm. COM Meterage m 5.06 Art.4403 COL requirement m² 12.52 H 140 cm. COM Meterage m 4.6 Art.4420 COL requirement m² 6.27 H 140 cm. COM Meterage m 2.48 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.26 • EN 1728:2012 - EN 16139:2013 6.5 |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately.

Accessories:
Armrest (right or left) Art. 4416
Link Kit Art. 4428



| SEK ART. 4404 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Bench L2700 - 3 seat cushions L900 & 3 back cushions L900 | 64572 | 66942 | 69312 | 71682 | 74052 | 76422 | 78792 | 81162 | 83532 | 85902 | 88272 | 90642 | 93012 | 102948 |
| SEK ART. 4405 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L2700 - 1 seat cushion & 3 back cushions L900 | 62381 | 64250 | 66119 | 67988 | 69857 | 71726 | 73595 | 75464 | 77333 | 79202 | 81071 | 82940 | 84809 | 92481 |
| SEK ART. 4421 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L2700 - 1 seat cushion | 55130 | 56428 | 57726 | 59024 | 60322 | 61620 | 62918 | 64216 | 65514 | 66812 | 68110 | 69408 | 70706 | 75991 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 4404 1 pz = 1 - kg 68/ m² 2,035 Art. 4405 1 pz = 1 - kg 68/ m² 2,035 Art. 4421 1 pz = 1 - kg 65/ m² 2,035 | Art.4404 COL requirement m² 19,53 H 140 cm. COM Meterage m 7.59 Art.4405 COL requirement m² 15,05 H 140 cm. COM Meterage m 6.58 Art.4421 COL requirement m² 7.56 H 140 cm. COM Meterage m 3.47 | |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell



Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately.


Accessories:

Armrest (right or left) Art. 4416

Seat cushion angle 90° Art. 4417

Backrest cushion angle 90° Art. 4418

Link Kit Art. 4428



| SEK ART. 4406 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2 seater, 90° right angular bench - 2 seat cushions L900 & 2 back cushions L900 | 65703 | 67513 | 69323 | 71133 | 72943 | 74753 | 76563 | 78373 | 80183 | 81993 | 83803 | 85613 | 87423 | 94566 |
| SEK ART. 4407 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 90° right angular bench - 1 seat cushion & 2 back cushions L900 | 66655 | 68310 | 69965 | 71620 | 73275 | 74930 | 76585 | 78240 | 79895 | 81550 | 83205 | 84860 | 86515 | 93744 |
| SEK ART. 4422 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 90° right angular bench - 1 seat cushion | 61333 | 62548 | 63763 | 64978 | 66193 | 67408 | 68623 | 69838 | 71053 | 72268 | 73483 | 74698 | 75913 | 81193 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 4406 1 pz = 1 - kg 55/ m³ 2,104 Art. 4407 1 pz = 1 - kg 55/ m³ 2,104 Art. 4422 1 pz = 1 - kg 54/ m³ 2,104 | Art.4406 COL requirement m² 13.02 H 140 cm. COM Meterage m 5.06 Art.4407 COL requirement m² 12.63 H 140 cm. COM Meterage m 5.28 Art.4422 COL requirement m² 7 H 140 cm. COM Meterage m 3.3 | |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



V44
matt

Shell



L0006



L0022



L0023



Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately.


Accessories:

Armrest (right or left) Art. 4416

Seat cushion angle 90° Art. 4417

Backrest cushion angle 90° Art. 4418

Link Kit Art. 4428



| SEK ART. 4408 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2 seater, 90° left angular bench - 2 seat cushions & 2 back cushions L900 | 65703 | 67513 | 69323 | 71133 | 72943 | 74753 | 76563 | 78373 | 80183 | 81993 | 83803 | 85613 | 87423 | 94566 |
| SEK ART. 4409 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 90° left angular bench - 1 seat cushion & 2 back cushions L900 | 66655 | 68310 | 69965 | 71620 | 73275 | 74930 | 76585 | 78240 | 79895 | 81550 | 83205 | 84860 | 86515 | 93744 |
| SEK ART. 4423 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 90° left angular bench - 1 seat cushion | 61333 | 62548 | 63763 | 64978 | 66193 | 67408 | 68623 | 69838 | 71053 | 72268 | 73483 | 74698 | 75913 | 81193 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 4408 1 pz = 1 - kg 55/ m² 2,104 Art. 4409 1 pz = 1 - kg 55/ m² 2,104 Art. 4423 1 pz = 1 - kg 54/ m² 2,104 | Art.4408 COL requirement m² 13.02 H 140 cm. COM Meterage m 5.06 Art.4409 COL requirement m² 12.63 H 140 cm. COM Meterage m 5.28 Art.4423 COL requirement m² 7 H 140 cm. COM Meterage m 3.3 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately.

Accessories:
Armrest (right or left) Art. 4416
Link Kit Art. 4428



| SEK ART. 4410 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2 seater, 135° right angular bench - 2 seat & back cushions (L900 + angular) | 61786 | 63560 | 65334 | 67108 | 68882 | 70656 | 72430 | 74204 | 75978 | 77752 | 79526 | 81300 | 83074 | 90100 |
| SEK ART. 4411 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 135° right angular bench - 1 seat cushion & 2 back cushions (L900 & angular) | 61298 | 62893 | 64488 | 66083 | 67678 | 69273 | 70868 | 72463 | 74058 | 75653 | 77248 | 78843 | 80438 | 87302 |
| SEK ART. 4424 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 135° right angular bench - 1 seat cushion | 55296 | 56439 | 57582 | 58725 | 59868 | 61011 | 62154 | 63297 | 64440 | 65583 | 66726 | 67869 | 69012 | 73835 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 4410 1 pz = 1 - kg 53/ m³ 1,697 Art. 4411 1 pz = 1 - kg 53/ m³ 1,697 Art. 4424 1 pz = 1 - kg 50/ m³ 1,697 | Art.4410 COL requirement m² 12,66 H 140 cm. COM Meterage m 5.5 Art.4411 COL requirement m² 12,7 H 140 cm. COM Meterage m 5.39 Art.4424 COL requirement m² 6,22 H 140 cm. COM Meterage m 2,81 | |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Lounge Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs both powder-coated in anthracite color. The shell is provided with cushions upholstered in fabric, leather, coated fabric or customer's own material applied on both seat and backrest or only on the seat. The modules can be combined to create linear or L-shaped arrangements (for the articles 4406 - 4407 - 4408 - 4409 the cushion angle must be ordered separately Artt 4417 - 4418). Cushions are available upon request and may be ordered separately.

Accessories:
Armrest (right or left) Art. 4416
Link Kit Art. 4428



| SEK ART. 4412 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2 seater, 135° left angular bench – 2 seat & back cushions (L900 + angular) | 61786 | 63560 | 65334 | 67108 | 68882 | 70656 | 72430 | 74204 | 75978 | 77752 | 79526 | 81300 | 83074 | 90100 |
| SEK ART. 4413 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 135° left angular bench - 1 seat cushion & 2 back cushions (L900 + angular) | 61298 | 62893 | 64488 | 66083 | 67678 | 69273 | 70868 | 72463 | 74058 | 75653 | 77248 | 78843 | 80438 | 87302 |
| SEK ART. 4425 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 2 seater, 135° right angular bench - 1 seat cushion | 55296 | 56439 | 57582 | 58725 | 59868 | 61011 | 62154 | 63297 | 64440 | 65583 | 66726 | 67869 | 69012 | 73835 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 4412 1 pz = 1 - kg 53/ m³ 1,697 Art. 4413 1 pz = 1 - kg 53/ m³ 1,697 Art. 4425 1 pz = 1 - kg 50/ m³ 1,697 | Art.4412 COL requirement m² 12.66 H 140 cm. COM Meterage m 5.5 Art.4413 COL requirement m² 12.7 H 140 cm. COM Meterage m 5.39 Art.4425 COL requirement m² 6.22 H 140 cm. COM Meterage m 2.81 | |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell



Accessories

Design by Lievore Altherr Molina, 2014



| SEK ART. 4416 | WOOD | | | | | | | | | | | | | |
|--|------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|
| Armrest (right or left) | 3632 | | | | | | | | | | | | | |
| SEK ART. 4417 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Seat cushion angle 90° | 4822 | 5476 | 6130 | 6784 | 7438 | 8092 | 8746 | 9400 | 10054 | 10708 | 11362 | 12016 | 12670 | 15622 |
| SEK ART. 4418 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Backrest cushion angle 90° | 5846 | 6394 | 6942 | 7490 | 8038 | 8586 | 9134 | 9682 | 10230 | 10778 | 11326 | 11874 | 12422 | 14586 |
| SEK ART. 4427 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Only armrest cushion | 1715 | 1929 | 2143 | 2357 | 2571 | 2785 | 2999 | 3213 | 3427 | 3641 | 3855 | 4069 | 4283 | 5334 |
| SEK ART. 4428 | V44 | | | | | | | | | | | | | |
| Link kit for two linear modules Lounge | 929 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4416 1 pz = 1 - kg 2,5/ m³ 0,118 Art. 4427 1 pz = 1 - kg 1/ m³ 0,069 | Art.4417 COL requirement m² 2.49 H 140 cm. COM Meterage m 2.11 Art.4418 COL requirement m² 2.67 H 140 cm. COM Meterage m 1.71 Art.4427 COL requirement m² 1.57 H 140 cm. COM Meterage m 1.52 | |
| FIRE RETARDANT TEST | | |




Zinta Waiting Wood

Design by Lievore Altherr Molina, 2014



Modular seat components with oak veneered plywood frame available in several colors. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570



| SEK ART. 4500 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4 seater bench L2400 - 4 seat pad L600 & 4 back pad L600 | 52605 | 53700 | 54795 | 55890 | 56985 | 58080 | 59175 | 60270 | 61365 | 62460 | 63555 | 64650 | 65745 | 70371 |
| SEK ART. 4501 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 4 seater bench L2400 - 1 seat pad & 1 back pad | 47879 | 48772 | 49665 | 50558 | 51451 | 52344 | 53237 | 54130 | 55023 | 55916 | 56809 | 57702 | 58595 | 62310 |
| Armrest BV for Zinta Waiting - L 240 cm | + 9037 Art. 4500 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 4500 1 pz = 1 - kg 58/ m³ 0,939 Art. 4501 1 pz = 1 - kg 58/ m³ 0,939 | Art.4500 COL requirement m² 7.2 H 140 cm. COM Meterage m 3.48 Art.4501 COL requirement m² 5.72 H 140 cm. COM Meterage m 2.85 | |
| FIRE RETARDANT TEST Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023



Armrest BV




Zinta Waiting Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame available in several colors. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570




| SEK ART. 4502 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|---------|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 5 seater bench L3000 - 5 seat pad L600 & 5 back pad | 62357 | 63715 | 65073 | 66431 | 67789 | 69147 | 70505 | 71863 | 73221 | 74579 | 75937 | 77295 | 78653 | 84480 |
| SEK ART. 4503 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 5 seater bench L3000 - 1 seat pad & 1 back pad | 56296 | 57391 | 58486 | 59581 | 60676 | 61771 | 62866 | 63961 | 65056 | 66151 | 67246 | 68341 | 69436 | 74074 |
| Armrest BV for Zinta Waiting - L 300 cm | + 12002 | | Art. 4502 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art. 4502 1 pz = 1 - kg 72/ m³ 1,153 Art. 4503 1 pz = 1 - kg 72/ m³ 1,153 | Art.4502 COL requirement m² 9 H 140 cm. COM Meterage m 4.35 Art.4503 COL requirement m² 7.42 H 140 cm. COM Meterage m 3.51 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell



Armrest BV




Zinta Waiting Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame available in several colors. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570




| SEK ART. 4508 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° right angular bench - 3 seat pad & 3 back pad | 52998 | 53832 | 54666 | 55500 | 56334 | 57168 | 58002 | 58836 | 59670 | 60504 | 61338 | 62172 | 63006 | 66369 |
| SEK ART. 4509 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 90° right angular bench - 1 seat pad & 1 back pad | 53093 | 53974 | 54855 | 55736 | 56617 | 57498 | 58379 | 59260 | 60141 | 61022 | 61903 | 62784 | 63665 | 67274 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4508 1 pz = 1 - kg 47/ m³ 0,964 Art. 4509 1 pz = 1 - kg 47/ m³ 0,964 | Art.4508 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4509 COL requirement m² 5.47 H 140 cm. COM Meterage m 2.77 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell




Zinta Waiting Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame available in several colors. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570




| SEK ART. 4510 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° left angular bench - 3 seat pad & 3 back pad | 52998 | 53832 | 54666 | 55500 | 56334 | 57168 | 58002 | 58836 | 59670 | 60504 | 61338 | 62172 | 63006 | 66369 |
| SEK ART. 4511 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 90° left angular bench - 1 seat pad & 1 back pad | 53093 | 53974 | 54855 | 55736 | 56617 | 57498 | 58379 | 59260 | 60141 | 61022 | 61903 | 62784 | 63665 | 67274 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4510 1 pz = 1 - kg 47/ m² 0,964 Art. 4511 1 pz = 1 - kg 47/ m² 0,964 | Art.4510 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4511 COL requirement m² 5.47 H 140 cm. COM Meterage m 2.77 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Shell



Zinta Waiting Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame available in several colors. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.



| SEK ART. 4512 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 135° right angular bench - 3 seat pad & 3 back pad | 48806 | 49640 | 50474 | 51308 | 52142 | 52976 | 53810 | 54644 | 55478 | 56312 | 57146 | 57980 | 58814 | 62203 |
| SEK ART. 4513 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 135° right angular bench - 1 seat pad & 1 back pad | 48497 | 49271 | 50045 | 50819 | 51593 | 52367 | 53141 | 53915 | 54689 | 55463 | 56237 | 57011 | 57785 | 60869 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4512 1 pz = 1 - kg 47/ m³ 0,825 Art. 4513 1 pz = 1 - kg 47/ m³ 0,825 | Art.4512 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4513 COL requirement m² 5.29 H 140 cm. COM Meterage m 2.43 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022




L0023



Zinta Waiting Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame available in several colors. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.



| SEK ART. 4514 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 135° left angular bench - 3 seat pad & 3 back pad | 48806 | 49640 | 50474 | 51308 | 52142 | 52976 | 53810 | 54644 | 55478 | 56312 | 57146 | 57980 | 58814 | 62203 |
| SEK ART. 4515 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 135° left angular bench - 1 seat pad & 1 back pad | 48497 | 49271 | 50045 | 50819 | 51593 | 52367 | 53141 | 53915 | 54689 | 55463 | 56237 | 57011 | 57785 | 60869 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4514 1 pz = 1 - kg 47/ m² 0,825 Art. 4515 1 pz = 1 - kg 47/ m² 0,825 | Art.4514 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4515 COL requirement m² 5.29 H 140 cm. COM Meterage m 2.43 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Waiting Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminum legs lacquered in anthracite color. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570



| SEK ART. 4548 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4 seater bench L2400 - 4 seat pad L600 & 4 back pad L600 | 45973 | 47068 | 48163 | 49258 | 50353 | 51448 | 52543 | 53638 | 54733 | 55828 | 56923 | 58018 | 59113 | 63738 |
| SEK ART. 4559 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 4 seater bench L2400 - 1 seat pad & 1 back pad | 41234 | 42127 | 43020 | 43913 | 44806 | 45699 | 46592 | 47485 | 48378 | 49271 | 50164 | 51057 | 51950 | 55642 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4548 1 pz = 1 - kg 42/ m² 0,939 Art. 4559 1 pz = 1 - kg 72/ m² 0,939 | Art.4548 COL requirement m² 7.2 H 140 cm. COM Meterage m 3.48 Art.4559 COL requirement m² 5.72 H 140 cm. COM Meterage m 2.85 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell




Zinta Waiting Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminium legs lacquered in anthracite colour. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570



| SEK ART. 4549 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 5 seater bench L3000 - 5 seat pad L600 & 5 back pad | 52725 | 54083 | 55441 | 56799 | 58157 | 59515 | 60873 | 62231 | 63589 | 64947 | 66305 | 67663 | 69021 | 74883 |
| SEK ART. 4560 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 5 seater bench L3000 - 1 seat pad & 1 back pad | 46675 | 47770 | 48865 | 49960 | 51055 | 52150 | 53245 | 54340 | 55435 | 56530 | 57625 | 58720 | 59815 | 64440 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4549 1 pz = 1 - kg 52/ m³ 1,153 Art. 4560 1 pz = 1 - kg 37/ m³ 1,153 | Art.4549 COL requirement m² 9 H 140 cm. COM Meterage m 4.35 Art.4560 COL requirement m² 7.42 H 140 cm. COM Meterage m 3.51 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell




Zinta Waiting Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminium legs lacquered in anthracite colour. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4570



| SEK ART. 4552 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° right angular bench - 3 seat pad & 3 back pad | 44353 | 45187 | 46021 | 46855 | 47689 | 48523 | 49357 | 50191 | 51025 | 51859 | 52693 | 53527 | 54361 | 57749 |
| SEK ART. 4563 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 90° right angular bench - 1 seat pad & 1 back pad | 44484 | 45365 | 46246 | 47127 | 48008 | 48889 | 49770 | 50651 | 51532 | 52413 | 53294 | 54175 | 55056 | 58654 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4552 1 pz = 1 - kg 35/ m³ 0,964 Art. 4563 1 pz = 1 - kg 47/ m³ 0,964 | Art.4552 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4563 COL requirement m² 5.47 H 140 cm. COM Meterage m 2.77 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell




LM00022



Zinta Waiting Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminium legs lacquered in anthracite colour. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.



| SEK ART. 4553 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° left angular bench - 3 seat pad & 3 back pad | 44353 | 45187 | 46021 | 46855 | 47689 | 48523 | 49357 | 50191 | 51025 | 51859 | 52693 | 53527 | 54361 | 57749 |
| SEK ART. 4564 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 90° left angular bench - 1 seat pad & 1 back pad | 44484 | 45365 | 46246 | 47127 | 48008 | 48889 | 49770 | 50651 | 51532 | 52413 | 53294 | 54175 | 55056 | 58654 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4553 1 pz = 1 - kg 35/ m² 0,964 Art. 4564 1 pz = 1 - kg 47/ m² 0,964 | Art.4553 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4564 COL requirement m² 5.47 H 140 cm. COM Meterage m 2.77 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell




LM00022



Zinta Waiting Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminium legs lacquered in anthracite colour. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.



| SEK ART. 4554 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 135° right angular bench - 3 seat pad & 3 back pad | 42818 | 43652 | 44486 | 45320 | 46154 | 46988 | 47822 | 48656 | 49490 | 50324 | 51158 | 51992 | 52826 | 56201 |
| SEK ART. 4565 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 135° right angular bench - 1 seat pad & 1 back pad | 42508 | 43282 | 44056 | 44830 | 45604 | 46378 | 47152 | 47926 | 48700 | 49474 | 50248 | 51022 | 51796 | 54855 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4554 1 pz = 1 - kg 35/ m² 0,964 Art. 4565 1 pz = 1 - kg 47/ m² 0,964 | Art.4554 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4565 COL requirement m² 5.29 H 140 cm. COM Meterage m 2.43 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base




Shell



Zinta Waiting Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminium legs lacquered in anthracite colour. Shell with upholstered seat and backrest in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.



| SEK ART. 4555 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 135° left angular bench - 3 seat pad & 3 back pad | 42818 | 43652 | 44486 | 45320 | 46154 | 46988 | 47822 | 48656 | 49490 | 50324 | 51158 | 51992 | 52826 | 56201 |
| SEK ART. 4566 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 135° left angular bench - 1 seat pad & 1 back pad | 42508 | 43282 | 44056 | 44830 | 45604 | 46378 | 47152 | 47926 | 48700 | 49474 | 50248 | 51022 | 51796 | 54855 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4555 1 pz = 1 - kg 35/ m² 0,964 Art. 4566 1 pz = 1 - kg 56/ m² 0,964 | Art.4555 COL requirement m² 5.4 H 140 cm. COM Meterage m 2.61 Art.4566 COL requirement m² 5.29 H 140 cm. COM Meterage m 2.43 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell



Accessories

Design by Lievore Altherr Molina, 2014



| | | |
|------------------------------|-----|--|
| SEK ART. 4570 | V44 | |
| Link kit for modules Waiting | 774 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| | | |
| FIRE RETARDANT TEST | | |




Zinta Eating Wood

Design by Lievore Altherr Molina, 2014



Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs lacquered in anthracite color. The shell can be fitted without pads or with upholstered seat in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| SEK ART. 4600 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------|-------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bench L 1400 - seat pad | 29934 | 30493 | 31052 | 31611 | 32170 | 32729 | 33288 | 33847 | 34406 | 34965 | 35524 | 36083 | 36642 | 38972 |
| SEK ART. 4606 | WOOD | | | | | | | | | | | | | |
| Bench L 1400 | 27053 | | | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + | 929 | Art. 4600 | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + | 929 | Art. 4606 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|---|
| Art. 4600 1 pz = 1 - kg 34/ m² 0,574 Art. 4606 1 pz = 1 - kg 29/ m² 0,574 | Art.4600 COL requirement m² 1.8 H 140 cm. COM Meterage m 1.75 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| FIRE RETARDANT TEST Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Eating Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs lacquered in anthracite color. The shell can be fitted without pads or with upholstered seat in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| SEK ART. 4601 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------------|-------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bench L 2400 - seat pad | 41508 | 42401 | 43294 | 44187 | 45080 | 45973 | 46866 | 47759 | 48652 | 49545 | 50438 | 51331 | 52224 | 55927 |
| SEK ART. 4607 | WOOD | | | | | | | | | | | | | |
| Bench L 2400 | 36674 | | | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + | 929 | Art. 4601 | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + | 929 | Art. 4607 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art. 4601 1 pz = 1 - kg 50/ m² 0,925 Art. 4607 1 pz = 1 - kg 42/ m² 0,925 | Art.4601 COL requirement m² 3.24 H 140 cm. COM Meterage m 2.85 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.4 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.5 |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Eating Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs lacquered in anthracite color. The shell can be fitted without pads or with upholstered seat in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| SEK ART. 4602 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|--|-------------|-------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bench L 3000 - seat pad | 48462 | 49557 | 50652 | 51747 | 52842 | 53937 | 55032 | 56127 | 57222 | 58317 | 59412 | 60507 | 61602 | 66239 |
| SEK ART. 4608 | WOOD | | | | | | | | | | | | | |
| Bench L 3000 | 45865 | | | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + | 929 | Art. 4602 | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + | 929 | Art. 4608 | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art. 4602 1 pz = 1 - kg 62/ m³ 1,136 Art. 4608 1 pz = 1 - kg 52/ m³ 1,136 | Art. 4602 COL requirement m² 3.96 H 140 cm. COM Meterage m 3.51 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Eating Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs lacquered in anthracite color. The shell can be fitted without pads or with upholstered seat in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| SEK ART. 4603 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° right angular bench - seat pad - L 2400 | 42591 | 43413 | 44235 | 45057 | 45879 | 46701 | 47523 | 48345 | 49167 | 49989 | 50811 | 51633 | 52455 | 55737 |
| SEK ART. 4609 | WOOD | | | | | | | | | | | | | |
| 3 seater, 90° right angular bench L 2400 | 36292 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4603 1 pz = 1 - kg 48/ m² 0,923 Art. 4609 1 pz = 1 - kg 42/ m² 0,923 | Art.4603 COL requirement m² 2.82 H 140 cm. COM Meterage m 2.6 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Eating Wood

Design by Lievore Altherr Molina, 2014

Modular seat components with oak veneered plywood frame, available in several colors. Steel frame and aluminum legs lacquered in anthracite color. The shell can be fitted without pads or with upholstered seat in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| SEK ART. 4604 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° left angular bench - seat pad- L 2400 | 42591 | 43413 | 44235 | 45057 | 45879 | 46701 | 47523 | 48345 | 49167 | 49989 | 50811 | 51633 | 52455 | 55737 |
| SEK ART. 4610 | WOOD | | | | | | | | | | | | | |
| 3 seater, 90° left angular bench L 2400 | 36292 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4604 1 pz = 1 - kg 48/ m² 0,923 Art. 4610 1 pz = 1 - kg 42/ m² 0,923 | Art.4604 COL requirement m² 2.82 H 140 cm. COM Meterage m 2.6 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



L0006



L0022



L0023




Zinta Eating Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminum legs lacquered in anthracite colour. The shell can be fitted without pads or with upholstered seat in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| | | | | | | | | | | | | | | |
|--|-----------|------------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| SEK ART. 4612 | LM | | | | | | | | | | | | | |
| Bench L 1400 | 21468 | | | | | | | | | | | | | |
| SEK ART. 4618 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L 1400 - seat pad | 25660 | 26219 | 26778 | 27337 | 27896 | 28455 | 29014 | 29573 | 30132 | 30691 | 31250 | 31809 | 32368 | 34673 |
| Wall fixing bracket - replacing the legs | + 929 | Art. 4612 | | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + 929 | Art. 4618 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| Art. 4612 1 pz = 1 - kg 29/ m² 0,574 Art. 4618 1 pz = 1 - kg 34/ m² 0,574 | Art.4618 COL requirement m² 1.8 H 140 cm. COM Meterage m 1.75 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



Shell




Zinta Eating Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminum legs lacquered in anthracite colour. The shell can be used as is, or with upholstered seat pads in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:

Link Kit Art. 4624



| | | | | | | | | | | | | | | |
|--|-----------|------------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| SEK ART. 4613 | LM | | | | | | | | | | | | | |
| Bench L 2400 | 29363 | | | | | | | | | | | | | |
| SEK ART. 4619 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L 2400 - seat pad | 35519 | 36412 | 37305 | 38198 | 39091 | 39984 | 40877 | 41770 | 42663 | 43556 | 44449 | 45342 | 46235 | 49938 |
| Wall fixing bracket - replacing the legs | + 929 | Art. 4613 | | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + 929 | Art. 4619 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|--|
| Art. 4613 1 pz = 1 - kg 42/ m² 0,925 Art. 4619 1 pz = 1 - kg 50/ m² 0,925 | Art.4619 COL requirement m² 3.24 H 140 cm. COM Meterage m 2.85 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



LM00022




Zinta Eating Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminum legs lacquered in anthracite colour. The shell can be used as is, or with upholstered seat pads in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| SEK ART. 4614 | LM | | | | | | | | | | | | | |
|--|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bench L 3000 | 36674 | | | | | | | | | | | | | |
| SEK ART. 4620 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| Bench L 3000 - seat pad | 39662 | 40757 | 41852 | 42947 | 44042 | 45137 | 46232 | 47327 | 48422 | 49517 | 50612 | 51707 | 52802 | 57440 |
| Wall fixing bracket - replacing the legs | + 929 | Art. 4614 | | | | | | | | | | | | |
| Wall fixing bracket - replacing the legs | + 929 | Art. 4620 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| Art. 4614 1 pz = 1 - kg 52/ m² 1,136 Art. 4620 1 pz = 1 - kg 62/ m² 1,136 | Art.4620 COL requirement m² 3.96 H 140 cm. COM Meterage m 3.51 | <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6.4 <ul style="list-style-type: none"> • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6.5 |

Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

Frame Base



Shell




Zinta Eating Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminum legs lacquered in anthracite colour. The shell can be used as is, or with upholstered seat pads in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:

Link Kit Art. 4624



| SEK ART. 4615 | LM | | | | | | | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 seater, 90° right angular bench L 2400 | 30339 | | | | | | | | | | | | | |
| SEK ART. 4621 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 90° right angular bench - seat pad - L 2400 | 36638 | 37460 | 38282 | 39104 | 39926 | 40748 | 41570 | 42392 | 43214 | 44036 | 44858 | 45680 | 46502 | 49772 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 4615 1 pz = 1 - kg 42/ m² 0,923 Art. 4621 1 pz = 1 - kg 48/ m² 0,923 | Art. 4621 COL requirement m² 2.82 H 140 cm. COM Meterage m 2.6 | |
| Classe 1IM Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



LM00022




Zinta Eating Laminate

Design by Lievore Altherr Molina, 2014

Modular seat components with laminate shell. Steel frame and aluminum legs lacquered in anthracite colour. The shell can be used as is, or with upholstered seat pads in fabric, customer's material, leather or coated fabric pads placed on the seat and backrest. The modules can be combined to create linear or L-shaped arrangements.

Accessories:
Link Kit Art. 4624



| | | | | | | | | | | | | | | |
|---|-----------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| SEK ART. 4616 | LM | | | | | | | | | | | | | |
| 3 seater, 90° left angular bench L 2400 | 30339 | | | | | | | | | | | | | |
| SEK ART. 4622 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | ES |
| 3 seater, 90° left angular bench - seat pad- L 2400 | 36638 | 37460 | 38282 | 39104 | 39926 | 40748 | 41570 | 42392 | 43214 | 44036 | 44858 | 45680 | 46502 | 49772 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 4616 1 pz = 1 - kg 42/ m² 0,923 Art. 4622 1 pz = 1 - kg 48/ m² 0,923 | Art.4622 COL requirement m² 2.82 H 140 cm. COM Meterage m 2.6 | |
| Classe 11M Omologazione Italia Elmosoft. Remix 3 Kvadrat. Coated fabric Valencia Spradling. | | |

Frame Base



V44
matt

Shell



LM00022



Accessories

Design by Lievore Altherr Molina, 2014



| | | |
|-----------------------------|-----|--|
| SEK ART. 4624 | V44 | |
| Link kit for modules Eating | 762 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------|--------------------------|-----------------|
| | | |
| FIRE RETARDANT TEST | | |



TABLES

CROSS

Design by
Metrica
2015



Cross

Collection overview

Type



H 74 cm

H 105 cm

H 74 cm — Office

H 105 cm — Office

Base

| | h 74 cm | h 105 cm | h 74 cm | h 105 cm | |
|------------|----------|----------|---------|----------|--------------------|
| | Standard | Standard | Office | Office | |
| 159x59 cm | | * | | | Top thick 32 mm |
| 179x59 cm | | * | | | |
| 200x98 cm | * | * | * | * | |
| 240x98 cm | * | * | * | * | Top thick 35 mm |
| 280x98 cm | * | | * | | |
| 320x120 cm | * | | * | | Top thick 37 mm |
| 360x120 cm | * | | * | | |
| 390x135 cm | * | | * | | |

Options and accessories



— Linking leg
It is possible to create linear layouts.



— Power and data unit



— Electrification of the table leg (h 74 cm)



— Cable passageway

Custom electrification available upon request

Top finishes


- Fenix®
- Wood

Cross

Design by Metrica, 2014




Table with rectangular top in Fenix® laminate or oak veneered stained natural or wengé. The legs, matching the top, can be positioned flush with the edge or at a distance of 60 cm from the edge. Height: 74 cm.





| | Top | | WOOD | FENIX |
|----------------------|--------------|--------------------------|-------|-------|
| SEK ART. 5000 | 390 x 135 cm | <input type="checkbox"/> | 85254 | 63751 |
| SEK ART. 5002 | 360 x 120 cm | <input type="checkbox"/> | 72037 | 53832 |
| SEK ART. 5003 | 320 x 120 cm | <input type="checkbox"/> | 69476 | 48176 |
| SEK ART. 5028 | 280 x 98 cm | <input type="checkbox"/> | 59988 | 36828 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| Art. 5000 1 pz = 2 - kg 200/ m³ 1,67 Art. 5002 1 pz = 2 - kg 171/ m³ 1,42 Art. 5003 1 pz = 2 - kg 155/ m³ 1,42 Art. 5028 1 pz = 2 - kg 113/ m³ 1,02 | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.4 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.6 • EN 1730:2012 - EN 15372:2016 6.9 • EN 1730:2012 - EN 15372:2016 7.2 |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Top shape edge




Cross

Design by Metrica, 2018




Table with rectangular top in Fenix® laminate or oak veneered stained natural or wengé. The legs, matching the top, can be positioned flush with the edge or at a distance of 45 cm from the edge. Height: 74 cm.




| | Top | | WOOD | FENIX |
|----------------------|--------------------------------------|--|-------|-------|
| SEK ART. 5029 | 240 x 98 cm <input type="checkbox"/> | | 57379 | 32589 |
| SEK ART. 5030 | 200 x 98 cm <input type="checkbox"/> | | 44508 | 24838 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 5029 1 pz = 2 - kg 121/ m² 1,02 Art. 5030 1 pz = 2 - kg 103/ m² 0,815 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top




Cross

Design by Metrica, 2015

It is possible to create a line made up of several CROSS tables using tops featuring the same depth and thick (see Collection overview) and fitted with the special connection leg (Art. 5014), while a set of legs (Art. 5015) must be positioned at the table ends. For example, for a 6 mt. table you will need 3 200x98 cm tops (Art. 4P00518) + 2 connection legs (Art. 5014) + 1 set of legs (Art. 5015).


| ART. | | WOOD | FENIX |
|---------|---------------|-------|-------|
| 4P00522 | 390 x 135 cm. | 71228 | 58369 |
| 4P00523 | 360 x 120 cm. | 58011 | 48450 |
| 4P00524 | 320 x 120 cm | 55450 | 42794 |
| 4P00528 | 240 x 98 cm | 43353 | 27207 |
| 4P00530 | 280 x 98 cm | 45962 | 31446 |
| 4P00533 | 200 x 98 cm | 30482 | 19456 |




| ART. | Frame Base | POWDERCOATED | WOOD |
|------|-------------|--------------|-------|
| 5014 | Linking leg | 4239 | 10478 |
| 5015 | Set of leg | 5382 | 14026 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 5014 1 pz = 1 - kg 23/ m³ 0,305 | | |
| Art. 5015 1 pz = 1 - kg 32/ m³ 0,246 | | |
| FIRE RETARDANT TEST | | |

Frame Base






Top



Cross

Design by Metrica, 2018

Console with Fenix® laminate rectangular top and coated steel legs. The legs are 60 cm wide and are positioned flush with the edge. Height: 105 cm.



| | Top | | FENIX |
|----------------------|-------------|--------------------------|-------|
| SEK ART. 5017 | 159 x 59 cm | <input type="checkbox"/> | 16360 |
| SEK ART. 5018 | 179 x 59 cm | <input type="checkbox"/> | 17729 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 5017 1 pz = 2 - kg 61/ m³ 0,574 Art. 5018 1 pz = 2 - kg 61/ m³ 0,583 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V24
matt

Top



F01
Fenix



Cross

Design by Metrica, 2018

Various linear layouts are possible with more H.105 Cross tables by using same depth and thick tops (see Collection overview) and the special connection leg (Art. 5026), a set of legs (Art. 5023) must be positioned at the table ends. For example, for a 4.8 mt. table you will need 3 159x59 cm (Art. 4P00514) + 2 connection legs (Art. 5026) + 1 set of legs (Art. 5023).

| ART. | | FENIX |
|---------|-------------|-------|
| 4P00532 | 179 x 59 cm | 10490 |
| 4P00535 | 159 x 59 cm | 9121 |



| ART. | Frame Base | POWDERCOATED |
|------|--------------------------|--------------|
| 5023 | Set of leg - H 101.5 cm | 7239 |
| 5026 | Linking leg - H 101.5 cm | 5192 |

| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|--------------------------|-----------------|
| Art. 5023 1 pz = 1 - kg 37/ m³ 0,502 | Art. 5026 1 pz = 1 - kg 23/ m³ 0,502 | | |
| FIRE RETARDANT TEST | | | |

Frame Base



V24
matt

Top





F01
Fenix




Cross

Design by Metrica, 2018

Table with Fenix® laminate rectangular top and coated steel legs. The legs are 90 cm wide and can be positioned flush with the edge or at a distance of 45 cm from the edge. Height: 105 cm.



175 (Art. 5019) - 215 (Art. 5020)
195 (Art. 5019) - 235 (Art. 5020)




| | Top | | FENIX |
|----------------------|-------------|--------------------------|-------|
| SEK ART. 5019 | 200 x 98 cm | <input type="checkbox"/> | 26695 |
| SEK ART. 5020 | 240 x 98 cm | <input type="checkbox"/> | 34446 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 5019 1 pz = 2 - kg 119/ m² 1,358 Art. 5020 1 pz = 2 - kg 119/ m² 1,073 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top




Cross

Design by Metrica, 2018

Various linear layouts are possible with more H.105 Cross tables by using same depth and thick tops (see Collection overview) and the special connection leg (Art. 5027), a set of legs (Art. 5024) must be positioned at the table ends. For example, for a 6 mt. Table you will need 3 200x98 cm tops (Art. 4P00518) + 2 connection legs (Art. 5027) + 1 set of legs (Art. 5024).

| ART. | | FENIX |
|---------|-------------|-------|
| 4P00528 | 240 x 98 cm | 27207 |
| 4P00533 | 200 x 98 cm | 19456 |




| ART. | Frame Base | POWDERCOATED |
|------|--------------------------|--------------|
| 5024 | Set of leg - H 101.5 cm | 7239 |
| 5027 | Linking leg - H 101.5 cm | 5192 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 5024 1 pz = 1 - kg 38/ m³ 0,502 | Art. 5027 1 pz = 1 - kg 23/ m³ 0,502 | |
| FIRE RETARDANT TEST | | |

Frame Base



Top





Cross Office




Design by Metrica, 2015




Table with rectangular top with fixed opening, equipped with three power and data units and cable duct (in white or black finish), leg equipped with cables. Table available with top in Fenix® laminate or oak veneered stained natural or wengé. The position of the legs, matching the top, shall be defined upon ordering and it can be flush with the edge or at a distance of 60 cm from the edge. Height: 74 cm.




| | | | |
|----------------------|--|--------|-------|
| | Top | WOOD | FENIX |
| SEK ART. 5034 | 390 x 135 cm  | 118020 | 95767 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 5034 1 pz = 10  - kg 224,3/ m³ 1,81 1 pz = 10  - kg 229/ m³ 1,86  | Art.5034 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit





Cross Office




Design by Metrica, 2015




Table with rectangular top with fixed opening, equipped with three power and data units and cable duct (in white or black finish), leg equipped with cables. Table available with top in Fenix® laminate or oak veneered stained natural or wengé. The position of the legs, matching the top, shall be defined upon ordering and it can be flush with the edge or at a distance of 60 cm from the edge. Height: 74 cm.




| | | | |
|----------------------|--|--------|-------|
| | Top | WOOD | FENIX |
| SEK ART. 5035 | 360 x 120 cm  | 105399 | 86063 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5035 1 pz = 10  - kg 194/ m³ 1,55 1 pz = 10  - kg 198,8/ m³ 1,59  | Art. 5035 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit




Cross Office

Design by Metrica, 2015




Table with rectangular top with fixed opening, equipped with two power and data units and cable duct (in white or black finish), leg equipped with cables. Table available with top in Fenix® laminate or oak veneered stained natural or wengé. The position of the legs, matching the top, shall be defined upon ordering and it can be flush with the edge or at a distance of 60 cm from the edge. Height: 74 cm.




| | | | |
|----------------------|---------------------------------------|-------|-------|
| | Top | WOOD | FENIX |
| SEK ART. 5036 | 320 x 120 cm <input type="checkbox"/> | 94421 | 71405 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 5036 1 pz = 8 - kg 159,2/ m³ 1,56 1 pz = 8 - kg 164/ m³ 1,56 | Art.5036 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit





Cross Office

Design by Metrica, 2015




Table with rectangular top with fixed opening, equipped with two power and data units and cable duct (in white or black finish), leg equipped with cables. Table available with top in Fenix® laminate or oak veneered stained natural or wengé. The position of the legs, matching the top, shall be defined upon ordering and it can be flush with the edge or at a distance of 60 cm from the edge. Height: 74 cm.




| | | | |
|----------------------|--------------------------------------|-------|-------|
| | Top | WOOD | FENIX |
| SEK ART. 5039 | 280 x 98 cm <input type="checkbox"/> | 85336 | 64083 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 5039 1 pz = 8 - kg 128,8/ m² 1,152 1 pz = 8 - kg 133,6/ m² 1,15 | Art. 5039 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit





Cross Office



Design by Metrica, 2015




Table with rectangular top with fixed opening, equipped with one power and data unit and cable duct (in white or black finish), leg equipped with cables. Table available with top in Fenix® laminate or oak veneered stained natural or wengé. The position of the legs, matching the top, shall be defined upon ordering and it can be flush with the edge or at a distance of 45 cm from the edge. Height: 74 cm.




| | | | |
|----------------------|---|-------|-------|
| | Top | WOOD | FENIX |
| SEK ART. 5040 | 240 x 98 cm  | 74489 | 47711 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 5040 1 pz = 6  - kg 132,4/ m³ 1,118 1 pz = 6  - kg 135,8/ m³ 1,086 | Art.5040 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit





Cross Office



Design by Metrica, 2015




Table with rectangular top with fixed opening, equipped with one power and data unit and cable duct (in white or black finish), leg equipped with cables. Table available with top in Fenix® laminate or oak veneered stained natural or wengé. The position of the legs, matching the top, shall be defined upon ordering and it can be flush with the edge or at a distance of 45 cm from the edge. Height: 74 cm.




| | | | |
|----------------------|---|-------|-------|
| | Top | WOOD | FENIX |
| SEK ART. 5041 | 200 x 98 cm  | 62201 | 39960 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 5041 1 pz = 6  - kg 113,6/ m² 0,893 1 pz = 6  - kg 116,1/ m² 0,861 | Art.5041 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit




Cross Office

Design by Metrica, 2018



Table with rectangular top with fixed opening, equipped with one power and data unit and cable duct (in white or black finish), leg equipped with cables. Table with Fenix® laminate rectangular top and coated steel legs. The position of the 90 cm wide legs shall be defined upon ordering and it can be flush with the edge or at a distance of 45 cm from the edge. Height: 105 cm.




| | | |
|----------------------|--------------------------------------|-------|
| | Top | FENIX |
| SEK ART. 5037 | 200 x 98 cm <input type="checkbox"/> | 41841 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| Art. 5037 1 pz = 6 - kg 115,1/ m³ 1,157 1 pz = 6 - kg 120,9/ m³ 1,221 | Art.5037 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit





Cross Office



Design by Metrica, 2018



Table with rectangular top with fixed opening, equipped with one power and data unit and cable duct (in white or black finish), leg equipped with cables. Table with Fenix® laminate rectangular top and coated steel legs. The position of the 90 cm wide legs shall be defined upon ordering and it can be flush with the edge or at a distance of 45 cm from the edge. Height: 105 cm.




| | | |
|----------------------|---|-------|
| | Top | FENIX |
| SEK ART. 5038 | 240 x 98 cm  | 49592 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5038 1 pz = 6  - kg 131,7 / m² 1,403 1 pz = 6  - kg 137,7 / m² 1,468 | Art. 5038 Power and data unit Coni Bachmann: complies with the essential requirements of the following directives and standards: CE marking, DEKRA (UK sockets only). Electric sockets available: P40 (Schuko + IT), G (UK), K (DK), E (FR), J (CH), B (USA). Power and data unit: N°2x (250V) / 10-16A – USB port A 5V, 3.0A, 18W + USB C 5V, 3.0A, 22W. Custom electrification available upon request. | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Power and data unit



DIZZIE

Design by
Lievore Altherr Molina
2004



Dizzie

Collection overview

Oval base



H 35 cm

H 43 cm

H 50 cm

H 74 cm

H 105 cm

Base

| | | h 35 cm | h 43 cm | h 50 cm | h 74 cm | h 105 cm |
|-------------------|-----------|---------|---------|---------|---------|----------|
| Round top | Ø 80 cm | | | | * | * |
| Oval top | 51x47cm | | * | * | | |
| | 90x108cm | * | | | * | |
| | 100x135cm | * | | | * | |
| | 100x160cm | | | | * | |
| | 100x182cm | | | | * | |
| Square top | 80x80cm | | | | * | |

Actual top/finish dimensions are available in the price list.

Dizzie

Round base



H 35 cm



H 74 cm



H 105 cm

Square base



H 74 cm

| | | Base | | |
|------------|----------|---------|---------|----------|
| | | h 35 cm | h 74 cm | h 105 cm |
| Round top | Ø 80 cm | * | * | * |
| | Ø 90 cm | * | * | |
| | Ø 100 cm | | * | |
| | Ø 120 cm | | * | |
| | Ø 134 cm | | * | |
| | Ø 160 cm | | * | |
| Square top | 80x80cm | | * | * |

| | | Base |
|------------|---------|---------|
| | | h 74 cm |
| Square top | 80x80cm | |

Actual top/finish dimensions are available in the price list.

Top finishes



- MDF
- Fenix®
- Marble



Dizzie



Design by Lievore Altherr Molina, 2004



Art. 0681: low table with steel oval base powder-coated white, moka, red, ivory or black, with oval top in white laminate (Thick 1,7 cm). Art. 0680: low table with anthracite powder-coated steel oval base and brushed oak veneered MDF oval top available in natural or black finishes (Thick 1,7 cm). Height: 50 cm.




| | | | |
|----------------------|-----------------|--|--------------|
| | Top | V44 | |
| SEK ART. 0680 | MDF MD cm 51x47 |  | 5775 |
| | Top | Other available colours | White |
| SEK ART. 0681 | MDF MD cm 51x47 |  | 4846 4488 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| Art. 0680 1 pz = 1  - kg 10,5/ m³ 0,099 Art. 0681 1 pz = 1  - kg 10,5/ m³ 0,099 | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base
ART. 0680




Top
ART. 0680



Frame Base
ART. 0681




Top
ART. 0681



Dizzie

Design by Lievore Altherr Molina, 2019



Art. 0900: Side table with oval anthracite powder-coated steel base and brushed oak veneered MDF oval top available in natural or black finishes (thickness: 1.7cm). Art. 0901: Side table with oval white powder-coated steel base and oval top in embossed white painted MDF (thickness: 1.7 cm). Height: 43 cm.

| | | | |
|----------------------|-----------------|------|--|
| | Top | V44 | |
| SEK ART. 0900 | MDF MD cm 51x47 | 5775 | |
| | Top | V12 | |
| SEK ART. 0901 | MDF MD cm 51x47 | 4488 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 0900 1 pz = 1 - kg 10,46/ m³ 0,107 Art. 0901 1 pz = 1 - kg 10,46/ m³ 0,107 | | |
| FIRE RETARDANT TEST | | |

Frame Base
ART. 0900



V44
matt

Top
ART. 0900



L0006 L0022

Frame Base
ART. 0901



V12
glossy

Top
ART. 0901




M02

Dizzie

Design by Lievore Altherr Molina, 2018

Side table with white or anthracite coated steel oval base and white polished Italian marble oval top (2 cm thick). Height: 50 cm.



| | | |
|----------------------|----------------|-------|
| | Top | |
| SEK ART. 0743 | B01 51 x 47 cm | 10942 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 0743 1 pz = 2 - kg 17,67/ m³ 0,132 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V44
glossy matt

Top




B01



Dizzie

Design by Lievore Altherr Molina, 2018

Side table with white or anthracite coated steel oval base and white polished Italian marble oval top (2 cm thick). Height: 43 cm.



| | | |
|----------------------|----------------|-------|
| | Top | |
| SEK ART. 0742 | B01 51 x 47 cm | 10727 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 0742 1 pz = 2 - kg 17,63/ m² 0,132 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V44
glossy matt

Top




B01



Dizzie

Design by Lievore Altherr Molina, 2024

Table with round base in white glossy or black matt powder coated steel, round top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm). Height 35 cm.



| | Top | |
|----------------------|-----------------|-------|
| SEK ART. 0905 | STRUCTURE ONLY | 6966 |
| SEK ART. 0906 | MDF MD Ø cm 80 | 10241 |
| SEK ART. 0907 | Fenix ® Ø cm 79 | 11859 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 0905 1 pz = 1 - kg 20,6/ m³ 0,135 Art. 0906 1 pz = 2 - kg 31,1/ m³ 0,177 Art. 0907 1 pz = 2 - kg 31,1/ m³ 0,177 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top




F01 F02 M02
Fenix Fenix



Dizzie

Design by Lievore Altherr Molina, 2018

Table with white coated steel round base. White polished Italian marble round top (2 cm thick). Height: 35 cm.



| | Top | |
|----------------------|----------------|-------|
| SEK ART. 0749 | STRUCTURE ONLY | 9990 |
| SEK ART. 0744 | B01 Ø cm 80 | 25707 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 0744 1 pz = 2 - kg 85,85/ m² 1,173 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



B01






Dizzie




Design by Lievore Altherr Molina, 2014



Table with round base in white glossy or black matt powder coated steel, round top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm). Height 35 cm.



| | Top | |
|----------------------|---|-------|
| SEK ART. 0740 | STRUCTURE ONLY | 9990 |
| SEK ART. 0720 | MDF MD Ø cm 90  | 14812 |
| SEK ART. 0721 | Fenix ® Ø cm 90  | 17932 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 0720 1 pz = 2  - kg 40,23/ m³ 0,242 Art. 0721 1 pz = 2  - kg 49,23/ m³ 0,24 Art. 0740 1 pz = 1  - kg 26,23/ m³ 0,152 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix





Top shape edge



Dizzie

Design by Lievore Altherr Molina, 2004

Table with oval base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm), available in different sizes. Height 35 cm.



cm. 52 x 40.6
20 1/2" x 16 1/8"

| | Top | | |
|----------------------|-------------------|--|-------|
| SEK ART. 0678 | STRUCTURE ONLY | | 7490 |
| SEK ART. 0636 | Fenix ® cm 90x108 | | 14444 |
| SEK ART. 0688 | MDF MD cm 135x100 | | 14670 |
| SEK ART. 0689 | MDF MD cm 90x108 | | 12563 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| <p>Art. 0636 1 pz = 2 - kg 40,8/ m³ 0,243</p> <p>Art. 0678 1 pz = 1 - kg 24,5/ m³ 0,135</p> <p>Art. 0688 1 pz = 2 - kg 48,7/ m³ 0,282</p> <p>Art. 0689 1 pz = 2 - kg 43/ m³ 0,243</p> | <p>Art.0688 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.0689 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> | <ul style="list-style-type: none"> • EN 717-2:1994 mgHCHO/(m2 - h) = 0,6 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix




Top shape edge







Dizzie






Design by Lievore Altherr Molina, 2004

Table with round base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm), available in different shapes and sizes (round, square). Height 74 cm.



Ø cm. 46
Ø 18 1/8"

| | Top | |
|----------------------|--|-------|
| SEK ART. 0672 | STRUCTURE ONLY | 7490 |
| SEK ART. 0657 | MDF MD ø cm 80  | 10765 |
| SEK ART. 0660 | MDF MD cm 80x80  | 10765 |
| SEK ART. 0694 | Fenix ® ø cm 79  | 12383 |
| SEK ART. 0697 | Fenix ® cm 79x79  | 12383 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---------------------------------------|
| Art. 0657 1 pz = 2  - kg 34/ m³ 0,285 Art. 0660 1 pz = 2  - kg 36,5/ m³ 0,285 Art. 0672 1 pz = 1  - kg 23,5/ m³ 0,243 Art. 0694 1 pz = 2  - kg 34/ m³ 0,285 Art. 0697 1 pz = 2  - kg 36,5/ m³ 0,285 | Art.0657 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0660 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • EN 717-2:1994 mgHCHO/(m2 - h) = 0,6 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix




Top shape edge




Dizzie

Design by Lievore Altherr Molina, 2018

Table with white coated steel round base. White polished Italian marble round top (2 cm thick). Height: 73,5 cm.



| | Top | |
|----------------------|----------------|-------|
| SEK ART. 0748 | STRUCTURE ONLY | 10514 |
| SEK ART. 0745 | B01 Ø cm 80 | 26231 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 0745 1 pz = 2  - kg 91,07/ m² 1,313 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



B01




Dizzie







Design by Lievore Altherr Molina, 2014










Table with round base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm), available in different sizes. Height 74 cm.



Ø cm. 52
Ø 20 1/2"

| | Top | |
|----------------------|--|-------|
| SEK ART. 0739 | STRUCTURE ONLY | 10514 |
| SEK ART. 0707 | MDF MD Ø cm 90  | 15336 |
| SEK ART. 0708 | Fenix ® Ø cm 90  | 18456 |
| SEK ART. 0709 | MDF MD Ø cm 100  | 15908 |
| SEK ART. 0710 | Fenix ® Ø cm 100  | 19802 |
| SEK ART. 0711 | MDF MD Ø cm 120  | 18111 |
| SEK ART. 0712 | Fenix ® Ø cm 120  | 23790 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 0707 1 pz = 2  - kg 44,64/ m³ 0,38 Art. 0708 1 pz = 2  - kg 53,64/ m³ 0,378 Art. 0709 1 pz = 2  - kg 47,64/ m³ 0,397 Art. 0710 1 pz = 2  - kg 55,64/ m³ 0,397 Art. 0711 1 pz = 2  - kg 58,64/ m³ 0,44 Art. 0712 1 pz = 2  - kg 58,64/ m³ 0,44 Art. 0739 1 pz = 1  - kg 30,64/ m³ 0,29 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix



Top shape edge




Dizzie

Design by Lievore Altherr Molina, 2004



Table with round base base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm) available in round shapes and sizes. Height 74 cm.



Ø cm. 60
Ø 23 5/8"

| | Top | |
|----------------------|--------------------------------|-------|
| SEK ART. 0679 | STRUCTURE ONLY | 11955 |
| SEK ART. 0634 | Fenix ® ø cm 158 (F01 - F02) ○ | 30852 |
| SEK ART. 0635 | Fenix ® ø cm 134 (F01 - F02) ○ | 25125 |
| SEK ART. 0690 | MDF MD ø cm 134 ○ | 20850 |
| SEK ART. 0691 | MDF MD ø cm 160 ○ | 25625 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|-----------------|
| <p>Art. 0634 1 pz = 3 - kg 94,6/ m³ 0,942</p> <p>Art. 0635 1 pz = 3 - kg 81,8/ m³ 0,857</p> <p>Art. 0679 1 pz = 2 - kg 51,6/ m³ 0,41</p> <p>Art. 0690 1 pz = 3 - kg 81,8/ m³ 0,857</p> <p>Art. 0691 1 pz = 3 - kg 94,6/ m³ 0,942</p> <p></p> | <p>Art.0690 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.0691 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix



Top shape edge



Dizzie







Design by Lievore Altherr Molina, 2004










Table with oval base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm), available in different shapes and sizes (oval, round, square). Height 74 cm.



cm. 52 x 40.6
20 1/2" x 16 1/8"

| | Top | |
|----------------------|--|-------|
| SEK ART. 0671 | STRUCTURE ONLY | 7490 |
| SEK ART. 0642 | Fenix ® cm 90x108  | 14444 |
| SEK ART. 0653 | MDF MD cm 90x108  | 12563 |
| SEK ART. 0656 | MDF MD ø cm 80  | 10765 |
| SEK ART. 0659 | MDF MD cm 80x80  | 10765 |
| SEK ART. 0693 | Fenix ® ø cm 79  | 12383 |
| SEK ART. 0696 | Fenix ® cm 79x79  | 12383 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---|
| <p>Art. 0642 1 pz = 2  - kg 40,3/ m³ 0,351</p> <p>Art. 0653 1 pz = 2  - kg 42,5/ m³ 0,351</p> <p>Art. 0656 1 pz = 2  - kg 34,5/ m³ 0,285</p> <p>Art. 0659 1 pz = 2  - kg 37/ m³ 0,285</p> <p>Art. 0671 1 pz = 1  - kg 24/ m³ 0,243</p> <p>Art. 0693 1 pz = 2  - kg 34,5/ m³ 0,285</p> <p>Art. 0696 1 pz = 2  - kg 37/ m³ 0,285</p> | <p>Art.0653 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.0656 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.0659 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> | <ul style="list-style-type: none"> • EN 717-2:1994 mgHCHO/(m2 - h) = 0,6 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix





Top shape edge








Dizzie






Design by Lievore Altherr Molina, 2004

Table with oval base in white glossy or black matt powder coated steel, oval top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm). Height 74 cm.



cm. 70 x 50
27 1/2" x 19 5/8"

| | Top | |
|----------------------|--|-------|
| SEK ART. 0670 | STRUCTURE ONLY | 12288 |
| SEK ART. 0643 | Fenix ® cm 100x182  | 24861 |
| SEK ART. 0651 | MDF MD cm 100x182  | 21612 |
| SEK ART. 0652 | MDF MD cm 100x160  | 20659 |
| SEK ART. 0692 | Fenix ® cm 100x158  | 23766 |
| SEK ART. 0902 | MDF MD cm 100x135  | 19468 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|---|
| <p>Art. 0643 1 pz = 3  - kg 83,6/ m³ 0,852</p> <p>Art. 0651 1 pz = 3  - kg 83,6/ m³ 0,852</p> <p>Art. 0652 1 pz = 3  - kg 79,6/ m³ 0,831</p> <p>Art. 0670 1 pz = 2  - kg 49,6/ m³ 0,41</p> <p>Art. 0692 1 pz = 3  - kg 79,6/ m³ 0,831</p> | <p>Art.0651 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.0652 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | <ul style="list-style-type: none"> EN 717-2:1994 mgHCHO/(m2 - h) = 0,6 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix



Top shape edge



Dizzie

Design by Lievore Altherr Molina, 2004



Table with square base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm), available in different sizes. Height 74 cm.



cm. 43 x 43
16 7/8" x 16 7/8"

| | Top | |
|----------------------|---|-------|
| SEK ART. 0673 | STRUCTURE ONLY | 7490 |
| SEK ART. 0661 | MDF MD cm 80x80 <input type="checkbox"/> | 10765 |
| SEK ART. 0698 | Fenix ® cm 79x79 <input type="checkbox"/> | 12383 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 0661 1 pz = 2 - kg 37,6/ m³ 0,285 Art. 0673 1 pz = 1 - kg 24,6/ m³ 0,243 Art. 0698 1 pz = 2 - kg 37,6/ m³ 0,285 | Art.0661 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix



Top shape edge



Dizzie





Design by Lievore Altherr Molina, 2004








Table with round base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix® (Thick 2,6 cm), , available in different shapes and sizes (square, round). Height 105 cm.



Ø cm. 46
Ø 18 1/8"

| | Top | |
|----------------------|---|-------|
| SEK ART. 0675 | STRUCTURE ONLY | 7846 |
| SEK ART. 0646 | Fenix cm 79x79  | 12739 |
| SEK ART. 0647 | Fenix ø cm 79  | 12739 |
| SEK ART. 0684 | MDF MD ø cm 80  | 11121 |
| SEK ART. 0685 | MDF MD cm 80x80  | 11121 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|---|---|
| <p>Art. 0646 1 pz = 2  - kg 39,5/ m³ 0,337</p> <p>Art. 0647 1 pz = 2  - kg 37/ m³ 0,337</p> <p>Art. 0675 1 pz = 1  - kg 26,5/ m³ 0,295</p> <p>Art. 0684 1 pz = 2  - kg 37/ m³ 0,337</p> <p>Art. 0685 1 pz = 2  - kg 39,5/ m³ 0,337</p> | <p>Art.0684 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.0685 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> | <ul style="list-style-type: none"> • EN 717-2:1994 mgHCHO/(m2 - h) = 0,6 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix



Top shape edge





Dizzie




Design by Lievore Altherr Molina, 2004

Table with oval base in white glossy or black matt powder coated steel, top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ® (Thick 2,6 cm), available in different sizes. Height 105 cm.



cm. 52 x 40.6
20 1/2" x 16 1/8"

| | Top | |
|----------------------|---|-------|
| SEK ART. 0674 | STRUCTURE ONLY | 7846 |
| SEK ART. 0649 | Fenix ® ø cm 79  | 12739 |
| SEK ART. 0682 | MDF MD ø cm 80  | 11121 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|---------------------------------------|
| Art. 0649 1 pz = 2  - kg 37/ m³ 0,337 Art. 0674 1 pz = 1  - kg 27,5/ m³ 0,295 Art. 0682 1 pz = 2  - kg 38/ m³ 0,337 | Art.0682 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • EN 717-2:1994 mgHCHO/(m2 - h) = 0,6 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
glossy matt

Top



F01 F02 M02
Fenix Fenix



Top shape edge



FRED

Design by Jean-Marie Massaud

2007



Fred

Collection overview

Type



h 36,4 cm

h 50 cm

h 74 cm

h 105 cm

Base



| | | h 36,4 cm | h 50 cm | h 74 cm | h 105 cm |
|------------|----------|-----------|---------|---------|----------|
| Round top | Ø 65 cm | * | * | * | * |
| | Ø 80 cm | * | * | * | * |
| Square top | 60x60 cm | * | * | * | * |
| | 70x70 cm | * | * | * | * |
| | 80x80 cm | * | | * | |

Top finishes



— MDF

Fred

Design by Jean-Marie Massaud, 2007



Table with four-star base in polished or powder-coated aluminium and top in white, embossed MDF (Thick 1,9 cm), available in different shapes and sizes (square, round). Height 36.4 cm.



cm. 50 x 50
19 5/8" x 19 5/8"

| | Top | | POLISHED ALUMINIUM / POWDERCOATED |
|----------------------|-----------------|--------------------------|--------------------------------------|
| SEK ART. 0950 | STRUCTURE ONLY | | 4346 |
| SEK ART. 0960 | MDF MD cm 60x60 | <input type="checkbox"/> | 5727 |
| SEK ART. 0961 | MDF MD cm 70x70 | <input type="checkbox"/> | 6037 |
| SEK ART. 0962 | MDF MD ø cm 80 | <input type="radio"/> | 6192 |
| SEK ART. 0963 | MDF MD cm 80x80 | <input type="checkbox"/> | 6192 |
| SEK ART. 0976 | MDF MD ø cm 65 | <input type="radio"/> | 5787 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 0950 1 pz = 1 - kg 4,5/ m³ 0,118 Art. 0960 1 pz = 2 - kg 12,1/ m³ 0,205 Art. 0961 1 pz = 2 - kg 14,1/ m³ 0,218 Art. 0962 1 pz = 2 - kg 15/ m³ 0,234 Art. 0963 1 pz = 2 - kg 17,5/ m³ 0,234 Art. 0976 1 pz = 2 - kg 12,1/ m³ 0,212 | Art.0960 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0961 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0962 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0963 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST | | |

Frame Base



LU1 V12
matt

Top



M02





Top shape edge



Fred

Design by Jean-Marie Massaud, 2007

Table with four-star base in polished or powder-coated aluminium and top in white, embossed MDF (Thick 1,9 cm), available in different shapes and sizes (square, round). Height 50 cm.



| | Top | | POLISHED ALUMINIUM / POWDERCOATED |
|----------------------|-----------------|--|--------------------------------------|
| SEK ART. 0953 | STRUCTURE ONLY | | 5502 |
| SEK ART. 0972 | MDF MD cm 60x60 | | 6883 |
| SEK ART. 0973 | MDF MD cm 70x70 | | 7193 |
| SEK ART. 0975 | MDF MD ø cm 80 | | 7348 |
| SEK ART. 0977 | MDF MD ø cm 65 | | 6943 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 0953 1 pz = 1 - kg 5,5/ m³ 0,118 Art. 0972 1 pz = 2 - kg 11,8/ m³ 0,254 Art. 0973 1 pz = 2 - kg 15,1/ m³ 0,266 Art. 0975 1 pz = 2 - kg 15/ m³ 0,283 Art. 0977 1 pz = 2 - kg 13,1/ m³ 0,26 | Art.0972 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0973 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST | | |

Frame Base



LU1 V12
matt

Top



M02





Top shape edge








Fred







Design by Jean-Marie Massaud, 2007

Table with four-star base in polished or powder-coated aluminium and top in white, embossed MDF (Thick 1,9 cm), available in different shapes and sizes (square, round). Height 74 cm.



cm. 50 x 50
19 5/8" x 19 5/8"

| | Top | POLISHED ALUMINIUM / POWDERCOATED |
|----------------------|---|--------------------------------------|
| SEK ART. 0951 | STRUCTURE ONLY | 5917 |
| SEK ART. 0964 | MDF MD cm 60x60  | 7298 |
| SEK ART. 0965 | MDF MD cm 70x70  | 7608 |
| SEK ART. 0966 | MDF MD ø cm 80  | 7763 |
| SEK ART. 0967 | MDF MD cm 80x80  | 7763 |
| SEK ART. 0978 | MDF MD ø cm 65  | 7358 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 0951 1 pz = 1  - kg 5,5/ m³ 0,122 Art. 0964 1 pz = 2  - kg 13,1/ m³ 0,31 Art. 0965 1 pz = 2  - kg 15,1/ m³ 0,323 Art. 0966 1 pz = 2  - kg 16/ m³ 0,339 Art. 0967 1 pz = 2  - kg 18,5/ m³ 0,339 Art. 0978 1 pz = 2  - kg 13,1/ m³ 0,316 | Art.0964 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0965 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0966 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0967 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST | | |

Frame Base



LU1 V12
matt

Top



M02



Top shape edge



Fred

Design by Jean-Marie Massaud, 2007

Table with four-star base in polished or powder-coated aluminium and top in white, embossed MDF (Thick 1,9 cm), available in different shapes and sizes (square, round). Height 105 cm.



| | Top | | POLISHED ALUMINIUM / POWDERCOATED |
|----------------------|-----------------|--|--------------------------------------|
| SEK ART. 0952 | STRUCTURE ONLY | | 6287 |
| SEK ART. 0969 | MDF MD cm 60x60 | | 7668 |
| SEK ART. 0970 | MDF MD cm 70x70 | | 7978 |
| SEK ART. 0971 | MDF MD ø cm 80 | | 8133 |
| SEK ART. 0979 | MDF MD ø cm 65 | | 7728 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 0952 1 pz = 1 - kg 7/ m³ 0,128 Art. 0969 1 pz = 2 - kg 14,6/ m³ 0,456 Art. 0970 1 pz = 2 - kg 16,6/ m³ 0,469 Art. 0971 1 pz = 2 - kg 17,5/ m³ 0,485 Art. 0979 1 pz = 2 - kg 14,6/ m³ 0,462 | Art.0969 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0970 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch Art.0971 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST | | |

Frame Base



LU1 V12
matt

Top



M02




Top shape edge



GHIA

Design by
Altherr Désile Park
2022



Ghia

Collection overview

3-leg base



h 30 cm



h 37,5 cm



h 45 cm

Central Base



h 30 cm



h 37,5 cm



h 45 cm

| | | MDF | | | Wood | | | Terrazzo |
|------------------------|-------------|---------|-----------|---------|---------|-----------|---------|----------|
| | | h 30 cm | h 37,5 cm | h 45 cm | h 30 cm | h 37,5 cm | h 45 cm | h 45 cm |
| Round Top | Ø 50 cm | | | * | | | * | * |
| | Ø 70 cm | | * | | | * | | |
| Organically shaped top | 105 x 74 cm | * | | | * | | | |

Top finishes:

- MDF
- Wood
- Venetian terrazzo

Ghia

Design by Altherr Désile Park, 2022

Coffee table with a 3-leg base, available in three heights: 30, 37.5 or 45 cm. Round or organically shaped top in three sizes (2 cm thick). Coated MDF base and top, available in a single-colour combination.



| | | |
|-------------------------|-------------------------|-------------------------|
| <p>ART. 7000</p> | <p>ART. 7001</p> | <p>ART. 7002</p> |
|-------------------------|-------------------------|-------------------------|


| | Top | |
|---------------------|---------------------|------|
| SEK ART.7000 | Ø 50 cm h 45 cm | 6113 |
| SEK ART.7001 | Ø 70 h 37,5 cm | 7111 |
| SEK ART.7002 | 74 x 105 cm h 30 cm | 8732 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| <p>Art. 7000 1 pz = 2 - kg 8,975/ m³ 0,054</p> <p>Art. 7001 1 pz = 2 - kg 12,159/ m³ 0,044</p> <p>Art. 7002 1 pz = 2 - kg 16,429/ m³ 0,062</p> <p></p> | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Ghia

Design by Altherr Désile Park, 2022

Coffee table with a 3-leg base, available in three heights: 30, 37.5 or 45 cm. Round or organically shaped top in three sizes (2 cm thick). Base and top in oak veneered MDF, available in a single-colour combination.



| ART. 7006 | ART. 7007 | ART. 7008 |
|---------------------|---------------------|-----------|
| | | |
| | Top | |
| SEK ART.7006 | Ø 50 cm h 45 cm | 8426 |
| SEK ART.7007 | Ø 70 h 37,5 cm | 10104 |
| SEK ART.7008 | 74 x 105 cm h 30 cm | 13098 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| <p>Art. 7006 1 pz = 2 - kg 8,975/ m³ 0,029</p> <p>Art. 7008 1 pz = 2 - kg 16,429/ m³ 0,071</p> <p></p> | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.6 • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 |
| FIRE RETARDANT TEST | | |

Frame Base




Top



Ghia

Design by Altherr Désile Park, 2022


H. 45 cm coffee table with a 3-leg base in oak veneered MDF. Venetian Terrazzo top, round (2 cm thick).




| | | |
|---------------------|-----------------|-------|
| | Top | |
| SEK ART.7012 | Ø 50 cm h 45 cm | 12224 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 7012 1 pz = 2 - kg 14,973/ m³ 0,029 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Ghia

Design by Altherr Désile Park, 2022

Coffee table with a central base in oak veneered MDF, available in three heights: 30, 37.5 or 45 cm. Round or organically shaped top in powercoated MDF, in three sizes (2 cm thick). The base and top finishes can be freely combined.



| ART. 7003 | ART. 7004 | ART. 7005 |
|---------------------|---------------------|-----------|
| | | |
| | Top | |
| SEK ART.7003 | Ø 50 cm h 45 cm | 9028 |
| SEK ART.7004 | Ø 70 h 37,5 cm | 10026 |
| SEK ART.7005 | 74 x 105 cm h 30 cm | 11647 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| Art. 7003 1 pz = 2 - kg 15,622/ m³ 0,055 Art. 7004 1 pz = 2 - kg 23,4/ m³ 0,078 Art. 7005 1 pz = 2 - kg 20,746/ m³ 0,12 | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.6 |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Top



M08 M09






Ghia

Design by Altherr Désile Park, 2022

Coffee table with a central base, available in three heights: 30, 37.5 or 45 cm. Round or organically shaped top in three sizes (2 cm thick). Base and top in oak veneered MDF, available in a single-colour combination.



| | | |
|---|---|---|
| <p>ART. 7009</p>  | <p>ART. 7010</p>  | <p>ART. 7011</p>  |
|---|---|---|


| | Top | |
|---------------------|---------------------|-------|
| SEK ART.7009 | Ø 50 cm h 45 cm | 11341 |
| SEK ART.7010 | Ø 70 h 37,5 cm | 13019 |
| SEK ART.7011 | 74 x 105 cm h 30 cm | 16013 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| <p>Art. 7009 1 pz = 2 - kg 15,622/ m³ 0,054</p> <p>Art. 7010 1 pz = 2 - kg 23,4/ m³ 0,078</p> <p>Art. 7011 1 pz = 2 - kg 20,746/ m³ 0,12</p> <p></p> | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.6 |
| FIRE RETARDANT TEST | | |

Frame Base




Top



Ghia

Design by Altherr Désile Park, 2022

H. 45 cm coffee table with a central base in oak veneered MDF. Venetian Terrazzo top, round (2 cm thick).



| | | |
|---------------------|-----------------|-------|
| | Top | |
| SEK ART.7013 | Ø 50 cm h 45 cm | 15139 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 7013 1 pz = 2 - kg 21,62/ m² 0,055 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



LEAF TABLE

Design by
Lievore Altherr Molina
2011



Leaf Table

Collection overview
Available in the Tables section

Type



h 50 cm



h 74 cm










h 74 cm



h 74 cm

Base

| | |  h 50 cm |  h 74 cm |  h 74 cm |  h 74 cm |
|-----|---|--|--|--|--|
| Top |  | Ø 79 cm | | | |
| |  | | Ø 79 cm | Ø 100 cm | |
| |  | | | | 79x79 cm |

Top finishes

— HPL



Outdoor

Leaf Chair

Collection overview

Available in the Chairs and Stools section

Type



Sled



Stackable sled



Lounge sled



Counter stool sled



Bar stool sled

Seat cushions are available




Outdoor



Leaf Table

Design by Lievore Altherr Molina, 2011

Table with steel base and triangular top with rounded edges, made of Compact HPL. Powder-coated base available in white, moka and green, while top is only available in dark grey (thick 1,2 cm). Suitable for outdoor use. Height 50 cm. Collection includes, coordinated with table, several models of chair. (Leaf Chair, Pricelist I)



| | | | |
|----------------------|-----------------------|--|--------------|
| | Top | | POWDERCOATED |
| SEK ART. 1813 | HPL inscribed ø cm 79 | | 7568 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 1813 1 pz = 2 - kg 17,5/ m³ 0,25 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V13 matt V34 matt

Top



H04



Top shape edge




Outdoor use



Leaf Table

Design by Lievore Altherr Molina, 2011



Table with steel base and round top made of solid core HPL. Powder-coated base available in white, moka and green, while top is only available in dark grey (thick 1,2 cm). Suitable for outdoor use. Height cm 74. Collection includes coordinated chairs. (Leaf Chair, Pricelist I)

| | | | |
|----------------------|-------------|---|--------------|
| | Top | | POWDERCOATED |
| SEK ART. 1814 | HPL ø cm 79 |  | 8111 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 1814 1 pz = 2  - kg 20,5/ m³ 0,43  | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Top shape edge




Outdoor use

Leaf Table

Design by Lievore Altherr Molina, 2011


Table with steel base and round top made of Compact HPL. Powder-coated base available in white, moka and green, while top is only available in dark grey (thick 1,2 cm). Suitable for outdoor use. Height 74 cm. Collection includes, coordinated with tables, several models of chair (Leaf, Pricelist I).



| | | | |
|----------------------|--------------|--|--------------|
| | Top | | POWDERCOATED |
| SEK ART. 1816 | HPL ø cm 100 | | 12442 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 1816 1 pz = 2 - kg 25/ m³ 0,615 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Top shape edge



Outdoor use

Leaf Table

Design by Lievore Altherr Molina, 2011




Table with steel base and square top made of Compact HPL. Powder-coated base available in white, moka and green, while top is only available in dark grey (thick 1,2 cm). Suitable for outdoor use. Height 74 cm. Collection includes, coordinated with tables, several models of chair (Leaf, Pricelist I).

| | | | |
|----------------------|--------------|--------------------------|--------------|
| | Top | | POWDERCOATED |
| SEK ART. 1815 | HPL cm 79x79 | <input type="checkbox"/> | 9202 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 1815 1 pz = 2 - kg 22,5/ m³ 0,369 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top




Top shape edge



Outdoor use

MEETY

Design by
Lievore Altherr Molina
2016



Meety

Collection overview

Type



h 74 cm Round top







h 74 cm Rectangular top



h 74 cm Office



h 74 cm Trapezoidal top

|  Round top |  Rectangular top |  Office |  Trapezoidal top |
|---|---|--|--|
| Ø 120 cm | 69x139 cm | | 80/120x240 cm |
| | 79x159 cm | | |
| | 79x179 cm | | |
| | 90x160 cm | 90x160 cm | |
| | 100x200 cm | 100x200 cm | |
| | 100x240 cm | | |

Actual top/finish dimensions are available in the price list.

Top finishes


- Fenix®
- Veneered









Meety







Design by Lievore Altherr Molina, 2016



Table with top in white or black Fenix® laminate (Thick 2,4 cm), and legs in white or black powdercoated aluminum. Available in different shapes: round, rectangular or trapezoidal. Height 74 cm. For round options, the possibility of positioning the selected chairs under the table in full has to be verified based on the dimensions of the chair itself.





| | Top | POWDERCOATED | |
|---|--|--|-------|
|  SEK ART. 5453 | ø cm 119  | 11657 | |
|  SEK ART. 5407 | cm 69 x 139  | 10609 | |
| | SEK ART. 5409 | cm 79 x 159  | 11621 |
| | SEK ART. 5410 | cm 79 x 179  | 12287 |
| | SEK ART. 5411 | cm 99 x 200  | 14597 |
|  SEK ART. 5412 | cm 120 /80 x 240 | 19135 | |

| SHIPMENT DETAILS | RESISTANCE TEST |
|---|---|
| Art. 5407 1 pz = 3  - kg 36,61/ m² 0,126 Art. 5409 1 pz = 3  - kg 41,57/ m² 0,139 Art. 5410 1 pz = 3  - kg 45,27/ m² 0,152 Art. 5411 1 pz = 3  - kg 58,03/ m² 0,229 Art. 5412 1 pz = 3  - kg 68,08/ m² 0,309 Art. 5453 1 pz = 3  - kg 46,23/ m² 0,157 | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 • EN 1730:2012 - EN 15372:2016 6.7 • EN 1730:2012 - EN 15372:2016 6.4.3 <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.6 • EN 1730:2012 - EN 15372:2016 6.9 • EN 1730:2012 - EN 15372:2016 7.2 |
| TECHNICAL SPECIFICATIONS | |
| FIRE RETARDANT TEST | |

Frame Base




Top



Meety

Design by Lievore Altherr Molina, 2016

Table with top in natural oak veneered or wengé (Thick 3 cm) and legs in white or black powdercoated aluminium. Available in rectangular shapes. Height 74.5 cm.





| | | Top | POWDERCOATED |
|--------------------------------------|----------------------|---------------------------------------|--------------|
| | SEK ART. 5431 | cm 90 x 160 <input type="checkbox"/> | 18396 |
| | SEK ART. 5433 | cm 100 x 200 <input type="checkbox"/> | 22301 |
| | SEK ART. 5434 | cm 100 x 240 <input type="checkbox"/> | 25315 |
| Legs configuration not perpendicular | | | + 1095 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|---|---------------------------------|
| Art. 5431 1 pz = 3 - kg 44,17/ m² 0,15 Art. 5433 1 pz = 3 - kg 56,64/ m² 0,229 Art. 5434 1 pz = 3 - kg 65,98/ m² 0,269 | |
| | TECHNICAL SPECIFICATIONS |
| FIRE RETARDANT TEST | |

Frame Base



Top








Meety

Design by Lievore Altherr Molina, 2016



Table with top in natural oak veneered or wengé (Thick 3 cm) and legs in white or black powdercoated aluminium. Available in different shapes: round or trapezoidal. Height 74.5 cm. For round options, the possibility of positioning the selected chairs under the table in full has to be verified based on the dimensions of the chair itself.



| | | |
|--|---|--------------|
| | Top | POWDERCOATED |
|  SEK ART. 5455 | ø cm 120  | 19242 |
|  SEK ART. 5437 | cm 120/80 x 240 | 29673 |

| | |
|--|---------------------------------|
| SHIPMENT DETAILS | RESISTANCE TEST |
| Art. 5437 1 pz = 3  - kg 65,98/ m² 0,309 Art. 5455 1 pz = 3  - kg 45,576/ m² 0,157 | |
| | TECHNICAL SPECIFICATIONS |
| FIRE RETARDANT TEST | |

Frame Base



Top




Meety Office





Design by Lievore Altherr Molina, 2017





Office table with rectangular top, also available, if requested at the time of the order, with two optional openings (to be used with cable grommet Art. 5466). Other office accessories complete the layout. Table is available with a white Fenix® laminate top and white powder-coated aluminum frame.

- Accessories:
 Drawers chest Art. 0822
 Modesty Panel Art. 5463
 Vertical Cable Management Art. 5464
 Cable tray Art. 5465
 Grommets Art. 5466
 Link Kit Art. 5467




| | Top | POWDERCOATED |
|--|----------------------------|--------------|
|   SEK ART. 5460 | cm 89 x 159 | 13062 |
|   SEK ART. 5462 | cm 99 x 200 | 14765 |
| | Openings for cable grommet | ✚ 619 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|--|---------------------------------|
| Art. 5460 1 pz = 3  - kg 47,05/ m² 0,16 Art. 5462 1 pz = 3  - kg 59,14/ m² 0,235 | |
| | TECHNICAL SPECIFICATIONS |
| FIRE RETARDANT TEST | |

Frame Base













Top



Accessories

Design by Lievore Altherr Molina, 2017

| | | | | |
|---|---|---|--|--|
| <p>SEK ART. 5463</p>  <p>28.5 cm (11 1/4") 143 cm (56 1/4")</p> <p>MODESTY PANEL</p> <p>1929</p> | <p>SEK ART. 5464</p>  <p>VERTICAL CABLE MANAGEMENT</p> <p>524</p> | <p>SEK ART. 5465</p>  <p>3.5 cm (1 1/2") 114 cm (45") 9 cm (3 1/2")</p> <p>CABLE TRAY</p> <p>1334</p> | <p>SEK ART. 5466</p>  <p>Ø9 cm (Ø3 1/2")</p> <p>GROMMETS</p> <p>548</p> | <p>SEK ART. 5467</p>  <p>LINK KIT FOR MEETY OFFICE TABLES</p> <p>941</p> |
|---|---|---|--|--|

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS |
|---|---|
| <p>Art. 5463 1 pz = 1  - kg 8,19/ m³ 0,045</p> <p>Art. 5465 1 pz = 1  - kg 8,59/ m³ 0,03</p> <p>Art. 5467 1 pz = 1  - kg 0,35/ m³ 0,004</p> | <p>Art. 5464 1 pz = 1  - kg 0,14/ m³ 0,003</p> <p>Art. 5466 1 pz = 1  - kg 0,43/ m³ 0,004</p> |
| <p>FIRE RETARDANT TEST</p> | |


V12
matt



Accessories

Design by Simon Pengelly, 2009

SEK ART. 0822



5777

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---------------------|--------------------------|-----------------|
| | | |
| FIRE RETARDANT TEST | | |



NUUR

Design by
Simon Pengelly
2009



Nuur



Collection overview

Type



h 74 cm Standard top

h 74 cm Office top

| |  Square |  Rectangulare | | | | | |
|---------------------|---|---|-----------|-----------|-----------|------------|------------|
| | 79x79 cm | 120x79 cm | 160x79 cm | 180x79 cm | 180x90 cm | 200x100 cm | 240x100 cm |
| Standard h 74 cm | * | * | * | * | * | * | * |
| Nuur Office h 74 cm | | | * | * | | * | |

Options and accessories



Drawers chest
(3 drawers)

For further accessories please go at the end of the collection



Top finishes


— Fenix®



Nuur

Design by Simon Pengelly, 2009

Table with laminated Fenix® square top and powder-coated aluminum frame. Height 74 cm.



| | | | |
|----------------------|--|-------|--|
| | Top | FENIX | |
| SEK ART. 0800 | cm 79x79  | 14586 | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 0800 1 pz = 4  - kg 32,18/ m³ 0,208  | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V39 matt

Top



F01 Fenix F02 Fenix F06 Fenix


Fenix finishes F01, F02: delivery in 4 weeks from the order. Other Fenix colors: delivery in 8 weeks from the order.



Nuur

Design by Simon Pengelly, 2009

Table with laminated Fenix® rectangular top and powder-coated aluminum frame. Height 74 cm.



| | Top | | FENIX | |
|----------------------|------------|--|-------|--|
| SEK ART. 0801 | cm 120x79 | | 19385 | |
| SEK ART. 0802 | cm 160x79 | | 21326 | |
| SEK ART. 0803 | cm 180x90 | | 25196 | |
| SEK ART. 0805 | cm 200x100 | | 26434 | |
| SEK ART. 0806 | cm 240x100 | | 32769 | |
| SEK ART. 0814 | cm 180x79 | | 23505 | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|---|
| <p>Art. 0801 1 pz = 4 - kg 40,13/ m² 0,257</p> <p>Art. 0802 1 pz = 4 - kg 48,28/ m² 0,305</p> <p>Art. 0803 1 pz = 4 - kg 55,66/ m² 0,349</p> <p>Art. 0805 1 pz = 4 - kg 63,06/ m² 0,367</p> <p>Art. 0806 1 pz = 4 - kg 67,11/ m² 0,444</p> <p>Art. 0814 1 pz = 4 - kg 48/ m² 0,302</p> <p></p> | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.6 • EN 1730:2012 - EN 15372:2016 7.2 <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.9 |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V39 matt

Top



F01 Fenix F02 Fenix F06 Fenix

Fenix finishes F01, F02: delivery in 4 weeks from the order. Other Fenix colors: delivery in 8 weeks from the order.



Nuur Office

Design by Simon Pengelly, 2009



Office table with rectangular top fitted with two openings to be used with cable grommet (Art. 0811) or grommet cover (Art. 0821). Other office accessories complete the layout. It features a laminated Fenix® top and a powder-coated aluminum frame.

Accessories:
 Modesty Panel Art. 0808
 Cable Holder Art. 0809
 Cable Grommet Art. 0811
 Modesty Panel Art. 0819
 Grommet cover Art. 0821
 Drawers chest Art. 0822

| | Top | | FENIX | |
|----------------------|------------|--------------------------|-------|--|
| SEK ART. 0815 | cm 180x79 | <input type="checkbox"/> | 25137 | |
| SEK ART. 0817 | cm 200x100 | <input type="checkbox"/> | 28054 | |
| SEK ART. 0818 | cm 160x79 | <input type="checkbox"/> | 22945 | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 0815 1 pz = 4 - kg 48/ m² 0,303 Art. 0817 1 pz = 4 - kg 63,06/ m² 0,387 Art. 0818 1 pz = 4 - kg 48,28/ m² 0,305 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V39 matt

Top









F01 Fenix F02 Fenix F06 Fenix






Fenix finishes F01, F02: delivery in 4 weeks from the order. Other Fenix colors: delivery in 8 weeks from the order.



Accessories

Design by Simon Pengelly, 2009

| | | | | |
|---|---|--|--|---|
| <p>SEK ART. 0808</p>  <p>MODESTY PANEL Only for item 0815 and item 0817</p> <p>2203</p> | <p>SEK ART. 0809</p>  <p>CABLE HOLDER</p> <p>1679</p> | <p>SEK ART. 0811</p>  <p>CABLE GROMMET</p> <p>1000</p> | <p>SEK ART. 0819</p>  <p>MODESTY PANEL Only for item 0818</p> <p>1810</p> | <p>SEK ART. 0821</p>  <p>GROMMET COVER</p> <p>357</p> |
| <p>SEK ART. 0822</p>  <p>DRAWER CHEST 3 drawers</p> <p>6239</p> | | | | |

| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | |
|----------------------------|--|--------------------------|--|
| Art. 0808 | 1 pz = 1  - kg 13,3/ m³ 0,119 | Art. 0809 | 1 pz = 1  - kg 8,5/ m³ 0,013 |
| Art. 0811 | 1 pz = 1  - kg 1,2/ m³ 0 | Art. 0819 | 1 pz = 1  - kg 10,4/ m³ 0,017 |
| Art. 0821 | 1 pz = 1  - kg 1/ m³ 0,006 | | |
| FIRE RETARDANT TEST | | | |



OELL

Design by Jean-Marie Massaud

2022



Collection overview

Type







h 36 cm











h 58 cm

| | MDF | | Porcelain stoneware | |
|---------|---------|---------|---------------------|---------|
| | h 36 cm | h 58 cm | h 36 cm | h 58 cm |
| Ø 45 cm | | * | | * |
| Ø 60 cm | * | | * | |

Finishes

- Top:
 - MDF
 - Porcelain stoneware


| MDF | Base |
|--|--|
|  M02 |  V12 |
|  M20 |  V44 |

| Porcelain stoneware | Base | | | |
|--|--|--|--|--|
|  C10 |  V12 |  V44 |  V53 |  V63 |
|  C11 |  V12 |  V44 |  V53 |  V63 |

Oell

Design by Jean-Marie Massaud, 2022

Round side table with a central base and asymmetrical column in powdercoated metal. Ø 45 cm top in painted MDF (1.4 cm thick, coordinated with the base finish). Height 58 cm.



| | | |
|----------------------|------------------------|------|
| | Top | |
| SEK ART. 7200 | Ø 45 cm h. 58 cm — MDF | 6237 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| Art. 7200 1 pz = 2 - kg 12,42/ m² 0,093 | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 |
| FIRE RETARDANT TEST | | |

Frame Base



V12
matt V44
matt

Top




M02 M20



Oell

Design by Jean-Marie Massaud, 2022

Round coffee table with a central base and asymmetrical column in powdercoated metal. Ø 60 cm top in painted MDF (1.4 cm thick, coordinated with the base finish). Height 36 cm.



| | | |
|----------------------|------------------------|------|
| | Top | |
| SEK ART. 7202 | Ø 60 cm h. 36 cm — MDF | 6849 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 7202 1 pz = 2 - kg 13,1/ m³ 0,113 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V44 matt

Top




M02 M20



Oell

Design by Jean-Marie Massaud, 2022

Round side table with a central base and asymmetrical column in powdercoated metal. Ø 45 cm top in porcelain stoneware (1 cm thick). Height 58 cm.



| | | |
|----------------------|----------------------------|------|
| | Top | |
| SEK ART. 7201 | Ø 45 cm h. 58 cm — Ceramic | 8970 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 7201 1 pz = 2 - kg 14,1/ m³ 0,093 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V44 matt V53 matt V63 matt

Top




C10 C11



Oell

Design by Jean-Marie Massaud, 2022

Round coffee table with a central base and asymmetrical column in powdercoated metal. Ø 60 cm top in porcelain stoneware (1 cm thick). Height 36 cm.



| | | |
|----------------------|----------------------------|------|
| | Top | |
| SEK ART. 7203 | Ø 60 cm h. 36 cm — Ceramic | 9639 |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 7203 1 pz = 2 - kg 16,63/ m² 0,113 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 matt V44 matt V53 matt V63 matt

Top



C10 C11



ONEMM

Design by Peter Kunz

2022



Collection overview

Type



h 74 cm



h 90 cm



Rectangular

| | h 74 cm | h 90 cm |
|------------|---------|---------|
| 160x80 cm | * | * |
| 200x100 cm | * | * |
| 240x100 cm | * | * |

Top finishes:

— Steel




Through the innovative top construction, the table guarantees stability and flexibility by automatically adapting to any floor.




One mm

Design by Peter Kunz, 2022




H. 74 cm table with a 4-leg metal base and a rectangular top made of folded and powdercoated sheet steel (4 mm thick), available in three sizes. The base and the top are available in a single-colour combination.


| | Top | | |
|----------------------|--|-------|--|
| SEK ART. 7100 | 160 x 80 cm  | 19191 | |
| SEK ART. 7104 | 200 x 100 cm  | 24494 | |
| SEK ART. 7108 | 240 x 100 cm  | 27846 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|---|
| Art. 7100 1 pz = 2  - kg 36/ m² 0,136 Art. 7104 1 pz = 2  - kg 47/ m² 0,203 Art. 7108 1 pz = 2  - kg 52/ m² 0,241 | | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 5.1-5.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.6 • EN 1730:2012 - EN 15372:2016 7.2 <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.9 |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Onemm

Design by Peter Kunz, 2022




H. 74 cm table with a 4-leg base made of metal with an oak-effect reconstituted wood veneer. Rectangular top made of folded and powdercoated sheet steel (4 mm thick), available in three sizes. The base and top finishes can be freely combined.



| | Top | | |
|----------------------|---------------------------------------|-------|--|
| SEK ART. 7101 | 160 x 80 cm <input type="checkbox"/> | 21984 | |
| SEK ART. 7105 | 200 x 100 cm <input type="checkbox"/> | 27287 | |
| SEK ART. 7109 | 240 x 100 cm <input type="checkbox"/> | 30639 | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 7101 1 pz = 2 - kg 37/ m² 0,136 Art. 7105 1 pz = 2 - kg 48/ m² 0,203 Art. 7109 1 pz = 2 - kg 53/ m² 0,241 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Top



V24 matt V25 matt V61 matt



One mm

Design by Peter Kunz, 2022



H. 90 cm table with a 4-leg metal base and rectangular top made of folded and powdercoated sheet steel (4 mm thick), available in three sizes. The base and the top are available in a single-colour combination.



| | Top | | |
|----------------------|---------------------------------------|-------|--|
| SEK ART. 7102 | 160 x 80 cm <input type="checkbox"/> | 19367 | |
| SEK ART. 7106 | 200 x 100 cm <input type="checkbox"/> | 24670 | |
| SEK ART. 7110 | 240 x 100 cm <input type="checkbox"/> | 28022 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 7102 1 pz = 2 - kg 37,4/ m³ 0,136 Art. 7106 1 pz = 2 - kg 48,4/ m³ 0,203 Art. 7110 1 pz = 2 - kg 53,4/ m³ 0,241 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



OneMM

Design by Peter Kunz, 2022




H. 90 cm table with a 4-leg base made of metal with an oak-effect reconstituted wood veneer. Rectangular top made of folded and powdercoated sheet steel (4 mm thick), available in three sizes. The base and top finishes can be freely combined.



| | Top | | |
|----------------------|---------------------------------------|-------|--|
| SEK ART. 7103 | 160 x 80 cm <input type="checkbox"/> | 22905 | |
| SEK ART. 7107 | 200 x 100 cm <input type="checkbox"/> | 28208 | |
| SEK ART. 7111 | 240 x 100 cm <input type="checkbox"/> | 31560 | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 7103 1 pz = 2 - kg 38,5/ m³ 0,136 Art. 7107 1 pz = 2 - kg 49,5/ m³ 0,203 Art. 7111 1 pz = 2 - kg 54,5/ m³ 0,241 | | |
| FIRE RETARDANT TEST | | |

Frame Base



L0006 L0022

Top



V24 matt V25 matt V61 matt



PIX TABLE

Design by Ichiro Iwasaki


2014



Pix Table

Design by Ichiro Iwasaki, 2014

Table with round powdercoated metal base and MDF round top (Thick 1,2 cm) fitted with gas-lift mechanism for height adjustment. Base and top are available in 2 different colors.



| | | | |
|----------------------|-----|--------------|--|
| SEK ART. 3050 | Top | POWDERCOATED | |
| | | 8716 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 3050 1 pz = 1 - kg 21,5/ m³ 0,173 | | |
| FIRE RETARDANT TEST | | |

Frame Base



V12 V39
matt matt

Top



M02 M04



PLY TABLE



Design by
Lievore Altherr Molina
2013



Ply

Design by Lievore Altherr Molina, 2013


Low table with oak veneer three-leg base, available in natural oak and black finishes. It is provided with glides with felt insert for wood floors. Height 44 cm.



| | | | |
|----------------------|-----|------|--|
| SEK ART. 3800 | Top | - | |
| | | 4727 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 3800 1 pz = 1 - kg 3/ m² 0,072 | | |
| FIRE RETARDANT TEST | | |

Frame Base




L0006 L0022




Ply Table

Design by Lievore Altherr Molina, 2013


Oak veneer low table with large-sized top (99 cm x 93 cm) and three-leg base. It is available in natural oak and black finishes. It's also provided with felt glides for wood floors. Height 36 cm.



| | | | |
|----------------------|-----|-------|--|
| SEK ART. 3850 | Top | - | |
| | | 13241 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 3850 1 pz = 1  - kg 12,32/ m² 0,357 | | |
| FIRE RETARDANT TEST | | |


Frame Base




Ply Table

Design by Lievore Altherr Molina, 2013


Oak veneer low table with right-hand medium-sized top (53 cm x 93 cm) and three-leg base. It is available in natural oak and black finishes. It's also provided with felt glides for wood floors. Height 36 cm.



| | | | |
|----------------------|-----|------|--|
| SEK ART. 3851 | Top | - | |
| | | 7811 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 3851 1 pz = 1  - kg 8,02/ m³ 0,189 | | |
| FIRE RETARDANT TEST | | |


Frame Base




Ply Table

Design by Lievore Altherr Molina, 2013


Oak veneer low table with left-hand medium-sized top (53 cm x 93 cm) and three-leg base. It is available in natural oak and black finishes and provided with felt glides insert for wood floors. Height 36 cm.



| | | | |
|----------------------|-----|------|--|
| SEK ART. 3852 | Top | - | |
| | | 7811 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 3852 1 pz = 1  - kg 8,02/ m ² 0,189 | | |
| FIRE RETARDANT TEST | | |


Frame Base



Ply Table

Design by Lievore Altherr Molina, 2013


Oak veneer low table with small-sized top (55 cm x 54 cm) and three-leg base. It is available in natural oak and black finishes and provided with felt glides insert for wood floors. Height 36 cm.



| | | | |
|----------------------|-----|------|--|
| SEK ART. 3853 | Top | - | |
| | | 6358 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 3853 1 pz = 1 - kg 5,08/ m³ 0,169 | | |
| FIRE RETARDANT TEST | | |

Frame Base



RALIK TABLE

Design by Ichiro Iwasaki


2023



Ralik

Design by Ichiro Iwasaki, 2023

Side table with central base and column in powder-coated metal, equipped with gas mechanism for height adjustment. Rectangular top in plywood and finish in reconstituted oak (1,2 cm thick). The base and top finishes can be freely combined.




| | | |
|----------------------|----------------------------|------|
| | Top | |
| SEK ART. 7417 | H. adj. freestanding table | 8845 |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 7417 1 pz = 1 - kg 10/ m³ 0,12 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



SAUL

Design by Jean-Marie Massaud

2019



Saul

Collection overview

Type



h 28,5 cm

h 36,5 cm

h 42,5 cm

| | | Glass | | | Marble | | |
|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | h 28,5 cm | h 36,5 cm | h 42,5 cm | h 28,5 cm | h 36,5 cm | h 42,5 cm |
| Round top | Ø 84 cm | * | * | * | * | * | * |
| Square top | 60x60 cm | * | * | * | * | * | * |
| | 77x77 cm | * | * | * | | | |
| Rectangular top | 120x60 cm | * | * | * | | | |

Top finishes


- Glass
- Marble

Saul

Design by Jean-Marie Massaud, 2019



Low table with 4-leg base in powder-coated aluminium in three height options: 28,5; 36,5 or 42,5 cm. Top in black painted smoked glass available in round, rectangular and square (2 sizes) shape.



| | Top | | POWDERCOATED |
|----------------------|---------------------------|--------------------------|--------------|
| SEK ART. 6700 | V02 cm 60x60 — h cm 42,5 | <input type="checkbox"/> | 11895 |
| SEK ART. 6701 | V02 Ø cm 84 — h cm 42,5 | <input type="radio"/> | 13098 |
| SEK ART. 6702 | V02 cm 120x60 — h cm 42,5 | <input type="checkbox"/> | 14348 |
| SEK ART. 6703 | V02 cm 77x77 — h cm 42,5 | <input type="checkbox"/> | 12683 |
| SEK ART. 6706 | V02 cm 60x60 — h cm 36,5 | <input type="checkbox"/> | 11895 |
| SEK ART. 6707 | V02 Ø cm 84 — h cm 36,5 | <input type="radio"/> | 13098 |
| SEK ART. 6708 | V02 cm 120x60 — h cm 36,5 | <input type="checkbox"/> | 14348 |
| SEK ART. 6709 | V02 cm 77x77 — h cm 36,5 | <input type="checkbox"/> | 12683 |
| SEK ART. 6712 | V02 cm 60x60 — h cm 28,5 | <input type="checkbox"/> | 11895 |
| SEK ART. 6713 | V02 Ø cm 84 — h cm 28,5 | <input type="radio"/> | 13098 |
| SEK ART. 6714 | V02 cm 120x60 — h cm 28,5 | <input type="checkbox"/> | 14348 |
| SEK ART. 6715 | V02 cm 77x77 — h cm 28,5 | <input type="checkbox"/> | 12683 |

| SHIPMENT DETAILS | | RESISTANCE TEST | |
|---|---|--------------------------------------|------------------------------------|
| Art. 6700 1 pz = 3 - kg 13,9/ m³ 0,1 | Art. 6701 1 pz = 3 - kg 18,9/ m³ 0,12 | • EN 1730:2012 - EN 15372:2016 6.2 | • EN 1730:2012 - EN 15372:2016 6.3 |
| Art. 6702 1 pz = 3 - kg 22,9/ m³ 0,12 | Art. 6703 1 pz = 3 - kg 19,7/ m³ 0,11 | • EN 1730:2012 - EN 15372:2016 6.4.2 | |
| Art. 6706 1 pz = 3 - kg 13,7/ m³ 0,1 | Art. 6707 1 pz = 3 - kg 18,7/ m³ 0,12 | TECHNICAL SPECIFICATIONS | |
| Art. 6708 1 pz = 3 - kg 22,7/ m³ 0,12 | Art. 6709 1 pz = 3 - kg 19,5/ m³ 0,11 | | |
| Art. 6712 1 pz = 3 - kg 13,4/ m³ 0,1 | Art. 6713 1 pz = 3 - kg 18,7/ m³ 0,12 | | |
| Art. 6714 1 pz = 3 - kg 22,4/ m³ 0,12 | Art. 6715 1 pz = 3 - kg 19,2/ m³ 0,11 | | |
| FIRE RETARDANT TEST | | | |

Frame Base



Top




Saul

Design by Jean-Marie Massaud, 2019



Low table with 4-leg base in powder-coated aluminium in three height options: 28,5; 36,5 or 42,5 cm. Top in white marble available in round and square shape.



| | Top | | POWDERCOATED |
|----------------------|--------------------------|--------------------------|--------------|
| SEK ART. 6704 | B01 cm 60x60 — h cm 42,5 | <input type="checkbox"/> | 23660 |
| SEK ART. 6705 | B01 Ø cm 84 — h cm 42,5 | <input type="radio"/> | 29934 |
| SEK ART. 6710 | B01 cm 60x60 — h cm 36,5 | <input type="checkbox"/> | 23660 |
| SEK ART. 6711 | B01 Ø cm 84 — h cm 36,5 | <input type="radio"/> | 29934 |
| SEK ART. 6716 | B01 cm 60x60 — h cm 28,5 | <input type="checkbox"/> | 23660 |
| SEK ART. 6717 | B01 Ø cm 84 — h cm 28,5 | <input type="radio"/> | 29934 |

| SHIPMENT DETAILS | | RESISTANCE TEST |
|---|---|---------------------------------|
| Art. 6704 1 pz = 3 - kg 46,9/ m³ 0,67 | Art. 6705 1 pz = 3 - kg 73,9/ m³ 1,32 | |
| Art. 6710 1 pz = 3 - kg 46,7/ m³ 0,67 | Art. 6711 1 pz = 3 - kg 73,7/ m³ 1,32 | |
| Art. 6716 1 pz = 3 - kg 46,4/ m³ 0,67 | Art. 6717 1 pz = 3 - kg 73,4/ m³ 1,32 | |
| | | TECHNICAL SPECIFICATIONS |

FIRE RETARDANT TEST

Frame Base



V44
matt

Top



B01



WIM

Design by
Lievore Altherr Molina
2016



Wim

Collection overview




Type






h 74 cm

h 105 cm

h 74 cm

| |  |  |
|---|---|---|
|  | Ø 59 cm | 60x60 cm |
| | Ø 69 cm | 70x70 cm |
| | Ø 79 cm | 80x80 cm |
| | Ø 89 cm | 90x90 cm |
| | | |

h 105 cm

| |  |  |
|--|---|---|
|  | Ø 59 cm | 60x60 cm |
| | Ø 69 cm | 70x70 cm |
| | Ø 79 cm | 80x80 cm |

Actual top/finish dimensions are available in the price list.


Top finishes

- Melamine
- Fenix®
- HPL (Outdoor)

Wim

Design by Lievore Altherr Molina, 2016

Table with top of chipboard panel with melamine finish in white or black, 2,5 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square. Height 74 cm.




| | | Top | POWDERCOATED |
|---|----------------------|---|--------------|
| | SEK ART. 5500 | STRUCTURE ONLY - L cm 52.5 | 3381 |
| | SEK ART. 5502 | STRUCTURE ONLY - L cm 62 | 3536 |
| | SEK ART. 5571 | STRUCTURE ONLY - L cm 62 - "Reinforced" | 3882 |
| ⊗ | SEK ART. 5512 | STRUCTURE L cm 52.5 - Top ø cm 59 | 5393 |
| | SEK ART. 5513 | STRUCTURE L cm 52.5 - Top ø cm 69 | 5429 |
| | SEK ART. 5514 | STRUCTURE L cm 62 - Top ø cm 79 | 5917 |
| | SEK ART. 5515 | STRUCTURE L cm 62 "R" - Top ø cm 89 | 6633 |
| ⊗ | SEK ART. 5508 | STRUCTURE L cm 52.5 - Top cm 59 x 59 | 4810 |
| | SEK ART. 5509 | STRUCTURE L cm 52.5 - Top cm 69 x 69 | 5084 |
| | SEK ART. 5510 | STRUCTURE L cm 62 - Top cm 79 x 79 | 5441 |
| | SEK ART. 5511 | STRUCTURE L cm 62 "R" - Top cm 89 x 89 | 6097 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|--|---------------------------------|
| Art. 5500 1 pz = 1 - kg 5,95/ m³ 0,083 Art. 5508 1 pz = 2 - kg 13,57/ m³ 0,113 Art. 5510 1 pz = 2 - kg 20,83/ m³ 0,172 Art. 5512 1 pz = 2 - kg 12,45/ m³ 0,113 Art. 5514 1 pz = 2 - kg 18,81/ m³ 0,172 Art. 5571 1 pz = 1 - kg 17,95/ m³ 0,414 Art. 5502 1 pz = 1 - kg 7,2/ m³ 0,121 Art. 5509 1 pz = 2 - kg 16,36/ m³ 0,123 Art. 5511 1 pz = 2 - kg 35,23/ m³ 0,479 Art. 5513 1 pz = 2 - kg 14,82/ m³ 0,123 Art. 5515 1 pz = 2 - kg 32,68/ m³ 0,479 | TECHNICAL SPECIFICATIONS |
| FIRE RETARDANT TEST | |

Frame Base




Top



Wim

Design by Lievore Altherr Molina, 2016

Table with white or black top in Fenix® laminate finish, 2,4 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square. Height 74 cm.




| | Top | POWDERCOATED |
|---|--|--------------|
| | SEK ART. 5500 STRUCTURE ONLY - L cm 52.5 | 3381 |
| | SEK ART. 5502 STRUCTURE ONLY - L cm 62 | 3536 |
| | SEK ART. 5571 STRUCTURE ONLY - L cm 62 - "Reinforced" | 3882 |
| ⊗ | SEK ART. 5532 STRUCTURE L cm 52.5 - Top ø cm 59 | 6037 |
| | SEK ART. 5533 STRUCTURE L cm 52.5 - Top ø cm 69 | 6179 |
| | SEK ART. 5534 STRUCTURE L cm 62 - Top ø cm 79 | 6596 |
| | SEK ART. 5535 STRUCTURE L cm 62 "R" - Top ø cm 89 | 7645 |
| ⊗ | SEK ART. 5528 STRUCTURE L cm 52.5 - Top cm 59 x 59 | 5132 |
| | SEK ART. 5529 STRUCTURE L cm 52.5 - Top cm 69 x 69 | 5500 |
| | SEK ART. 5530 STRUCTURE L cm 62 - Top cm 79 x 79 | 5989 |
| | SEK ART. 5531 STRUCTURE L cm 62 "R" - Top cm 89 x 89 | 7026 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|--|---------------------------------|
| Art. 5500 1 pz = 1 - kg 5,95/ m³ 0,083 Art. 5528 1 pz = 2 - kg 14,7/ m³ 0,113 Art. 5530 1 pz = 2 - kg 22,86/ m³ 0,172 Art. 5532 1 pz = 2 - kg 13,34/ m³ 0,113 Art. 5534 1 pz = 2 - kg 20,41/ m³ 0,172 Art. 5571 1 pz = 1 - kg 17,95/ m³ 0,414 Art. 5502 1 pz = 1 - kg 7,2/ m³ 0,121 Art. 5529 1 pz = 2 - kg 17,91/ m³ 0,123 Art. 5531 1 pz = 2 - kg 37,81/ m³ 0,479 Art. 5533 1 pz = 2 - kg 16,04/ m³ 0,123 Art. 5535 1 pz = 2 - kg 34,7/ m³ 0,479 | TECHNICAL SPECIFICATIONS |

| FIRE RETARDANT TEST |
|---------------------|
| |

Frame Base Top


V12 V39 F01 F02
matt matt Fenix Fenix



Wim

Design by Lievore Altherr Molina, 2016

Table with white or black top in Compact HPL, 1 cm thick.
Powdercoated aluminum structure fitted with adjustable glides.
Available in different shapes: round and square. Height 72.5 cm.




| | | Top | POWDERCOATED |
|----------------------|----------------------|---|--------------|
| | SEK ART. 5500 | STRUCTURE ONLY - L cm 52.5 | 3381 |
| | SEK ART. 5502 | STRUCTURE ONLY - L cm 62 | 3536 |
| | SEK ART. 5571 | STRUCTURE ONLY - L cm 62 - "Reinforced" | 3882 |
| | SEK ART. 5552 | STRUCTURE L cm 52.5 - Top ø cm 59 | 5381 |
| | SEK ART. 5553 | STRUCTURE L cm 52.5 - Top ø cm 69 | 6334 |
| | SEK ART. 5554 | STRUCTURE L cm 62 - Top ø cm 79 | 6858 |
| | SEK ART. 5555 | STRUCTURE L cm 62 "R" - Top ø cm 89 | 7787 |
| | SEK ART. 5548 | STRUCTURE L cm 52.5 - Top cm 59 x 59 | 5381 |
| | SEK ART. 5549 | STRUCTURE L cm 52.5 - Top cm 69 x 69 | 6334 |
| | SEK ART. 5550 | STRUCTURE L cm 62 - Top cm 79 x 79 | 6858 |
| | SEK ART. 5551 | STRUCTURE L cm 62 "R" - Top cm 89 x 89 | 7787 |
| Outdoor powdercoated | | | + 95 |

| SHIPMENT DETAILS | | RESISTANCE TEST |
|---|---|---------------------------------|
| Art. 5500 1 pz = 1 - kg 5,95/ m³ 0,083 | Art. 5502 1 pz = 1 - kg 7,2/ m³ 0,121 | TECHNICAL SPECIFICATIONS |
| Art. 5548 1 pz = 2 - kg 13,36/ m³ 0,113 | Art. 5549 1 pz = 2 - kg 16,07/ m³ 0,123 | |
| Art. 5550 1 pz = 2 - kg 20,45/ m³ 0,172 | Art. 5551 1 pz = 2 - kg 34,76/ m³ 0,479 | |
| Art. 5552 1 pz = 2 - kg 12,28/ m³ 0,113 | Art. 5553 1 pz = 2 - kg 14,6/ m³ 0,123 | |
| Art. 5554 1 pz = 2 - kg 18,52/ m³ 0,172 | Art. 5555 1 pz = 2 - kg 32,31/ m³ 0,479 | |
| Art. 5571 1 pz = 1 - kg 17,95/ m³ 0,414 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Top



Top shape edge




Outdoor use

Wim

Design by Lievore Altherr Molina, 2016

Table with top of chipboard panel with melamine finish in white or black , 2,5 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square. Height 105 cm.




| | | Top | POWDERCOATED |
|---|----------------------|--------------------------------------|--------------|
| | SEK ART. 5501 | STRUCTURE ONLY - L cm 52.5 | 3751 |
| | SEK ART. 5503 | STRUCTURE ONLY - L cm 62 | 3893 |
| ⊗ | SEK ART. 5521 | STRUCTURE L cm 52.5 - Top ø cm 59 | 5763 |
| | SEK ART. 5522 | STRUCTURE L cm 52.5 - Top ø cm 69 | 5799 |
| | SEK ART. 5523 | STRUCTURE L cm 62 - Top ø cm 79 | 6274 |
| ⊠ | SEK ART. 5518 | STRUCTURE L cm 52.5 - Top cm 59 x 59 | 5180 |
| | SEK ART. 5519 | STRUCTURE L cm 52.5 - Top cm 69 x 69 | 5454 |
| | SEK ART. 5520 | STRUCTURE L cm 62 - Top cm 79 x 79 | 5798 |

| SHIPMENT DETAILS | | RESISTANCE TEST | |
|---|---|--|--------------------------------------|
| Art. 5501 1 pz = 1 - kg 6,85/ m³ 0,121 | Art. 5503 1 pz = 1 - kg 7,55/ m³ 0,121 | • EN 1730:2012 - EN 15372:2016 5.1-5.2 | • EN 1730:2012 - EN 15372:2016 6.2 |
| Art. 5518 1 pz = 2 - kg 14,47/ m³ 0,151 | Art. 5519 1 pz = 2 - kg 17,26/ m³ 0,161 | • EN 1730:2012 - EN 15372:2016 6.3 | • EN 1730:2012 - EN 15372:2016 6.4.2 |
| Art. 5520 1 pz = 2 - kg 21,18/ m³ 0,172 | Art. 5521 1 pz = 2 - kg 13,35/ m³ 0,151 | • EN 1730:2012 - EN 15372:2016 6.5 | • EN 1730:2012 - EN 15372:2016 6.6 |
| Art. 5522 1 pz = 2 - kg 15,72/ m³ 0,161 | Art. 5523 1 pz = 2 - kg 19,16/ m³ 0,172 | • EN 1730:2012 - EN 15372:2016 7.2 | |
| FIRE RETARDANT TEST | | TECHNICAL SPECIFICATIONS | |

Frame Base



Top



Wim

Design by Lievore Altherr Molina, 2016

Table with white or black top in Fenix® laminate finish, 2,4 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square. Height 105 cm.





| | | Top | POWDERCOATED |
|--|----------------------|--------------------------------------|--------------|
| | SEK ART. 5501 | STRUCTURE ONLY - L cm 52.5 | 3751 |
| | SEK ART. 5503 | STRUCTURE ONLY - L cm 62 | 3893 |
| | SEK ART. 5541 | STRUCTURE L cm 52.5 - Top ø cm 59 | 6407 |
| | SEK ART. 5542 | STRUCTURE L cm 52.5 - Top ø cm 69 | 6549 |
| | SEK ART. 5543 | STRUCTURE L cm 62 - Top ø cm 79 | 6953 |
| | SEK ART. 5538 | STRUCTURE L cm 52.5 - Top cm 59x59 | 5502 |
| | SEK ART. 5539 | STRUCTURE L cm 52.5 - Top cm 69 x 69 | 5870 |
| | SEK ART. 5540 | STRUCTURE L cm 62 - Top cm 79 x 79 | 6346 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|---|---------------------------------|
| Art. 5501 1 pz = 1 - kg 6,85/ m³ 0,121 Art. 5503 1 pz = 1 - kg 7,55/ m³ 0,121 Art. 5538 1 pz = 2 - kg 15,6/ m³ 0,151 Art. 5539 1 pz = 2 - kg 18,81/ m³ 0,161 Art. 5540 1 pz = 2 - kg 23,21/ m³ 0,172 Art. 5541 1 pz = 2 - kg 14,24/ m³ 0,151 Art. 5542 1 pz = 2 - kg 16,94/ m³ 0,161 Art. 5543 1 pz = 2 - kg 20,76/ m³ 0,172 | |
| FIRE RETARDANT TEST | TECHNICAL SPECIFICATIONS |

Frame Base



Top



Wim

Design by Lievore Altherr Molina, 2016

Table with white or black top in Compact HPL, 1 cm thick.
Powdercoated aluminum structure fitted with adjustable glides.
Available in different shapes: round and square. Height 103.5 cm.




| | | Top | POWDERCOATED |
|----------------------|----------------------|--------------------------------------|--------------|
| | SEK ART. 5501 | STRUCTURE ONLY - L cm 52.5 | 3751 |
| | SEK ART. 5503 | STRUCTURE ONLY - L cm 62 | 3893 |
| ⊗ | SEK ART. 5561 | STRUCTURE L cm 52.5 - Top ø cm 59 | 5751 |
| | SEK ART. 5562 | STRUCTURE L cm 52.5 - Top ø cm 69 | 6704 |
| | SEK ART. 5563 | STRUCTURE L cm 62 - Top ø cm 79 | 7215 |
| ⊠ | SEK ART. 5558 | STRUCTURE L cm 52.5 - Top cm 59 x 59 | 5751 |
| | SEK ART. 5559 | STRUCTURE L cm 52.5 - Top cm 69 x 69 | 6704 |
| | SEK ART. 5560 | STRUCTURE L cm 62 - Top cm 79 x 79 | 7215 |
| Outdoor powdercoated | | | + 95 |

| SHIPMENT DETAILS | | RESISTANCE TEST |
|---|---|---------------------------------|
| Art. 5501 1 pz = 1 - kg 6,85/ m³ 0,121 | Art. 5503 1 pz = 1 - kg 7,55/ m³ 0,121 | |
| Art. 5558 1 pz = 2 - kg 14,26/ m³ 0,151 | Art. 5559 1 pz = 2 - kg 16,97/ m³ 0,161 | |
| Art. 5560 1 pz = 2 - kg 20,8/ m³ 0,172 | Art. 5561 1 pz = 2 - kg 13,18/ m³ 0,151 | |
| Art. 5562 1 pz = 2 - kg 15,5/ m³ 0,161 | Art. 5563 1 pz = 2 - kg 18,87/ m³ 0,172 | |
| FIRE RETARDANT TEST | | TECHNICAL SPECIFICATIONS |

Frame Base



Top



YOP

Design by
Lievore Altherr Molina
2016



Collection overview

Type






h 74 cm






h 105 cm

h 74 cm


| | | |
|---|---|---|
| |  |  |
|  | Ø 59 cm* | 60x60 cm* |
| | Ø 69 cm* | 70x70 cm* |
| | Ø 79 cm* | 80x80 cm* |

h 105 cm

| | | |
|--|---|---|
| |  |  |
|  | Ø 59 cm* | 59x59 cm* |
| | Ø 69 cm* | 69x69 cm* |
| | Ø 79 cm* | 79x79 cm* |

Actual top/finish dimensions are available in the price list.

*=



Flipping mechanism


Top finishes

- Melamine
- Laminate Fenix®
- HPL (Outdoor)

Yop

Design by Lievore Altherr Molina, 2016

Table with top of chipboard panel with melamine finish in white or black , 2,5 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square (fixed version or with flipping mechanism). Height 74 cm.




| | | Top | POWDERCOATED |
|----------------------|----------------------|------------------|--------------|
| | SEK ART. 5700 | STRUCTURE ONLY | 3108 |
| | SEK ART. 5709 | ∅ cm 59 (*) | 5120 |
| | SEK ART. 5710 | ∅ cm 69 (*) | 5156 |
| | SEK ART. 5711 | ∅ cm 79 (*) | 5489 |
| | SEK ART. 5706 | cm 59 x 59 (*) | 4537 |
| | SEK ART. 5707 | cm 69 x 69 (*) | 4811 |
| | SEK ART. 5708 | cm 79 x 79 (*) | 5013 |
| * Flipping mechanism | | | ✚ 488 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|--|--|
| Art. 5700 1 pz = 1 - kg 6,15/ m³ 0,126 Art. 5706 1 pz = 2 - kg 13,77/ m³ 0,156 Art. 5707 1 pz = 2 - kg 16,6/ m³ 0,166 Art. 5708 1 pz = 2 - kg 19,78/ m³ 0,177 Art. 5709 1 pz = 2 - kg 12,65/ m³ 0,156 Art. 5710 1 pz = 2 - kg 15,02/ m³ 0,166 Art. 5711 1 pz = 2 - kg 17,76/ m³ 0,177 | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 |
| TECHNICAL SPECIFICATIONS | |
| FIRE RETARDANT TEST | |

Frame Base




Top



Yop

Design by Lievore Altherr Molina, 2016

Table with white or black top in Fenix® laminate finish, 2,4 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square (fixed version or with flipping mechanism). Height 74 cm.





| | | Top | POWDERCOATED |
|----------------------|----------------------|------------------|--------------|
| | SEK ART. 5700 | STRUCTURE ONLY | 3108 |
| | SEK ART. 5726 | ø cm 59 (*) | 5764 |
| | SEK ART. 5727 | ø cm 69 (*) | 5906 |
| | SEK ART. 5728 | ø cm 79 (*) | 6168 |
| | SEK ART. 5723 | cm 59 x 59 (*) | 4859 |
| | SEK ART. 5724 | cm 69 x 69 (*) | 5227 |
| | SEK ART. 5725 | cm 79 x 79 (*) | 5561 |
| * Flipping mechanism | | | ✚ 488 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|--|---------------------------------|
| Art. 5700 1 pz = 1 - kg 6,15/ m³ 0,126 Art. 5723 1 pz = 2 - kg 14,9/ m³ 0,156 Art. 5724 1 pz = 2 - kg 18,11/ m³ 0,166 Art. 5725 1 pz = 2 - kg 21,81/ m³ 0,177 Art. 5726 1 pz = 2 - kg 13,54/ m³ 0,156 Art. 5727 1 pz = 2 - kg 16,24/ m³ 0,166 Art. 5728 1 pz = 2 - kg 19,36/ m³ 0,177 | |
| FIRE RETARDANT TEST | TECHNICAL SPECIFICATIONS |

Frame Base



Top



Yop

Design by Lievore Altherr Molina, 2016




Table with white or black top in Compact HPL, 1 cm thick.
Powdercoated aluminum structure fitted with adjustable glides.
Available in different shapes: round and square (fixed version or with flipping mechanism). Height 72.5 cm.



| | | Top | POWDERCOATED |
|--|----------------------|----------------------|--------------|
| | SEK ART. 5700 | STRUCTURE ONLY | 3108 |
| | SEK ART. 5743 | ∅ cm 59 (*) | 5108 |
| | SEK ART. 5744 | ∅ cm 69 (*) | 6061 |
| | SEK ART. 5745 | ∅ cm 79 (*) | 6430 |
| | SEK ART. 5740 | cm 59 x 59 (*) | 5108 |
| | SEK ART. 5741 | cm 69 x 69 (*) | 6061 |
| | SEK ART. 5742 | cm 79 x 79 (*) | 6430 |
| | | * Flipping mechanism | + 488 |
| | | Outdoor powdercoated | + 95 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|---|---------------------------------|
| Art. 5700 1 pz = 1 - kg 6,15/ m³ 0,126 Art. 5740 1 pz = 2 - kg 13,56/ m³ 0,156 Art. 5741 1 pz = 2 - kg 16,27/ m³ 0,166 Art. 5742 1 pz = 2 - kg 19,4/ m³ 0,177 Art. 5743 1 pz = 2 - kg 12,48/ m³ 0,156 Art. 5744 1 pz = 2 - kg 14,8/ m³ 0,166 Art. 5745 1 pz = 2 - kg 17,47/ m³ 0,177 | |
| | TECHNICAL SPECIFICATIONS |
| FIRE RETARDANT TEST | |

Frame Base



Top



Top shape edge




Outdoor use

Yop

Design by Lievore Altherr Molina, 2016

Table with top of chipboard panel with melamine finish in white or black , 2,5 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square (fixed version or with flipping mechanism). Height 105 cm.




| | | Top | POWDERCOATED |
|----------------------|----------------------|------------------|--------------|
| | SEK ART. 5701 | STRUCTURE ONLY | 3477 |
| | SEK ART. 5716 | ø cm 59 (*) | 5489 |
| | SEK ART. 5717 | ø cm 69 (*) | 5525 |
| | SEK ART. 5718 | ø cm 79 (*) | 5858 |
| | SEK ART. 5713 | cm 59 x 59 (*) | 4906 |
| | SEK ART. 5714 | cm 69 x 69 (*) | 5180 |
| | SEK ART. 5715 | cm 79 x 79 (*) | 5382 |
| * Flipping mechanism | | | ✚ 488 |

| SHIPMENT DETAILS | | RESISTANCE TEST | |
|---|---|--------------------------------------|------------------------------------|
| Art. 5701 1 pz = 1 - kg 6,45/ m³ 0,126 | Art. 5713 1 pz = 2 - kg 14,07/ m³ 0,156 | • EN 1730:2012 - EN 15372:2016 6.2 | • EN 1730:2012 - EN 15372:2016 6.3 |
| Art. 5714 1 pz = 2 - kg 16,86/ m³ 0,166 | Art. 5715 1 pz = 2 - kg 20,08/ m³ 0,177 | • EN 1730:2012 - EN 15372:2016 6.4.2 | • EN 1730:2012 - EN 15372:2016 6.5 |
| Art. 5716 1 pz = 2 - kg 12,95/ m³ 0,156 | Art. 5717 1 pz = 2 - kg 15,32/ m³ 0,166 | • EN 1730:2012 - EN 15372:2016 6.6 | • EN 1730:2012 - EN 15372:2016 7.2 |
| Art. 5718 1 pz = 2 - kg 18,06/ m³ 0,177 | | TECHNICAL SPECIFICATIONS | |
| FIRE RETARDANT TEST | | | |

Frame Base




Top



Yop

Design by Lievore Altherr Molina, 2016

Table with white or black top in Fenix® laminate finish, 2,4 cm thick. Powdercoated aluminum structure fitted with adjustable glides. Available in different shapes: round and square (fixed version or with flipping mechanism). Height 105 cm.





| | | Top | POWDERCOATED |
|----------------------|----------------------|------------------|--------------|
| | SEK ART. 5701 | STRUCTURE ONLY | 3477 |
| | SEK ART. 5733 | ∅ cm 59 (*) | 6133 |
| | SEK ART. 5734 | ∅ cm 69 (*) | 6275 |
| | SEK ART. 5735 | ∅ cm 79 (*) | 6537 |
| | SEK ART. 5730 | cm 59 x 59 (*) | 5228 |
| | SEK ART. 5731 | cm 69 x 69 (*) | 5596 |
| | SEK ART. 5732 | cm 79 x 79 (*) | 5930 |
| * Flipping mechanism | | | ✚ 488 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|--|---------------------------------|
| Art. 5701 1 pz = 1 - kg 6,45/ m³ 0,126 Art. 5730 1 pz = 2 - kg 15,2/ m³ 0,156 Art. 5731 1 pz = 2 - kg 18,41/ m³ 0,166 Art. 5732 1 pz = 2 - kg 22,11/ m³ 0,177 Art. 5733 1 pz = 2 - kg 13,84/ m³ 0,156 Art. 5734 1 pz = 2 - kg 16,54/ m³ 0,166 Art. 5735 1 pz = 2 - kg 19,66/ m³ 0,177 | |
| FIRE RETARDANT TEST | TECHNICAL SPECIFICATIONS |

Frame Base




Top



Yop

Design by Lievore Altherr Molina, 2016

Table with white or black top in Compact HPL, 1 cm thick.
Powdercoated aluminum structure fitted with adjustable glides.
Available in different shapes: round and square (fixed version or with flipping mechanism). Height 103.5 cm.




| | | Top | POWDERCOATED |
|----------------------|----------------------|------------------|--------------|
| | SEK ART. 5701 | STRUCTURE ONLY | 3477 |
| | SEK ART. 5750 | ∅ cm 59 (*) | 5477 |
| | SEK ART. 5751 | ∅ cm 69 (*) | 6430 |
| | SEK ART. 5752 | ∅ cm 79 (*) | 6799 |
| | SEK ART. 5747 | cm 59 x 59 (*) | 5477 |
| | SEK ART. 5748 | cm 69 x 69 (*) | 6430 |
| | SEK ART. 5749 | cm 79 x 79 (*) | 6799 |
| * Flipping mechanism | | | + 488 |
| Outdoor powdercoated | | | + 95 |

| SHIPMENT DETAILS | RESISTANCE TEST |
|---|--|
| Art. 5701 1 pz = 1 - kg 6,45/ m³ 0,126 Art. 5747 1 pz = 2 - kg 13,86/ m³ 0,156 Art. 5748 1 pz = 2 - kg 16,57/ m³ 0,166 Art. 5749 1 pz = 2 - kg 19,7/ m³ 0,177 Art. 5750 1 pz = 2 - kg 12,78/ m³ 0,156 Art. 5751 1 pz = 2 - kg 15,1/ m³ 0,166 Art. 5752 1 pz = 2 - kg 17,77/ m³ 0,177 | <ul style="list-style-type: none"> • EN 1730:2012 - EN 15372:2016 6.2 • EN 1730:2012 - EN 15372:2016 6.4.2 • EN 1730:2012 - EN 15372:2016 6.3 • EN 1730:2012 - EN 15372:2016 6.5 |
| TECHNICAL SPECIFICATIONS | |
| FIRE RETARDANT TEST | |

Frame Base



Top



PANELS AND --- FURNISHINGS


Panels

| Panels Arper Grade | Supplier | Collection | Upholstery Code | Program |
|--------------------------|----------|------------------|--------------------|-----------|
| A | Camira | Era | ER | Graded In |
| A | Camira | Phoenix | PH | Carded In |
| A | FiDiVi. | Jet | JE | Carded In |
| A | Gabriel | Fighter | FH | Graded In |
| B | Camira | Urban | UP | Carded In |
| B | Camira | Xtreme | XP | Graded In |
| B | Gabriel | Atlantic | AT | Graded In |
| B | Gabriel | Medley | MY | Graded In |
| B | Gabriel | Step | S1 | Graded In |
| B | Gabriel | Step Melange | SM | Graded In |
| B | Kvadrat | Field 2 | FI | Carded In |
| B | Kvadrat | Revive 1 | R1 | Carded In |
| C | Camira | Main Line Flax | MF | Carded In |
| C | Camira | Synergy | SN | Carded In |
| C | Gabriel | Fame | FA | Graded In |
| C | Kvadrat | Floyd | F1 | Carded In |
| C | Kvadrat | Remix 3 | RX | Carded In |
| D | Gabriel | Crisp | CR | Graded In |
| D | Kvadrat | Canvas 2 | CV | Carded In |
| D | Kvadrat | Clara 2 | CL | Graded In |
| D | Maharam | Messenger | MS | Carded In |
| E | Camira | Blazer | BL | Graded In |
| E | Kvadrat | Re-wool | RW | Carded In |
| F | Kvadrat | Fiord 2 | FD | Carded In |
| F | Kvadrat | Tonus 4 | T3 | Carded In |
| G | Kvadrat | Divina 3 | DV | Carded In |
| G | Kvadrat | Divina MD | DI | Carded In |
| G | Kvadrat | Divina Melange 3 | DM | Carded In |
| G | Kvadrat | Jaali | JA | Carded In |
| G | Kvadrat | Savanna | SA | Graded In |
| G | Kvadrat | Steelcut 3 | SE | Carded In |
| G | Kvadrat | Steelcut Trio 3 | ST | Carded In |
| G (*) | Kvadrat | Hallingdal 65 | HA | Carded In |
| I | Kvadrat | Balder 3 | B1 | Carded In |
| I | Kvadrat | Tonica 2 | TN | Graded In |
| J | Kvadrat | Vidar 4 | VD | Carded In |
| COM | | COM | COM | |

(*) The Hallingdal 65 fabric is suitable only for Parentesit Wall Collection

PARAVAN

Design by
Lievore Altherr
2018




Paravan

Collection overview


(For more information please refer to User's Manual downloadable from our website)

Panels available in two heights — h 132,5 cm / 167,5 cm


Rectangular panels



Rectangular panels with a curved profile




90° angular panels




Paravan

Curved panel



Cabinet — frame available in two heights — h 132,5 cm / 167,5 cm

The frame must be positioned between two panels of the same height and completed with accessories such as shelves and/or coat racks.




Paravan


Desk panels



Desk panel
— L 98 cm




Desk panel
— L 159 cm



Desk panel
— L 179 cm


Paravan

Two-colour options for all panel versions




Two-colour arrangement detail

Rectangular panels




(A) Front-side (B) Back-side

Rectangular panels with a curved profile




(A) Front-side (B) Back-side

90° angular panels



(A) Front-side (B) Back-side


Curved panel




(A) Front-side (B) Back-side

Paravan


Connection systems



- Connection element with fastening kit for panels:
- 2-way linear link for 180° arrangements, Art. 6423
 - 2-way link for 90° arrangements, "L"-shaped Art. 6424
 - 2-way link for 135° arrangements, "V"-shaped Art. 6425
 - 3-way link for 90° arrangements, "T"-shaped Art. 6426
 - 3-way link for 120° arrangements, "Y"-shaped Art. 6427
 - 4-way link for 90° arrangements, "X"-shaped Art. 6428
 - Link for circular compositions Art. 6431



- "Connection element for 90° angular panels:
- 90° angular panels h 132,5 cm Art. 6416
 - 90° angular panels h 167,5 cm Art. 6417



- Connection system for Cabinet:
- Cabinet (frame) h 132,5 Art. 6418
 - Cabinet (frame) h 167,5 Art. 6419

**Tackable when configured
with proper textile**



Paravan Mood



Whiteboard

Magazine holder
— two types


Slim-line shell —
two types

Organizer

Mirror

Hook


Paravan Mood accessories are the only options for which Arper guarantees combination with Paravan's panels.



Paravan


Composition examples

Linear composition



- 2 x Art. 6412 – Rectangular panel, h 167,5 cm width 126 cm
- 1 x Art. 6410 – Rectangular panel, h 167,5 cm width 94,5 cm
- 2 x Art. 6423 – 2-way linear link for 180° arrangements
- 2 x Art. 6430 – Single standard fixing plate
- 2 x Art. 6429 – Connection fixing plate


120° arrangement composition



- 3 x Art. 6412 – Rectangular panel h 167,5 cm width 126 cm
- 1 x Art. 6427 – 3-way link for 120° arrangements, “Y”-shaped
- 3 x Art. 6430 – Single standard fixing plate


Paravan

135° arrangement composition



- 2 x Art. 6412 – Rectangular panel h 167,5 cm, width 126 cm
- 2 x Art. 6410 – Rectangular panel h 167,5 cm, width 94,5 cm
- 2 x Art. 6423 – 2-way linear link for 180° arrangements
- 1 x Art. 6425 – 2-way link for 135° arrangements, “V”-shaped
- 2 x Art. 6430 – Single standard fixing plate


4-way composition



- 2 x Art. 6412 – Rectangular panel h 167,5 cm, width 126 cm
- 4 x Art. 6410 – Rectangular panel h 167,5 cm, width 126 cm
- 1 x Art. 6428 – 4-way link for 90° arrangements, X-shaped
- 4 x Art. 6430 – Single standard fixing plate
- 2 x Art. 6423 – 2-way linear link for 180° arrangements


Paravan

Circular composition



- 4 x Art. 6406 – Curved panel h 132,5 cm, radius 150 cm, width 114,5 cm
- 3 x Art. 6431 – Link for circular composition


Linear-circular composition



- 2 x Art. 6406 – Curved panel h 132,5 cm, radius 150 cm, width 114,5 cm
- 1 x Art. 6401 – Rectangular panel with 1 curved profile h 132,5 cm width 63 cm
- 1 x Art. 6402 – Rectangular panel h 132,5 cm width 94,5 cm
- 1 x Art. 6431 – Link for circular composition
- 2 x Art. 6430 – Single standard fixing plate
- 2 x Art. 6423 – 2-way linear link for 180° arrangements


Paravan

Double L-shape composition



- 2 x Art. 6404 – Rectangular panel h 132,5 cm width 126 cm
- 2 x Art. 6401 – Rectangular panel with 1 curved profile h 132,5 cm width 63 cm
- 2 x Art. 6416 – 90° angular panel h 132,5 cm
- 1 x Art. 6423 – 2-way linear link for 180° arrangements
- 2 x Art. 6430 – Single standard fixing plate


Double U-shape composition



- 4 x Art. 6402 – Rectangular panel h 132,5 cm, width 94.5 cm
- 3 x Art. 6404 – Rectangular panel h 132,5 cm, width 126 cm
- 3 x Art. 6430 – Single standard fixing plate
- 2 x Art. 6423 – 2-way linear link for 180° arrangements
- 2 x Art. 6424 – 2-way link for 90° arrangements, L-shaped
- 1 x Art. 6426 – 3-way link for 90° arrangements, T-shaped


Paravan

Linear composition with Cabinet



- 2 x Art. 6412 – Rectangular panel, h 167,5 cm width 126 cm
- 2 x Art. 6410 – Rectangular panel, h 167,5 cm width 94.5 cm
- 2 x Art. 6419 – Cabinet frame h 167,5 cm
- 2 x Art. 6421 – Kit 3 shelves
- 1 x Art. 6423 – 2-way linear link for 180° arrangements
- 2 x Art. 6430 – Single standard fixing plate

Composition examples



Cabinet h 132,5 cm with
— no.1 set of 3 shelves
— no. 1 Coat rack


Cabinet h 132,5 cm with
— no. 2 sets of 1 shelf

Cabinet 167,5 cm with
— no.1 set of 1 shelf
— coat rack

Cabinet 167,5 cm with
— no.1 set of 3 shelves

Paravan

Design by Lievore Altherr, 2018



132.5 cm high rectangular panel available in three widths – 63, 94.5 and 126 cm – and upholstered in one colour fabric. The acoustic panel is available with a two colour upholstery upon request and with a surcharge. The base is in black aluminium. Fixing plate and linking elements are supplied separately for the creation of modular compositions.

Accessories:

Cabinet H132,5 cm Art. 6418
 3-way link Art. 6426
 Single standard fixing plate Art. 6430
 Slim-line shelf L 63 cm Art. 6435
 Side XL-plates Art. 6449

2-way link Art. 6423
 3-way link Art. 6427
 Whiteboard Art. 6432
 Slim-line shelf L 94.5 cm Art. 6436

2-way link Art. 6424
 4-way link Art. 6428
 Magazine holder Art. 6433
 Mirror Art. 6437

2-way link Art. 6425
 Connection fixing plate Art. 6429
 Magazine holder Art. 6434
 Hook Art. 6438

| SEK ART. 6400 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|-------|-------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L 63 cm | 7430 | 7847 | 8264 | 8681 | 9098 | 9515 | 9932 | 10349 | 10766 | 11183 | 11600 | 12017 | 12434 |
| SEK ART. 6402 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| L 94,5 cm | 9085 | 9907 | 10729 | 11551 | 12373 | 13195 | 14017 | 14839 | 15661 | 16483 | 17305 | 18127 | 18949 |
| SEK ART. 6404 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| L 126 cm | 10395 | 11359 | 12323 | 13287 | 14251 | 15215 | 16179 | 17143 | 18107 | 19071 | 20035 | 20999 | 21963 |
| Upholstered with a single material in two colors | + 274 | | qty min. 2 pcs | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| <p>Art. 6400 1 pz = 1 - kg 13,65/ m³ 0,068</p> <p>Art. 6402 1 pz = 1 - kg 18,46/ m³ 0,101</p> <p>Art. 6404 1 pz = 1 - kg 23,4/ m³ 0,133</p> | <p>Art.6400 H 140 cm. COM Meterage m 1.57 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.6402 H 140 cm. COM Meterage m 3.01 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.6404 H 140 cm. COM Meterage m 3.01 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</p> | |
| <p>FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat.</p> | | |

Frame Base




V39
matt



Paravan

Design by Lievore Altherr, 2018



132.5 cm high rectangular panel with a curved profile, to be used to start or finish the composition, available in two widths – 63 and 94.5 cm – and upholstered in one colour fabric. The acoustic panel is available with a two colour upholstery upon request and with a surcharge. The base is in black aluminium. Fixing plate and linking elements are supplied separately for the creation of modular compositions.

Accessories:

Cabinet H132,5 cm Art. 6418
 3-way link Art. 6426
 Single standard fixing plate Art. 6430
 Slim-line shelf L 63 cm Art. 6435
 Side XL-plates Art. 6449

2-way link Art. 6423
 3-way link Art. 6427
 Whiteboard Art. 6432
 Slim-line shelf L 94.5 cm Art. 6436

2-way link Art. 6424
 4-way link Art. 6428
 Magazine holder Art. 6433
 Mirror Art. 6437

2-way link Art. 6425
 Connection fixing plate Art. 6429
 Magazine holder Art. 6434
 Hook Art. 6438

| SEK ART. 6401 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L 63 cm | 7430 | 7847 | 8264 | 8681 | 9098 | 9515 | 9932 | 10349 | 10766 | 11183 | 11600 | 12017 | 12434 |
| SEK ART. 6403 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| L 94,5 cm | 9085 | 9907 | 10729 | 11551 | 12373 | 13195 | 14017 | 14839 | 15661 | 16483 | 17305 | 18127 | 18949 |
| Upholstered with a single material in two colors | + 274 qty min. 2 pcs | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6401 1 pz = 1 - kg 13/ m ² 0,068 Art. 6403 1 pz = 1 - kg 16,9/ m ² 0,101 | Art.6401 H 140 cm. COM Meterage m 1.57 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.6403 H 140 cm. COM Meterage m 3.01 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat. | | |

Frame Base



Paravan

Design by Lievore Altherr, 2018



132.5 cm high curved panel available in three radius options – 100, 150 and 200 cm – and upholstered in one colour fabric. The acoustic panel is available with a two colour upholstery upon request and with a surcharge. The base is in black aluminium. Fixing plate and linking elements are supplied separately for the creation of modular compositions.

Accessories:

Connection fixing plate Art. 6429
Magazine holder Art. 6434

Single standard fixing plate Art. 6430
Mirror Art. 6437

Link for circular composition Art. 6431 Magazine holder Art. 6433
Hook Art. 6438

| SEK ART. 6405 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|-------|-------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| r 100 cm - 72° | 11966 | 12788 | 13610 | 14432 | 15254 | 16076 | 16898 | 17720 | 18542 | 19364 | 20186 | 21008 | 21830 |
| SEK ART. 6406 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| r 150 cm - 45° | 11966 | 12788 | 13610 | 14432 | 15254 | 16076 | 16898 | 17720 | 18542 | 19364 | 20186 | 21008 | 21830 |
| SEK ART. 6407 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| r 200 cm - 36° | 11966 | 12788 | 13610 | 14432 | 15254 | 16076 | 16898 | 17720 | 18542 | 19364 | 20186 | 21008 | 21830 |
| Upholstered with a single material in two colors | + 274 | | qty min. 2 pcs | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 6405 1 pz = 1 - kg 24,7/ m³ 0,621 Art. 6406 1 pz = 1 - kg 20,8/ m³ 0,621 Art. 6407 1 pz = 1 - kg 18,2/ m³ 0,621 | Art.6405 H 140 cm. COM Meterage m 3.05 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.6406 H 140 cm. COM Meterage m 3.05 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.6407 H 140 cm. COM Meterage m 3.05 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat. | | |

Frame Base



Paravan

Design by Lievore Altherr, 2018

90° angular panel, 132.5 cm high. Panel sides are 13 cm wide. Upholstered in one colour fabric. The panel is also available in two colour upholstery and with a surcharge. The base is in black aluminium.



| SEK ART. 6416 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|---|-------|------|------|------|------|------|------|------|------|------|------|------|
| Upholstered with a single material in just one color | 3715 | 4203 | 4691 | 5179 | 5667 | 6155 | 6643 | 7131 | 7619 | 8107 | 8595 | 9083 | 9571 |
| Upholstered with a single material in two colors | + 274 qty min. 2 pcs | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 6416 1 pz = 1 - kg 6,5/ m² 0,033 | Art.6416 H 140 cm. COM Meterage m 1.53 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat. | | |

Frame Base




V39
matt



Paravan

Design by Lievore Altherr, 2018

132 cm high metal storage unit, to be positioned between two panels of the same height and to be completed with accessories such as shelves and coat racks.



Accessories:
Set - 1 shelf Art. 6420

Set - 3 shelves Art. 6421

Coat rack Art. 6422

| | | |
|-------------------------|------|--|
| SEK ART. 6418 | - | |
| Cabinet — frame h 132,5 | 7299 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6418 1 pz = 1 - kg 29,07/ m³ 0,201 | | |
| FIRE RETARDANT TEST | | |

Frame Base




V39
matt



Paravan

Design by Lievore Altherr, 2018



167.5 cm high rectangular panel with a curved profile, to be used to start or finish the composition, available in two widths – 63 and 94.5 cm – and upholstered in one colour fabric. The acoustic panel is available with a two colour upholstery upon request and with a surcharge. The base is in black aluminium. Fixing plate and connection elements are supplied separately for the creation of modular compositions.

Accessories:

Cabinet H167,5 cm Art. 6419
 3-way link Art. 6426
 Single standard fixing plate Art. 6430
 Slim-line shelf L 63 cm Art. 6435
 Side XL-plates Art. 6449

2-way link Art. 6423
 3-way link Art. 6427
 Whiteboard Art. 6432
 Slim-line shelf L 94.5 cm Art. 6436

2-way link Art. 6424
 4-way link Art. 6428
 Magazine holder Art. 6433
 Mirror Art. 6437

2-way link Art. 6425
 Connection fixing plate Art. 6429
 Magazine holder Art. 6434
 Hook Art. 6438

| SEK ART. 6409 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L 63 cm | 8799 | 9216 | 9633 | 10050 | 10467 | 10884 | 11301 | 11718 | 12135 | 12552 | 12969 | 13386 | 13803 |
| SEK ART. 6411 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| L 94,5 cm | 10729 | 11551 | 12373 | 13195 | 14017 | 14839 | 15661 | 16483 | 17305 | 18127 | 18949 | 19771 | 20593 |
| Upholstered with a single material in two colors | + 417 qty min. 2 pcs | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 6409 1 pz = 1 - kg 15,6/ m³ 0,086 Art. 6411 1 pz = 1 - kg 20,8/ m³ 0,126 | Art.6409 H 140 cm. COM Meterage m 1.93 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.6411 H 140 cm. COM Meterage m 3.81 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat. | | |

Frame Base




V39
matt



Paravan

Design by Lievore Altherr, 2018



167.5 cm high curved rectangular panel available in three radius options – 100, 150 and 200 cm – and upholstered in one colour fabric. The acoustic panel is available with a two colour upholstery upon request and with a surcharge. The base is in black aluminium. Fixing plate and linking elements are supplied separately for the creation of modular compositions.

Accessories:

Connection fixing plate Art. 6429
Magazine holder Art. 6434

Single standard fixing plate Art. 6430
Mirror Art. 6437

Link for circular composition Art. 6431 Magazine holder Art. 6433
Hook Art. 6438

| SEK ART. 6413 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|-------|-------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| r 100 cm - 72 ° | 13478 | 14573 | 15668 | 16763 | 17858 | 18953 | 20048 | 21143 | 22238 | 23333 | 24428 | 25523 | 26618 |
| SEK ART. 6414 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| r 150 cm - 45° | 13478 | 14573 | 15668 | 16763 | 17858 | 18953 | 20048 | 21143 | 22238 | 23333 | 24428 | 25523 | 26618 |
| SEK ART. 6415 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
| r 200 cm - 36° | 13478 | 14573 | 15668 | 16763 | 17858 | 18953 | 20048 | 21143 | 22238 | 23333 | 24428 | 25523 | 26618 |
| Upholstered with a single material in two colors | + 417 | | qty min. 2 pcs | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|--|
| Art. 6413 1 pz = 1 - kg 29,9/ m³ 0,769 Art. 6414 1 pz = 1 - kg 27,3/ m³ 0,769 Art. 6415 1 pz = 1 - kg 23,4/ m³ 0,769 | Art.6413 H 140 cm. COM Meterage m 3.81 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.6414 H 140 cm. COM Meterage m 3.81 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch Art.6415 H 140 cm. COM Meterage m 3.81 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • EN 1023-3:2000 6.1 • ANSI BIFMA X5.6-2016/5.3 |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat. | | |

Frame Base



Paravan

Design by Lievore Altherr, 2018

90° angular panel, 167.5 cm high. Panel sides are 13 cm wide. Upholstered in one colour fabric. The panel is also available in a two colour version with a surcharge. The base is in black aluminium.



| SEK ART. 6417 | A | B COM | C | D | E | F | G | H | I | J | K | L | M | |
|--|---|-------|------|------|------|------|------|------|------|------|------|------|-------|--|
| Upholstered with a single material in just one color | 4275 | 4763 | 5251 | 5739 | 6227 | 6715 | 7203 | 7691 | 8179 | 8667 | 9155 | 9643 | 10131 | |
| Upholstered with a single material in two colors | + 417 qty min. 2 pcs | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|---|-----------------|
| Art. 6417 1 pz = 1 - kg 10,4/ m³ 0,041 | Art.6417 H 140 cm. COM Meterage m 1.93 *Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | |
| FIRE RETARDANT TEST Classe 1 Omologazione Italia Field Kvadrat. | | |

Frame Base




V39
matt



Paravan

Design by Lievore Altherr, 2018

167.5 cm high metal storage unit to be positioned between two panels of the same height and to be completed with accessories such as shelves and coat racks.



Accessories:
Set - 1 shelf Art. 6420

Set - 3 shelves Art. 6421

Coat rack Art. 6422

| | | |
|-------------------------|------|--|
| SEK ART. 6419 | - | |
| Cabinet — frame h 167,5 | 8395 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 6419 1 pz = 1 - kg 36,4/ m³ 0,253 | | |
| FIRE RETARDANT TEST | | |

Frame Base
















V39
matt















Accessories

Design by Lievore Altherr, 2018

| | | | | |
|--|---|--|--|---|
| <p>SEK ART. 6420</p>  <p>Set - 1 shelf</p> <p>1143</p> | <p>SEK ART. 6421</p>  <p>Set - 3 shelves</p> <p>2620</p> | <p>SEK ART. 6422</p>  <p>Coat rack</p> <p>702</p> | <p>SEK ART. 6423</p>  <p>2-way linear link for 180° arrangements</p> <p>251</p> | <p>SEK ART. 6424</p>  <p>2-way link for 90° arrangements, "L"-shaped</p> <p>251</p> |
| <p>SEK ART. 6425</p>  <p>2-way link for 135° arrangements, "V"-shaped</p> <p>251</p> | <p>SEK ART. 6426</p>  <p>3-way link for 90° arrangements, "T"-shaped</p> <p>286</p> | <p>SEK ART. 6427</p>  <p>3-way link for 120° arrangements, "Y"-shaped</p> <p>286</p> | <p>SEK ART. 6428</p>  <p>4-way link for 90° arrangements, "X"-shaped</p> <p>334</p> | <p>SEK ART. 6429</p>  <p>Connection fixing plate</p> <p>654</p> |
| <p>SEK ART. 6430</p>  <p>Single standard fixing plate 29x22,5 cm</p> <p>654</p> | <p>SEK ART. 6431</p>  <p>Link for circular compositions</p> <p>251</p> | <p>SEK ART. 6449</p>  <p>Set of side fixing XL-plates 29x34,5 cm</p> <p>1322</p> | | |

SHIPMENT DETAILS

Art. 6420 1 pz = 1  - kg 2,6/ m³ 0,015
Art. 6422 1 pz = 1  - kg 0,5/ m³ 0,001
Art. 6424 1 pz = 1  - kg 0,5/ m³ 0,004
Art. 6426 1 pz = 1  - kg 0,5/ m³ 0,004
Art. 6428 1 pz = 1  - kg 0,5/ m³ 0,004
Art. 6430 1 pz = 1  - kg 3,9/ m³ 0,004

Art. 6421 1 pz = 1  - kg 7,8/ m³ 0,031
Art. 6423 1 pz = 1  - kg 0,5/ m³ 0,004
Art. 6425 1 pz = 1  - kg 0,5/ m³ 0,004
Art. 6427 1 pz = 1  - kg 0,5/ m³ 0,004
Art. 6429 1 pz = 1  - kg 3,9/ m³ 0,004
Art. 6431 1 pz = 1  - kg 0,5/ m³ 0,004

TECHNICAL SPECIFICATIONS

FIRE RETARDANT TEST












Paravan Desk Panel

Design by Lievore Altherr, 2019

Desk panel available in three widths (98, 159 and 179 cm) and upholstered in fabric. The panel is also available at an additional cost with a two-tone Upholstery. The base is made of powder-coated sheet steel.

Accessories:
Organizer Art. 6442

| | |
|---|--|
| <p>ART. 6439</p>  |  |
| <p>ART. 6440</p>  |  |
| <p>ART. 6441</p>  |  |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| <p>Art. 6439 1 pz = 1  - kg 9/ m² 0,04</p> <p>Art. 6440 1 pz = 1  - kg 14/ m² 0,064</p> <p>Art. 6441 1 pz = 1  - kg 17/ m² 0,071</p> | <p>Art.6439 H 140 cm. COM Meterage m 1.18 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.6440 H 140 cm. COM Meterage m 1.85 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> <p>Art.6441 H 140 cm. COM Meterage m 2.07 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</p> | |



Paravan Desk Panel

Design by Lievore Altherr, 2019

| | | | | | | | | | | | | | | |
|--|-----------------------------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|-------|--|
| SEK ART. 6439 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Desk Panel L cm 98 | 3060 | 3429 | 3798 | 4167 | 4536 | 4905 | 5274 | 5643 | 6012 | 6381 | 6750 | 7119 | 7488 | |
| Upholstered with a single material in two colors | + 274 qty min. 2 pcs | | | | | | | | | | | | | |
| SEK ART. 6440 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Desk Panel L cm 159 | 4334 | 4905 | 5476 | 6047 | 6618 | 7189 | 7760 | 8331 | 8902 | 9473 | 10044 | 10615 | 11186 | |
| Upholstered with a single material in two colors | + 274 qty min. 2 pcs | | | | | | | | | | | | | |
| SEK ART. 6441 | A | B COM | C COL | D | E | F | G | H | I | J | K | L | M | |
| Desk Panel L cm 179 | 4893 | 5536 | 6179 | 6822 | 7465 | 8108 | 8751 | 9394 | 10037 | 10680 | 11323 | 11966 | 12609 | |
| Upholstered with a single material in two colors | + 274 qty min. 2 pcs | | | | | | | | | | | | | |
| FIRE RETARDANT TEST | | | | | | | | | | | | | | |
| Classe 1 Omologazione Italia Field Kvadrat. | | | | | | | | | | | | | | |

Frame Base




Paravan Mood

Design by Lievore Altherr, 2019

Whiteboard in steel sheet powder-coated with writable paint (Item 6432) and including kit for fixing to the Paravan panels. The board can be completed with the magnetic pen holder (Item 6448). The board can also be fixed to the wall using the specific optional kit.

Accessories:
Pen holder Art. 6448



| | | |
|----------------------|------|--|
| SEK ART. 6432 | - | |
| Whiteboard | 2083 | |
| SEK ART. 6448 | - | |
| Pen holder | 869 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| Art. 6432 1 pz = 1 - kg 9,5/ m² 0,07 Art. 6448 1 pz = 1 - kg 1,5/ m² 0,002 | | |


Frame Base



Paravan Mood

Design by Lievore Altherr, 2019

Magazine holder in powder-coated steel sheet available in two versions and including kit for fixing to the Paravan panels. Magazine racks can also be fixed to the wall using the specific optional kit.



| | | |
|----------------------|------|--|
| SEK ART. 6433 | - | |
| Magazine holder | 2488 | |
| SEK ART. 6434 | - | |
| Magazine holder | 2488 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6433 1 pz = 1 - kg 4,5/ m² 0,019 Art. 6434 1 pz = 1 - kg 4,5/ m² 0,044 | | |

Frame Base




Paravan Mood


Design by Lievore Altherr, 2019

Shelf in powder-coated sheet steel available in two widths, 63 cm (Item 6435) and 94.5 cm (Item 6436) and including kit for fixing to the Paravan panels. The shelves can also be fixed to the wall using the specific optional kit.

ART. 6435



ART. 6436



| | | |
|---------------------------|------|--|
| SEK ART. 6435 | - | |
| Slim-line shelf L cm 63 | 1251 | |
| SEK ART. 6436 | - | |
| Slim-line shelf L cm 94,5 | 1524 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6435 1 pz = 1 - kg 4/ m² 0,029 Art. 6436 1 pz = 1 - kg 6/ m² 0,043 | | |


Frame Base







Paravan Mood

Design by Lievore Altherr, 2019

Mirror (Item 6437) and Pair of hooks (Item 6438) in powder-coated steel sheet to be fixed to the Paravan panels.



| | | |
|----------------------|------|--|
| SEK ART. 6437 | - | |
| Mirror | 1071 | |
| SEK ART. 6438 | - | |
| Hook (2 pieces) | 512 | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|-----------------|
| <p>Art. 6437 1 pz = 1  - kg 2/ m³ 0,007</p> <p>Art. 6438 1 pz = 1  - kg 1,5/ m³ 0,004 2 pz = 1  - kg 2/ m³ 0,004 5 pz = 1  - kg 3/ m³ 0,004</p> | | |


Frame Base



Paravan Mood

Design by Lievore Altherr, 2019

Organizer in powder-coated sheet steel. It can be placed on the base of the desk panels or directly on tables and desks.



| | | |
|---|---------------------------------|------------------------|
| SEK ART. 6442 | - | |
| Organizer | 1215 | |
| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
| Art.6442 1 pz = 1 - kg 2,5/ m² 0,005 | | |
| FIRE RETARDANT TEST | | |

Frame Base



Accessories



Design by Lievore Altherr

SEK ART. 6443



Wall-mount kit


381

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|-----------------|
| Art. 6443 1 pz = 1  - kg 1,5/ m² 0,004 2 pz = 1  - kg 1,5/ m² 0,004 | | |
| FIRE RETARDANT TEST | | |



PARENTESIT

Design by
Lievore Altherr Molina
2015



Parentesit

Collection overview


Wall Panel



Square version
one colour or two colours
version, with horizontal insert




Square version
one color or two colors version,
with diagonal insert




Round version
one color or two colors version,
with central insert

Freestanding



Freestanding module made up of
a round panel upholstered in one
color fabric on a matt black metal
base.



Freestanding module made up of a round and a square
panel upholstered in one color fabric, with the choice of
a different color for one panel, and resting on a matt black
metal base.



Freestanding module made up of a square panel
upholstered in one color fabric on a matt black metal base.

Parentesit Wall Panel

The primary forms of Parentesit can be arranged to articulate graphic patterns adaptable to any environment.

The positions of the panels can further be assembled into different orientation options that extend the geometric visual language into compositions of parallel, perpendicular, or diagonal lines. All orientations of Parentesit can be determined in the installation process and, with only few tools required, can mount onto any wall surface. Minimal in form, minimal in effort.

The central aesthetic profile is available in the following colours:


- V12 (White Matt)
- V39 (Black Matt)

Warranty: 2 years

The Parentesit Wall Panel is available with three options for embedded functionality.

- 1 Sound Absorbing:
an acoustic panel version is made from certified sound absorbing materials for when quiet space is needed.
- 2 Light:
a switch-operated, built-in light-enabled version enhances visual impact.
- 3 Audio + Light:
light-and-audio-enabled version with dimmer switch is manageable via dedicated app.dedicata (downloadable from App Store and Google Play).

Composition examples




Parentesit Wall Panel

The sound absorbing Parentesit Wall Panel is made from an internal panel that has been tested and certified for its superior performance in absorbing ambient sound. In the testing process, to maximize the effectiveness of the sound absorbing Parentesit Wall Panel, upholstery options are available in fabrics that help to muffle sound, giving additional protection against environmental noise and increased opportunity for quiet, uninterrupted work.

1 The internal panel was tested in a controlled echo chamber according to the UNI EN ISO 354 standard. The results shown here indicate absorption coefficients for every frequency tested, demonstrating the efficacy of Parentesit to reduce noise under a broad range of frequencies.

2 According to the industry standard used to classify sound absorbing material, ISO 11654, the values of sound absorbing coefficients are expressed by α . This table shows the sound absorbing curves classified in classes from A to E, where A is the best.

Note: The sound absorbing characteristics are lost if it is upholstered with non breathable materials.



Example diagram

1






2

| | | |
|--|---|---|
| Sound absorption (α) | Sound absorption (α) | Sound absorption (α) |
| 0,90 | 0,85 | 0,75 |
| Fabrics: Jet Hallingdal 65 Tonus 4 | Fabrics: Field 2 Revive 1 Remix 2 | Fabrics: Canvas 2 Divina 3 Divina MD Divina Melange 2 Steelcut 2 Steelcut Trio 3 |
| Absorption Class | Absorption Class | Absorption Class |
| A | B | C |

Parentesit Freestanding

A private enclosure for collaborative work contexts. Freestanding Parentesit creates a retreat for individual, focused work or collaborative group discussions. Four versions — inset little circle, big circle, square, or circle and square combination — are each given structure and substance by a supportive frame. These modular pieces can be combined to create graphic expressions of archetypal forms or customized with color to generate bold compositions that articulate space and define shelter.


Composition examples




Parentesit Freestanding

Correct usage of plates and links

SINGLE MODULE




LINEAR MODULES




Parentesit Freestanding

"L" MODULES




"T" MODULES




Parentesit Freestanding

“+” MODULES



Parentesit Wall Panel

Design by Lievore Altherr Molina, 2015



Decorative modular wall panel that is sound-absorbent and can be accessorised with a light, or audio + light system. Dimensions: 95 x 95 cm, available in one colour or two colours version, with horizontal insert (white or black). Electric cable not included.


| SEK ART. 5100 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Upholstered with a single material in one color | 9132 | 9620 | 10108 | 10596 | 11084 | 11572 | 12060 | 12548 | 13036 | 13524 | 14012 | 14500 | 14988 |
| Upholstered with a single material in two colors | + 107 | + 178 | + 249 | + 320 | + 391 | + 462 | + 533 | + 604 | + 675 | + 746 | + 817 | + 888 | + 959 |
| Optional LED light + speaker | + 8002 | | | | | | | | | | | | |
| Optional LED light | + 3739 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5100 1 pz = 1 - kg 14/ m³ 0,205 1 pz = 1 - kg 16,5/ m³ 0,205 1 pz = 1 - kg 16,8/ m³ 0,205 1 pz = 1 - kg 17,5/ m³ 0,205 | Art.5100 H 140 cm, COM Meterage m 1.38 Acoustic performance: Sound absorption coefficient "A" pursuant to the ISO 11654 standard = equivalent sound absorption area for sound-absorbing packet in m2 * Contact the company for specific data = Sound Absorption Area per each type of panel Electrical/Audio/Lighting system: CE-marked product. The product has undergone very strict tests and obtained the most important European and international certifications. | |
| FIRE RETARDANT TEST | | |



Parentesit Wall Panel

Design by Lievore Altherr Molina, 2015



Decorative modular wall panel that is sound-absorbent and can be accessorised with a light, or audio + light system. Dimensions: 95 x 95 cm, available in one color or two colors version, with diagonal insert (white or black). Electric cable not included.

| SEK ART. 5101 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Upholstered with a single material in one color | 9121 | 9550 | 9979 | 10408 | 10837 | 11266 | 11695 | 12124 | 12553 | 12982 | 13411 | 13840 | 14269 |
| Upholstered with a single material in two colors | + 595 | + 1012 | + 1429 | + 1846 | + 2263 | + 2680 | + 3097 | + 3514 | + 3931 | + 4348 | + 4765 | + 5182 | + 5599 |
| Optional LED light + speaker | + 8002 | | | | | | | | | | | | |
| Optional LED light | + 3739 | | | | | | | | | | | | |


| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5101 1 pz = 1 - kg 14,5/ m³ 0,205 1 pz = 1 - kg 17/ m³ 0,205 1 pz = 1 - kg 17,3/ m³ 0,205 1 pz = 1 - kg 18/ m³ 0,205 | Art.5101 H 140 cm. COM Meterage m 1.23 Acoustic performance: Sound absorption coefficient "A" pursuant to the ISO 11654 standard = equivalent sound absorption area for sound-absorbing packet in m2 * Contact the company for specific data = Sound Absorption Area per each type of panel Electrical/Audio/Lighting system: CE-marked product. The product has undergone very strict tests and obtained the most important European and international certifications. | |
| FIRE RETARDANT TEST | | |



Parentesit Wall Panel

Design by Lievore Altherr Molina, 2015

Decorative modular wall panel that is sound-absorbent and can be accessorised with a light, or audio + light system. Dimensions: Ø 100 cm, available in one color or two colors version, with central insert (white or black). Electric cable not included.





| SEK ART. 5102 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|
| Upholstered with a single material in one color | 9300 | 9812 | 10324 | 10836 | 11348 | 11860 | 12372 | 12884 | 13396 | 13908 | 14420 | 14932 | 15444 |
| Upholstered with a single material in two colors | + 36 | + 131 | + 226 | + 321 | + 416 | + 511 | + 606 | + 701 | + 796 | + 891 | + 986 | + 1081 | + 1176 |
| Optional LED light + speaker | + 7502 | | | | | | | | | | | | |
| Optional LED light | + 3239 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5102 1 pz = 1 - kg 13/ m² 0,205 1 pz = 1 - kg 15,5/ m² 0,205 1 pz = 1 - kg 15,8/ m² 0,205 1 pz = 1 - kg 16,8/ m² 0,205 | Art.5102 H 140 cm, COM Meterage m 1.35 Acoustic performance: Sound absorption coefficient "A" pursuant to the ISO 11654 standard = equivalent sound absorption area for sound-absorbing packet in m2 * Contact the company for specific data = Sound Absorption Area per each type of panel Electrical/Audio/Lighting system: CE-marked product. The product has undergone very strict tests and obtained the most important European and international certifications. | |
| FIRE RETARDANT TEST | | |



Parentesit

Design by Lievore Altherr Molina, 2016



Freestanding module made up of a round panel upholstered in one color fabric on a matt black metal base. The internal decorative panel as sound absorption features, it is also available in two color upholstery with a surcharge. Fixing plate and connection kit are supplied separately for the creation of modular compositions.

Accessories:

Standard single plate Art. 5108
Link kit for "T" modules Art. 5112

Plate single junction Art. 5109
Link kit for "+" modules Art. 5113

Link kit for linear modules Art. 5110 Link kit for "L" modules Art. 5111

| SEK ART. 5105 | A | B | COM | C | D | E | F | G | H | I | J | K | L | M |
|---|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| Upholstered with a single material in just one color | 23040 | 24493 | 25946 | 27399 | 28852 | 30305 | 31758 | 33211 | 34664 | 36117 | 37570 | 39023 | 40476 | |
| Upholstered with a single material in two colors: surcharge | + 476 | + 786 | + 1096 | + 1406 | + 1716 | + 2026 | + 2336 | + 2646 | + 2956 | + 3266 | + 3576 | + 3886 | + 4196 | |
| Set of glides for single pannel | + 2370 | | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--|-----------------|
| Art. 5105 1 pz = 3 - kg 39,7/ m³ 0,177 1 pz = 4 - kg 58,7/ m³ 0,184 | Art.5105 H 140 cm. COM Meterage m 9.81 | |
| FIRE RETARDANT TEST | | |

Frame Base





V39
matt



Parentesit

Design by Lievore Altherr Molina, 2016



Freestanding module made up of a round and a square panel upholstered in one color fabric, with the choice of a different color for one panel, and resting on a matt black metal base. The internal decorative panels have sound absorption features. Fixing plate and connection kit are supplied separately for the creation of modular compositions.

Accessories:

Standard single plate Art. 5108
Link kit for "T" modules Art. 5112

Plate single junction Art. 5109
Link kit for "+" modules Art. 5113

Link kit for linear modules Art. 5110 Link kit for "L" modules Art. 5111

| SEK ART. 5106 | A | B COM | C | D | E | F | G | H | I | J | K | L | M |
|--|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Upholstered with a single material in one/two colors | 39675 | 42509 | 45343 | 48177 | 51011 | 53845 | 56679 | 59513 | 62347 | 65181 | 68015 | 70849 | 73683 |
| Set of glides for single pannel | + 2370 | | | | | | | | | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--|-----------------|
| Art. 5106 1 pz = 3 - kg 59/ m² 0,35 1 pz = 4 - kg 88/ m² 0,199 | Art.5106 H 140 cm. COM Meterage m 8.62 | |
| FIRE RETARDANT TEST | | |

Frame Base















V39
matt



Accessories

Design by Lievore Altherr Molina, 2016

| | | | | |
|--|---|---|---|--|
| <p>SEK ART. 5108</p>  <p>35 cm (13 3/4") 38 cm (15")</p> <p>Standard single plate</p> <p>1191</p> | <p>SEK ART. 5109</p>  <p>35 cm (13 3/4") 38 cm (15")</p> <p>Plate single junction</p> <p>1191</p> | <p>SEK ART. 5110</p>  <p>Link kit for linear modules</p> <p>666</p> | <p>SEK ART. 5111</p>  <p>Link kit for "L" modules</p> <p>666</p> | <p>SEK ART. 5112</p>  <p>Link kit for "T" modules</p> <p>666</p> |
| <p>SEK ART. 5113</p>  <p>Link kit for "+" modules</p> <p>666</p> | | | | |

| SHIPMENT DETAILS | | TECHNICAL SPECIFICATIONS | |
|----------------------------|---|--------------------------|---|
| Art. 5108 | 1 pz = 1  - kg 9/ m³ 0,07 | Art. 5109 | 1 pz = 1  - kg 9/ m³ 0,07 |
| Art. 5110 | 1 pz = 1  - kg 1/ m³ 0,004 | Art. 5111 | 1 pz = 1  - kg 1/ m³ 0,004 |
| Art. 5112 | 1 pz = 1  - kg 1/ m³ 0,004 | Art. 5113 | 1 pz = 1  - kg 1/ m³ 0,004 |
| FIRE RETARDANT TEST | | | |



FINISHES

Aava 02

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno




Adell

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



Babar

Stelo ABS
Stem ABS
Stern ABS
Carénage colonne ABS
Soporte ABS




Babar

Cuscino in poliuretano
Cushion in polyurethane
Kissen in Polyurethan
Coussin en polyuréthane
Cojín en poliuretano



Catifa 46

Polipropilene monocolor
Polypropylene one colour
Polypropylen einfarbig
Polypropylène monocolor
Polipropileno monocolor



Catifa 46

Polipropilene bicolor
Polypropylene two colors
Polypropylen zweifarbig
Polypropylène bicolor
Polipropileno bicolor



Catifa 53

Polipropilene monocolor
Polypropylene one colour
Polypropylen einfarbig
Polypropylène monocolor
Polipropileno monocolor




Cila & Cila Go

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno




Duna 02

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



Juno 02

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



Kinesit

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno




Leaf

Cuscino in poliuretano
Cushion in polyurethane
Kissen in Polyurethan
Coussin en polyuréthan
Cojín en poliuretano



Mixu

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



PM00001



PM00002



PM00003




PM00004



PM00005

Ralik

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



P68



P25



P63



P65



P67

Shaal


Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



P25

Stacy

Polipropilene
Polypropylene
Polypropylen
Polypropylène
Polipropileno



PS00001



PS00002



PS00003



PS00004



PS00005

Metalli
Metals
Metalle
Métal
Metal



CRO LU1 S03 V12 - matt / glossy V24 - matt V25 - matt



V39 - matt V44 - matt V54 - matt V68 - matt

Arcos

Metalli
Metals
Metalle
Métal
Metal



V39 - matt V59 - matt V60 - matt V61 - matt V62 - matt

Adell

Metalli
Metals
Metalle
Métal
Metal



V44 - matt V53 - matt V64 - matt

Catifa 46

Metalli
Metals
Metalle
Métal
Metal



CRO LU1 S03 V12 - matt V13 - matt V39 - matt



V48 - matt V53 - matt V54 - matt V55 - matt V56 - matt V57 - matt

Dizzie

Metalli
Metals
Metalle
Métal
Metal



V12 - glossy V34 - glossy V39 - glossy V39 - matt V48 - glossy V53 - glossy

Kinesit Met


Metalli
Metals
Metalle
Métal
Metal



V14 - matt V15 - matt V16 - matt

Leaf

Metalli
Metals
Metalle
Métal
Metal



V12 - matt




V13 - matt



V34 - matt

Mixu

Metalli
Metals
Metalle
Métal
Metal



CRO



V25 - matt



V63 - matt



V65 - matt




V66 - matt

Oell

Metalli
Metals
Metalle
Métal
Metal



V44 matt



V12 matt




V53 matt



V63 matt

Onemm

Metalli
Metals
Metalle
Métal
Metal



V24 matt




V25 matt



V61 - matt

Pix table

Metalli
Metals
Metalle
Métal
Metal



V12 - matt



V39 - matt

Ralik

Metalli
Metals
Metalle
Métal
Metal



V25




V63



V65



V67




V68

Stacy

Metalli
Metals
Metalle
Métal
Metal



CRO



V12 - matt



V25 - matt




V57 - matt



V63 - matt

Dizzie Art. 0681

Top in MDF + laminato bianco
Top on MDF + laminate white
Tischplatte aus MDF + laminat weiß
Plateau en MDF + laminé blanc
Sobre de MDF + laminado blanco



M02 - glossy



M34 - glossy



M39 - glossy



M48 - glossy



M53 - glossy

Dizzie


Marmo
Marble
Marmor
Marbre
Mármol



B01

Fenix®
fenixntm.com

Laminati
Laminate
Laminat
Laminé
Laminado



F01 - Fenix



F02 - Fenix



F06 - Fenix

Ghia

MDF



M08




M09

Ghia

Terrazzo
Venetian Terrazzo
Venezianische Terrazzo
Terrazzo vénitien
Terrazo




B10



B11

Leaf


Compact HPL



H04

Wim / Yop

Compact HPL




H02



H03

Wim / Yop

Nobilitato
Melamine
Melamin
Mélaminé
Melamínico




N01




N02

Oell
Gres Porcellanato
Porcelain Stoneware
Feinsteinzeug
Grès cérame
Gres porcelánico




C10



C11

Oell
MDF




M02



M20

Pix table
MDF



M02



M04

Roopa
MDF



M75



M76



M77



M78

Roopa
Vetro
Glass
Glas
Verre
Vidrio



V75



V76



V77




V78

Saul
Vetro
Glass
Glas
Verre
Vidrio



V02

Semiton
MDF



M24



M25



M18



M19



M21



M30



M38



M69



M70



M71



M72



M67



M73



M74

Legno
Wood
Holz
Bois
Madera



L0020



L0021




L0022



L0023

Aava 02

Legno
Wood
Holz
Bois
Madera



L0006



L0022



L0028

Adell

Legno
Wood
Holz
Bois
Madera



L0006



L0022

Cross

Legno
Wood
Holz
Bois
Madera



L21



L22

Dizzie
Art. 0680
Art. 0900



L0006



L0022

Family

Legno
Wood
Holz
Bois
Madera



L14



L15



L21

Kata

Legno
Wood
Holz
Bois
Madera

















L0006



L0022



L0023

| | | | | |
|---|---|---|---|--|
| Mixu |  |  | | |
| Legno Wood Holz Bois Madera | L0006 | L0022 | | |
| Ply |  |  | | |
| Legno Wood Holz Bois Madera | L0006 | L0022 | | |
| Saya |  |  |  |  |
| Legno Wood Holz Bois Madera | L0001 | L0006 | L0022 | L0023 |
| Semiton |  |  |  |  |
| Legno Wood Holz Bois Madera | L0006 | L0022 | L0027 | L0028 |
| Steeve |  |  |  | |
| Legno Wood Holz Bois Madera | L0006 | L0022 | L0028 | |
| Wing |  | | | |
| | L14 | | | |
| Zinta |  |  |  | |
| Legno Wood Holz Bois Madera | L0006 | L0022 | L0023 | |
| Kiik |  |  | | |
| Laminati Laminate Laminat Laminé Laminado | LM13 | LM00022 | | |
| Zinta |  | | | |
| Laminati Laminate Laminat Laminé Laminado | LM00022 | | | |

Kata

Tessuto 3D Knit microimbottito con pattern grafico

3D Knit with graphic pattern

Mikrowattierter 3D-Knit-Stoff mit grafischem Muster

Tissu 3D Knit micro-rembourré avec motif graphique

Tejido 3D Knit microacolchado con patrón gráfico

グラフィックパターンのマイクロパッド入り3Dニットファブリック



LINEN - 3E00001



WHEAT - 3E00002



CHARCOAL - 3E00003

Kata

Tessuto 3D Knit con pattern a righe

3D Knit with striped pattern

3D-Knit-Stoff mit Streifenmuster

Tissu 3D Knit avec motif à rayures

Tejido 3D Knit con patrón de rayas

ストライプパターンの3Dニットファブリック



WATER - 3B00001



WHEAT - 3B00002



CHARCOAL - 3B00003



CHROME FREE

ELMOSOFT è una pelle semi-anilina, morbida e flessibile. La sua morbidezza associata alla sua robustezza e ad una vasta gamma di colori disponibili rendono la pelle Elmosoft adatta ad un utilizzo nel contract. Punture di insetti e cicatrici visibili contribuiscono a valorizzare le caratteristiche di unicità ed eleganza di questa pelle.

ELMOSOFT is a soft and pliable Semi-Aniline leather. Outstanding comfort combined with excellent durability and an extensive shade card, makes it very suitable for the public environment. Visible insect-bites and scars from healed wounds add to the elegant quality of the leather.

ELMOSOFT. Weiches, geschmeidiges Semi-Anilinleder, Ein sehr strapazierfähiges und im Griff komfortables Leder in reicher Farbauswahl, hervorragend geeignet für Objektausstattungen. Sichtbar erhaltene Insektenstiche und kleine vernarbte Wunden betonen die naturechte Eleganz.

ELMOSOFT est un cuir semi-aniline, souple et doux. Son confort élevé, associé à une grande robustesse et à vste gamme de coloris disponibles, le rend particulièrement indiqué pour les collectivités. Les piqûres d'insectes et les cicatrices visibles contribuent à rehausser le caractère élégant du cuir.

ELMOSOFT es una piel semianilina suave y flexible. Su destacable confort combinado con excelente durabilidad y una amplia gama de colores, la hacen muy adecuada para ambientes públicos. Picaduras de insectos visibles y cicatrices de heridas contribuyen a valorar la elegante calidad de la piel.

Arper grade
CHAIRS: ES
SOFAS: ES



ES00100




ES00109



ES00118



ES01003



ES01021



ES01037



ES01043



ES01061



ES01085




ES02119




ES02122



ES05011



ES05029




ES05145



ES07006



ES08021



ES08038



ES08055



ES08057




ES08124




ES11033




ES11049



ES11056



ES11073



ES11152



ES13048



ES13072




ES13087



ES16003



ES16377



ES17027



ES22024



ES22030



ES33001



ES33004



ES33077



ES35126



ES43054



ES43283



ES44012



ES45035



ES45065



ES46053




ES54021




ES54033



ES54035



ES55002




ES66006




ES71017



ES75010



ES75011



ES75014



ES77074



ELMOSOFT è una pelle semi-anilina, morbida e flessibile. La sua morbidezza associata alla sua robustezza e ad una vasta gamma di colori disponibili rendono la pelle Elmosoft adatta ad un utilizzo nel contract. Punture di insetti e cicatrici visibili contribuiscono a valorizzare le caratteristiche di unicità ed eleganza di questa pelle.

ELMOSOFT is a soft and pliable Semi-Aniline leather. Outstanding comfort combined with excellent durability and an extensive shade card, makes it very suitable for the public environment. Visible insect-bites and scars from healed wounds add to the elegant quality of the leather.

ELMOSOFT. Weiches, geschmeidiges Semi-Anilinleder, Ein sehr strapazierfähiges und im Griff komfortables Leder in reicher Farbauswahl, hervorragend geeignet für Objektausstattungen. Sichtbar erhaltene Insektenstiche und kleine vernarbte Wunden betonen die naturechte Eleganz.

ELMOSOFT est un cuir semi-aniline, souple et doux. Son confort élevé, associé à une grande robustesse et à une vaste gamme de coloris disponibles, le rend particulièrement indiqué pour les collectivités. Les piqûres d'insectes et les cicatrices visibles contribuent à rehausser le caractère élégant du cuir.

ELMOSOFT es una piel semianilina suave y flexible. Su destacable confort combinado con excelente durabilidad y una amplia gama de colores, la hacen muy adecuada para ambientes públicos. Picaduras de insectos visibles y cicatrices de heridas contribuyen a valorar la elegante calidad de la piel.

Arper grade
CHAIRS: ES
SOFAS: ES



ES77127



ES77158



ES77237



ES78023




ES87021




ES88019




ES91102



ES93068



ES93099



ES93109



ES93129



ES95006




ES97038




ES98015



ES98047



ES98087




ES99999



NEOCOAST

Soft leather
Weichleder
Cuir souple
Piel

Arper grade
CHAIRS: H
SOFAS: H



P400114



P402061



P412097



P418008




P443041



P443084




P444015



P445024




P455058



P471010




P477022




P477035




P488017




P491097



P491100




P493090




P495042



P498016




P498043




P499076

Pelle Fiore
Soft leather
Weichleder
Cuir souple
Piel

Arper grade
CHAIRS: I
SOFAS: I



PF00001



PF00003



PF00004



PF00007




PF00014



PF00015



PF00016



PF00017



PF00018




PF00019



PF00020

Cuoio
Hard leather
Kernleder
Cuir
Cuero

Arper grade
CHAIRS: CT
SOFAS: CT



CT00020



CT00031




CT00033



CT00034



CT00090




CT00120

Only for Catifa 46, Catifa 53 e Norma collections

Cuciture a contrasto standard
Standard contrast stitching
Standard Kontrastnähte
Surpiqûre standard à contrast
Costura contraste estándar



CT00120
Cucitura in ocre
Ochre stitching
Ockergelbe Nähte
Surpiqûre en Ocre
Costura ocre



CT00031
Cucitura in grigio scuro
Dark grey stitching
Dunkelgraue Nähte
Surpiqûre en gris foncé
Costura gris obscuro



SPRADLING®

Valencia

Tessuto spalmato Valencia
Coated fabric Valencia
Beschichtete textilien Valencia
Tissus enduits Valencia
Tejido recubierto Valencia

Arper grade
CHAIRS: **B**
SOFAS: **B**



VL02020




VL00001



VL00002



VL00020



VL00033



VL00034



VL00035



VL01001



VL01048



VL01049



VL01050



VL02001



VL02002



VL02021



VL02062



VL02074



VL02075



VL02106



VL02107



VL02108



VL02109



VL02110




VL02111



VL02112



VL02113



VL02114



VL02115



VL02116



VL02117



VL02118



VL02119



VL03001



VL03067



VL03068



VL03069




VL04001




VL04002



VL04003



VL04040



VL04041



VL04042




VL04043



VL04044




VL04045



VL04052



VL05001



VL05002




VL05041



VL05056



VL05057



VL05065



VL05069



VL06002





SPRADLING®

Valencia

Tessuto spalmato Valencia
Coated fabric Valencia
Beschichtete textilien Valencia
Tissus enduits Valencia
Tejido recubierto Valencia

Arper grade
CHAIRS: **B**
SOFAS: **B**



VL06003



VL06012



VL06013



VL06019



VL07001



VL08032



VL09001



VL09035



VL09607



VL090C02



SPRADLING®
Silvertex

Arper grade
CHAIRS: **C**
SOFAS: **B**



| | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|
| | | | | | | |
| SX00001 | SX00002 | SX00005 | SX00009 | SX00013 | SX00073 | |
| | | | | | | |
| SX01010 | SX01014 | SX01051 | SX01077 | SX01078 | | |
| | | | | | | |
| SX02003 | SX02011 | SX02012 | SX02016 | SX02064 | SX02089 | SX02090 |
| | | | | | | |
| SX02091 | SX02092 | SX02093 | SX02094 | SX02095 | SX02096 | SX02097 |
| | | | | | | |
| SX02098 | SX02099 | SX02100 | SX02101 | SX02102 | SX02103 | SX02104 |
| | | | | | | |
| SX02105 | SX03001 | SX03007 | SX03066 | SX03067 | SX03068 | SX04001 |
| | | | | | | |
| SX04002 | SX04003 | SX04004 | SX04010 | SX04011 | SX04012 | SX04024 |
| | | | | | | |
| SX05008 | SX05009 | SX05010 | SX05019 | SX05020 | SX05063 | SX06004 |
| | | | | | | |
| SX06061 | SX06062 | SX06065 | SX07001 | SX07002 | SX09001 | SX09002 |

kvadrat

Atom


Arper grade
CHAIRS: **Atom**




AM00124




AM00194



AM00574



AM00774



AM00944



AM00964

Available only for Adell collection.


kvadrat

Balder 3

Arper grade
CHAIRS: |
SOFAS: |
PANELS: |




B100132




B100152



B100192




B100212




B100382



B100432




B100542



B100562




B100612




B100682




B100692




B100782




B100792




B100862




B100912




B100942



B100982



B101775



B102635

kvadrat

Canvas 2



Kvadrat's Canvas 2 has been awarded the EU Ecolabel

Arper grade
CHAIRS: D
SOFAS: F
PANELS: D



kvadrat

Divina 3



Kvadrat's Divina 3 has been awarded the EU Ecolabel

Arper grade
CHAIRS: G
SOFAS: I
PANELS: G



DV00171



DV00106




DV00154



DV00173



DV00181



DV00191



DV00224



DV00236



DV00246



DV00334



DV00346



DV00356



DV00376



DV00384



DV00393



DV00426



DV00444



DV00462



DV00526



DV00536



DV00542



DV00552



DV00562



DV00584



DV00623



DV00626



DV00636



DV00652




DV00662



DV00671



DV00666



DV00676



DV00684



DV00686



DV00691



DV00692



DV00696



DV00712



DV00742



DV00756



DV00782



DV00791



DV00793



DV00826



DV00836



DV00846



DV00856



DV00876



DV00886



DV00893



DV00922



DV00936



DV00944



DV00956



DV00966



DV00984

kvadrat

Divina MD



Kvadrat's Divina MD has been awarded the EU Ecolabel

Arper grade
CHAIRS: G
SOFAS: I
PANELS: G




DI00193



DI00203



DI00213



DI00293



DI00343



DI00353



DI00363



DI00413



DI00433



DI00453




DI00613




DI00633



DI00653



DI00673



DI00683




DI00713



DI00733




DI00743



DI00753



DI00773



DI00783



DI00813



DI00843



DI00873



DI00913



DI00943



DI00973

kvadrat

Divina Melange 3



Kvadrat's Divina Melange 3 has been awarded the EU Ecolabel

Arper grade
CHAIRS: G
SOFAS: I
PANELS: G



DM00120



DM00147



DM00170



DM00180



DM00227



DM00237



DM00260



DM00277




DM00280



DM00367



DM00427



DM00457



DM00467



DM00471



DM00517



DM00527



DM00547



DM00557




DM00567




DM00571



DM00581



DM00597




DM00617




DM00620



DM00647



DM00677



DM00687



DM00731



DM00747



DM00757



DM00777



DM00787



DM00821



DM00871



DM00917



DM00937



DM00967



DM00977


kvadrat

Field 2




Kvadrat's Field 2 has been awarded the EU Ecolabel


Arper grade
CHAIRS: B
SOFAS: C
PANELS: B




FI00123



FI00132



FI00142



FI00173



FI00182




FI00192



FI00222




FI00233




FI00242




FI00343




FI00373




FI00443



FI00463




FI00623



FI00643



FI00662




FI00663



FI00673



FI00693



FI00723



FI00733



FI00763




FI00773



FI00782



FI00793



FI00843



FI00933



FI00943



FI00963



FI00983

kvadrat

Fiord 2 (EU Ecolabel)



Kvadrat's Fiord 2 has been awarded the EU Ecolabel


Arper grade
CHAIRS: F
SOFAS: F
PANELS: F




FD00101




FD00121




FD00151




FD00171




FD00191




FD00201



FD00251



FD00262




FD00271



FD00322




FD00351



FD00371




FD00382




FD00391




FD00422



FD00442




FD00451




FD00521




FD00551



FD00562



FD00571



FD00581




FD00591




FD00642




FD00662




FD00672




FD00721




FD00751




FD00762




FD00771




FD00782



FD00791



FD00821



FD00862




FD00951



FD00961



FD00971



FD00981



FD00991

kvadrat

Floyd

Arper grade
CHAIRS: C
SOFAS: C
PANELS: C



F100103




F100123



F100143



F100163



F100193



F100213




F100223



F100243




F100263




F100363




F100413



F100623



F100643




F100663



F100693




F100723




F100763



F100783



F100793



F100923



F100943



F100963



F100983

kvadrat

Hallingdal 65 (EU Ecolabel)



Kvadrat's Hallingdal 65 has been awarded the EU Ecolabel


Arper grade
 CHAIRS: G
 SOFAS: G
 PANELS: G(*)



HA00103




HA00100




HA00110




HA00113




HA00116




HA00123




HA00126




HA00130




HA00143



HA00153



HA00166



HA00173



HA00180



HA00190




HA00200




HA00220



HA00224




HA00227



HA00270




HA00350



HA00368




HA00370




HA00376



HA00390




HA00407




HA00420




HA00457



HA00526




HA00547




HA00563




HA00573




HA00590



HA00596




HA00600



HA00657



HA00660




HA00674



HA00680



HA00687




HA00694



HA00702




HA00723




HA00733




HA00750




HA00753




HA00754




HA00763




HA00764




HA00773




HA00810



HA00840



HA00850



HA00890




HA00907




HA00944



HA00960



HA00968



HA00980

Not available for Paravan collection


kvadrat

Jaali




Kvadrat's Jaali has been awarded the EU Ecolabel


Arper grade
CHAIRS: **G**
SOFAS: **G**
PANELS: **G**




JA00101




JA00121




JA00141




JA00171




JA00201



JA00341



JA00561




JA00571




JA00591




JA00611



JA00651




JA00671




JA00751




JA00761




JA00781



JA00791




JA00871



JA00951



JA00961



JA00991

kvadrat

Patio

Arper grade
CHAIRS: D
SOFAS: D



(*) Not available for Pix Outdoor collection.


kvadrat

Re-wool




Kvadrat's Re-wool has been awarded the EU Ecolabel

Arper grade
CHAIRS: E
SOFAS: E
PANELS: E



RW00108



RW00128




RW00158



RW00198




RW00218




RW00358



RW00378



RW00408




RW00448




RW00458




RW00558




RW00568




RW00628




RW00648




RW00658




RW00718




RW00758




RW00768



RW00828



RW00858



RW00868


kvadrat

Remix 3 (EU Ecolabel)



Kvadrat's Remix 3 has been awarded the EU Ecolabel


Arper grade
CHAIRS: C
SOFAS: D
PANELS: C




RX00123




RX00113 (*)




RX00126




RX00133




RX00136




RX00143




RX00152




RX00163



RX00173




RX00183




RX00196



RX00223 (*)




RX00233




RX00242



RX00252




RX00266




RX00276



RX00286




RX00296



RX00326



RX00346



RX00356



RX00362



RX00373



RX00383




RX00393



RX00406



RX00412




RX00422



RX00433



RX00443



RX00452




RX00516




RX00536




RX00543



RX00566



RX00606



RX00612



RX00632



RX00643




RX00653



RX00662



RX00672



RX00682




RX00686



RX00692




RX00716



RX00722




RX00733




RX00743



RX00753



RX00762



RX00773




kvadrat

Remix 3 (EU Ecolabel)



Kvadrat's Remix 3
has been awarded
the EU Ecolabel


Arper grade
CHAIRS: C
SOFAS: D
PANELS: C



RX00783




RX00796




RX00816



RX00836




RX00842




RX00852




RX00866



RX00873




RX00906




RX00912




RX00923




RX00933




RX00942




RX00954




RX00962



RX00973



RX00982




RX00996

(*) RX00113 - RX00223: only for the cushions Owl, Lines, Pleats e Gego.


kvadrat

Revive 1


Arper grade
CHAIRS: **B**
SOFAS: **B**
PANELS: **B**



R100144



R100154



R100164




R100184




R100194




R100224



R100274




R100284



R100324




R100384




R100414



R100424



R100434



R100454



R100524




R100534



R100634



R100664




R100754




R100764




R100774



R100834



R100914




R100944




R100974

kvadrat
Ria


Arper grade
CHAIRS: **Ria**




RA00111



RA00141




RA00181




RA00241




RA00281




RA00431




RA00441




RA00451




RA00541




RA00551




RA00591




RA00741



RA00791



RA00921



RA00981

Available only for Aston Club collection.


kvadrat

Sonar 3


Arper grade
CHAIRS: **Sonar**




S700113




S700124




S700134



S700153




S700164




S700173




S700194




S700374




S700384




S700633




S700673




S700684




S700734




S700773



S700784



S700934



S700974

Available only for Aston Club collection.


kvadrat

Steelcut 3



Kvadrat's Steelcut 3 has been awarded the EU Ecolabel

Arper grade
CHAIRS: G
SOFAS: H
PANELS: G



SE00545




SE00110




SE00120



SE00140




SE00155



SE00160



SE00180



SE00190



SE00220



SE00240



SE00252



SE00265



SE00365



SE00402



SE00445



SE00452



SE00502



SE00512



SE00522



SE00535



SE00552



SE00562



SE00605



SE00612



SE00655



SE00662



SE00672



SE00682



SE00695



SE00732



SE00742



SE00775



SE00780



SE00912



SE00922




SE00932



SE00962



SE00975



SE00985


kvadrat

Steelcut Trio 3




Kvadrat's Steelcut Trio 3 has been awarded the EU Ecolabel


Arper grade
CHAIRS: G
SOFAS: H
PANELS: G




ST00113




ST00105




ST00124



ST00133




ST00153




ST00176




ST00195




ST00205




ST00213




ST00226




ST00236




ST00246



ST00253




ST00266




ST00276



ST00283




ST00336




ST00376




ST00383



ST00416




ST00426




ST00436




ST00446



ST00453




ST00466




ST00476




ST00506




ST00515




ST00526




ST00533




ST00553




ST00576




ST00616



ST00636




ST00645




ST00666




ST00686




ST00713



ST00716



ST00746




ST00756




ST00776




ST00796



ST00806



ST00865




ST00883




ST00906



ST00916




ST00946




ST00953




ST00966



ST00976



ST00983



ST00996

kvadrat

Tonus 4



Kvadrat's Tonus 4 has been awarded the EU Ecolabel

Arper grade
CHAIRS: F
SOFAS: G
PANELS: F



T300100




T300118



T300125



T300128



T300129



T300130



T300131



T300132



T300135



T300207



T300210



T300216



T300224



T300240



T300244



T300364



T300374



T300394



T300424



T300440



T300454



T300464



T300474



T300508




T300554



T300605



T300608




T300609



T300610



T300613




T300615



T300619



T300631



T300634



T300636



T300654



T300664



T300684



T300690



T300754



T300764



T300854



T300914



T300934



T300954



T300964



T300974

kvadrat

Vidar 4



Kvadrat's Vidar 4 has been awarded the EU Ecolabel

Arper grade
CHAIRS: J
SOFAS: J
PANELS: J



VD00106




VD00123




VD00133



VD00143




VD00146




VD00152



VD00182



VD00222



VD00323



VD00333



VD00353



VD00363



VD00386




VD00443




VD00456



VD00472



VD00526




VD00542




VD00554



VD00556




VD00582



VD00622



VD00633




VD00653



VD00656



VD00676




VD00693




VD00723



VD00733



VD00743




VD00772



VD00786



VD00872



VD00913



VD00932



VD00943



VD00956



VD00972



VD01062



VD01511



VD01880



Jet

Arper grade
 CHAIRS: A
 SOFAS: A
 PANELS: A




(*) Not available for Cila and Cila Go collections





Jet


Arper grade
CHAIRS: A
SOFAS: A
PANELS: A



JE09606



JE09607




JE09608




JE09609



JE09610



JE09701



JE09702



JE09703



JE09704



JE09803



JE09804



JE09805



JE09806

(*) Not available for Cila and Cila Go collections

camira
Main Line Flax


Arper grade
CHAIRS: C
SOFAS: C
PANELS: C




MFMLF01




MFMLF02




MFMLF03




MFMLF05



MFMLF06



MFMLF07



MFMLF08




MFMLF09




MFMLF10




MFMLF12




MFMLF13




MFMLF14




MFMLF15




MFMLF16



MFMLF17



MFMLF18




MFMLF19



MFMLF20



MFMLF21



MFMLF22



MFMLF23



MFMLF24




MFMLF25



MFMLF26



MFMLF28




MFMLF29




MFMLF31



MFMLF32



MFMLF34




MFMLF35



MFMLF36




MFMLF37




MFMLF40



MFMLF43



MFMLF44



MFMLF45




MFMLF46




MFMLF47



MFMLF48



MFMLF49




MFMLF50



MFMLF51



MFMLF52




MFMLF53



MFMLF54



MFMLF55



MFMLF56



MFMLF57



MFMLF59



MFMLF60



MFMLF61



MFMLF62




MFMLF63



MFMLF64



MFMLF65



MFMLF66



MFMLF67

camira
Phoenix

Arper grade
CHAIRS: A
SOFAS: A
PANELS: A




PHYP005



PHYP009



PHYP011




PHYP019




PHYP026



PHYP045




PHYP046




PHYP051




PHYP076



PHYP081




PHYP082



PHYP084



PHYP097



PHYP100




PHYP105



PHYP106




PHYP107



PHYP108



PHYP110



PHYP112



PHYP113

camira
Synergy

Arper grade
CHAIRS: C
SOFAS: C
PANELS: C



camira
Synergy

Arper grade
CHAIRS: C
SOFAS: C
PANELS: C



SNLDS67



SNLDS68



SNLDS69



SNLDS70



SNLDS71



SNLDS72




SNLDS73



SNLDS74




SNLDS75



SNLDS76



SNLDS77



SNLDS78



SNLDS79



SNLDS80



SNLDS81



SNLDS82



SNLDS84




SNLDS85



SNLDS86




SNLDS87




SNLDS88

camira
Urban


Arper grade
CHAIRS: **B**
SOFAS: **B**
PANELS: **B**




UPYN009




UPYN027




UPYN076




UPYN079




UPYN082



UPYN083




UPYN091



UPYN094



UPYN108




UPYN145




UPYN148




UPYN159




UPYN160




UPYN200




UPYN202




UPYN203



UPYN204




UPYN205




UPYN206



UPYN207



UPYN208



UPYN209



UPYN210



UPYN211



UPYN212

Gabriel
Rhythm



PA00001
(Gabriel 60000)

Only for Kinesit.




PA00002
(Gabriel 60999)

maharam
Messenger


Arper grade
CHAIRS: D
SOFAS: D
PANELS: D




MS00001



MS00007



MS00008




MS00024




MS00025




MS00029




MS00031




MS00038



MS00040



MS00041




MS00045




MS00046




MS00048




MS00050



MS00051



MS00053




MS00054




MS00058



MS00060



MS00061




MS00062




MS00063



MS00066




MS00067




MS00069




MS00070




MS00071



MS00072




MS00076



MS00077



MS00078



MS00079




MS00080



MS00081




MS00082




MS00083



MS00084




MS00085



MS00086



MS00087




MS00088




MS00089




MS00090




MS00091



MS00092




MS00093




MS00094




MS00095



MS00096



MS00097




MS00098




Sera


Arper grade
CHAIRS: Sera




S800001




S800002




S800003




S800004




S800005




S800006



S800007




S800008




S800009




S800010




S800011




S800012




S800013




S800014




S800015




S800016




S800017




S800018




S800019




S800020




S800021




S800022




S800023



S800027




S800028



S800029

Available only for Aston Club collection.

Arper grade
CHAIRS: **Fabthirty**



Available only for Aston Club and Shaal collections.



Arper grade
CHAIRS: C
SOFAS: C



HE00001



HE00006




HE00009



HE00011




HE00012




HE00015



HE00016



HE00017



HE00018



HE00021




HE00022




HE00023




Arper grade
CHAIRS: C
SOFAS: C




SV00233




SV00234




SV00235




SV00236



SV00349




SV00350



SV00351



SV00352



SV00353



SV00354



SV00355



Istituito nel 1992, il marchio comunitario di qualità ecologica o Ecolabel, il cui logo è rappresentato da un fiore, è uno speciale sistema di certificazione creato per aiutare i consumatori europei a scegliere prodotti e servizi più ecologici e più rispettosi dell'ambiente.

Established in 1992, the EU Eco-label "Flower" is a unique certification scheme aimed to help European consumers distinguish greener, more environmentally friendly, products and services.

Hinter der "Blume", dem 1992 ins Leben gerufenen EU-Umweltzeichen, steckt ein einzigartiges Zertifizierungssystem, das dem europäischen Verbraucher das Erkennen umweltfreundlicherer Produkte und Dienstleistungen erleichtern soll.

Établi en 1992, le label écologique de l'EU symbolisé par la "Fleur" est un système d'homologation unique destiné à aider les consommateurs européens à discerner les produits et services plus verts et plus favorables à l'environnement.

Creada en 1992, la etiqueta ecológica de la UE, también conocida como "la flor", constituye un sistema de certificación único, cuyo objetivo es ayudar a los consumidores europeos a identificar los productos y servicios más ecológicos y respetuosos del medio ambiente.

Finishes – Colors correspondence chart

| Materials | Description | Colour |
|----------------------|-----------------|-----------------|
| ABS | | |
| A11 | White | RAL 9003 |
| A14 | Black | RAL 9004 |
| Polyurethane | | |
| PU00001 | White | RAL 9003 |
| PU00004 | Black | RAL 9004 |
| PU00007 | Moka | RAL 8019 |
| PU00008 | Green | PANTONE 390 U |
| Polypropylene | | |
| PA00001 | White | RAL 9003 |
| PA00002 | Black | RAL 9005 |
| PC00001 | White | NCS S 0500-N |
| PC00002 | Black | NCS S 8500-N |
| PC00003 | Terracotta | NCS S 3020-Y70R |
| PC00004 | Rust | NCS S 4040-Y70R |
| PC00005 | Clear Blue/grey | NCS S 4005-B80G |
| PD00001 | Ivory | NCS S 2005-Y20R |
| PD00002 | Bark brown | NCS S 7005-Y80R |
| PD00003 | Olive green | NCS S 6010-G90Y |
| PD00004 | Black | NCS S 8500-N |
| PG0001 | White | NCS S 0500-N |
| PG0002 | Sand | NCS S 2005-Y20R |
| PG0003 | Sage green | NCS S 3010-G20Y |
| PG0004 | Blue grey | NCS S 4020-R90B |
| PG0005 | Yellow | NCS S 2070-Y |
| PG0006 | Black | NCS S 8500-N |
| PG00011 | Black | NCS S 1002-Y |
| PG00012 | Rust | NCS S 4040-Y70R |
| PG00013 | Green olive | NCS S 3010-G20Y |
| PG00014 | Neptune blue | NCS S 7020-R90B |
| PG00015 | Snow white | NCS S 8500-N |

| Materials | Description | Colour |
|------------------|--------------------|-----------------|
| PM00001 | White | NCS S 0500-N |
| PM00002 | Black | NCS S 8500-N |
| PM00003 | Rust | NCS S 4040-Y70R |
| PM00004 | Olive green | NCS S 6010-G90Y |
| PM00005 | Dark blue | NCS S 8010-R90B |
| PP0001 | White | RAL 9003 |
| PP0004 | Turtledove grey | NCS S 4005Y20R |
| PP0005 | Anthracite | NCS S 7500-N |
| PP0006 | Black | RAL 9004 |
| PS00001 | White | RAL 9003 |
| PS00002 | Black | NCS S 8500-N |
| PS00003 | Petrol | NCS S4010-B50G |
| PS00004 | Rust | NCS S4040-Y70R |
| PS00005 | Ivory | NCS S2005-Y20R |
| PT00011 | Snow White | NCS S 8500-N |
| PT00012 | Sage green | NCS S 3010-G20Y |
| PT00013 | Rust | NCS S 4040-Y70R |
| PT00014 | Turtledove grey | NCS S 4005-Y20R |
| PT00015 | Anthracite | NCS S 6502-G |
| PT00016 | Black | NCS S 1002-Y |
| P25 | Black | NCS S 8500-N |
| P63 | Rust | NCS S 4040-Y70R |
| P65 | Green olive | NCS S 6010-G90Y |
| P67 | Neptune blue | NCS S 7020-R90B |
| P68 | Snow white | NCS S 1002-Y |

| Materials | Description | Colour |
|-------------------|-----------------------|--------------------------|
| Monocolour | | |
| PO00101 | White | RAL 9003 |
| PO00104 | Dark brown | RAL 8019 |
| PO00105 | Red | RAL 3020 |
| PO00109 | Black | RAL 9004 |
| PO00112 | Anthracite | NCS S 7500-N |
| PO00113 | Ivory | NCS S 2500-Y20R |
| PO00114 | Turtledove grey | NCS S 4500-Y20R |
| PO00115 | Yellow | NCS S 4500-G20Y |
| PO00116 | Rosé | NCS S 3020-Y80R |
| PO00117 | Petrol | NCS S 4010-B50G |
| PO00118 | Green | PANTONE 390 U |
| PO00401 | White | RAL 9003 |
| PO00404 | Dark brown | RAL 8019 |
| PO00409 | Black | RAL 9004 |
| PO00412 | Anthracite | NCS S 7500-N |
| PO00413 | Ivory | NCS S 2005-Y20R |
| PO00415 | Yellow | NCS S 1070-G90Y |
| PO00419 | Caramel | NCS 4040-Y30R |
| PO00420 | Sand | RAL 1001 |
| Bicolour | | |
| PO00204 | White-dark brown | RAL 9003-8019 |
| PO00205 | White-red | RAL 9003-3020 |
| PO00209 | White-black | RAL 9003-9004 |
| PO00212 | White-anthracite | RAL 9003-NCS S 7500N |
| PO00213 | White-ivory | RAL 9003-NCS S 2005-Y20R |
| PO00214 | White-turtledove grey | RAL 9003-NCS S 4005-Y20R |
| PO00215 | White-yellow | RAL 9003-NCS S 1050-G90Y |
| PO00216 | White-rosé | RAL 9003-NCS S 3020-Y80R |
| PO00217 | White-petrol | RAL 9003-NCS S 4010-B50G |
| PO00218 | White-green | RAL 9003-PANTONE 390 U |

| Materials | Description | Colour |
|--------------------|------------------------------|-----------------|
| Metals | | |
| CRO | Chrome finish steel | |
| LU1 | Shiny aluminium/steel | |
| S03 | Brushed stainless steel | |
| V12 | White powdercoated | RAL 9003 |
| V13 | Green powdercoated | PANTONE 390 U |
| V14** | Space grey | |
| V15** | Anthracite grey | |
| V16** | Copper | |
| V22 | White powdercoated | RAL 9010 |
| V24 | White powdercoated | NCS S 0500-N |
| V25 | Black powdercoated | NCS S 8500-N |
| V34 | Mocha powdercoated | RAL 8019 |
| V39 | Black powdercoated | RAL 9005 |
| V44** | Noir sable powdercoated | |
| V48 | Red powdercoated | RAL 2002 |
| V53 | Ivory powdercoated | NCS S 2005-Y20R |
| V54 | Turtledove grey powdercoated | NCS S 4005-Y20R |
| V55 | Yellow powdercoated | NCS S 1050-G90Y |
| V56 | Rosé powdercoated | NCS S 3020-Y80R |
| V57 | Petrol powdercoated | NCS S 4010-B50G |
| V59 | Blue | NCS S 8010-R70B |
| V60 | Green | NCS S 7020-G10Y |
| V61 | Red earth | NCS S 5040-Y70R |
| V62 | Yellow ochre | NCS S 5040-Y10R |
| V63 | Rust | NCS S 4040-Y70R |
| V64** | Bark brown | |
| V65 | Olive green | NCS S 6010-G90Y |
| V66 | Dark blue | NCS S 8010-R90B |
| V67 | Neptune blue | NCS S 7020-R90B |
| V68 | Snow white | NCS S 1002-Y |
| Compact HPL | | |
| H02 | White | NCS S 0502-G50Y |
| H03 | Black | NCS S 9000-N |
| H04 | Grey | |

| Materials | Description | Colour |
|-----------------------|--------------------|-------------------------|
| Melamine | | |
| N01 | White | NCS S 0502-G50Y |
| N02 | Black | NCS S 9000-N |
| MDF | | |
| M02 | White | RAL 9003 |
| M04 | Black | RAL 9005 |
| M08 | Moss green | NCS S 5020-G50Y |
| M09 | Red clay | NCS S 4030-Y60R |
| M18 | Autumn yellow | NCS S 6020 Y |
| M19 | Dijon yellow | NCS S 4030 Y10R |
| M20** | Sandy black | RAL 2100 |
| M21 | Ginger yellow | NCS S 1050 Y10R |
| M24 | Traffic white | NCS S 0500 N |
| M25 | Black | NCS S 8500 N |
| M30 | Oxidised red | NCS S 6020 Y90R |
| M38 | Siena red | NCS S 4030 Y70R |
| M67 | Neptune blue | NCS S 7020 R90B |
| M69 | Coral pink | NCS S 1050 Y70R |
| M70 | Tourmaline green | NCS S 7010 B90G |
| M71 | Antique green | NCS S 5010 G10Y |
| M72 | Prehnite green | NCS S 1020 G10Y |
| M73 | North Sea blue | NCS S 5030 B |
| M74 | Sky blue | NCS S 1020 B |
| M75 | Warm grey | NCS S 2500N |
| M76 | Midnight blue | NCS S 7020 R70B |
| M77 | Forest green | NCS S 8010 B70G |
| M78 | Jaipur pink | NCS S 5020 Y70R |
| MDF + laminate | | |
| M34 | Dark brown + White | RAL 8019-RAL 9003 |
| M39 | Black + White | RAL 9004-RAL 9003 |
| M48 | Red + White | RAL 2002-RAL 9003 |
| M53 | Ivory + White | NCS S2005-Y20R-RAL 9003 |
| Laminates | | |
| LM00022 | Effect natural oak | |
| LM13 | Effect black oak | |

| Materials | Description | Colour |
|----------------------------|------------------------------|-------------------------|
| Fenix | | |
| F01* | White | NCS S 0500-N / RAL 9016 |
| F02* | Black | NCS S 8500-N |
| F06* | Bromo grey | NCS S 6502-B / RAL 7012 |
| Porcelain stoneware | | |
| C10 | Clear | |
| C11 | Dark | |
| Venetian Terrazzo | | |
| B10 | Clear | |
| B11 | Dark | |
| Wood | | |
| L14 | Walnut | |
| L15 | Maple | |
| L21 | Wengé oak | |
| L22 | Natural oak | |
| L0006 | Black oak | |
| L0009 | Natural birch effect | |
| L0010 | Stained birch effect, oak | |
| L0011 | Stained birch effect, walnut | |
| L0012 | Stained birch effect, white | |
| L0013 | Stained birch effect, black | |
| L0020 | Bleached oak | |
| L0021 | Wengé oak | |
| L0022 | Natural oak | |
| L0023 | Teak effect | |
| L0027 | Heat-treated oak | |
| L0028 | Walnut | |

| Materials | Description | Colour |
|--------------------|---------------|-----------------|
| Marble | | |
| B01 | | |
| Glass | | |
| V02 | | |
| MDF + Glass | | |
| V75 | Warm grey | NCS S 2500N |
| V76 | Midnight blue | NCS S 7020 R70B |
| V77 | Forest green | NCS S 8010 B70G |
| V78 | Jaipur pink | NCS S 5020 Y70R |

NCS / RAL / PANTONE codes refer to the masters used for the colours. Surface finishes may cause slight variations in appearance relative to the indicated references.

*** The above references are not perfect equivalences, they are the best available match.**

**** Finishes without colour reference, please request a sample.**

Care instructions

Fabrics:

It is important that fabrics are cleaned regularly in order to keep them looking their best and extend their life. Powder and dirt can cause wear and tear on fabrics and as such we advise that you clean them using a low-pressure vacuum cleaner, preferably once a week.

Non-greasy stains can be removed by delicately dabbing them with a clean cloth that won't leave any lint or a sponge that has been soaked in clean, warm water then thoroughly squeezed out. If necessary, you can then soak with soapy water or water with liquid washing up detergent added (see formulas). Once this is done, soak the surface with clean, tepid water.

For greasy stains, use a dry stain remover. Ensure that you comply with the manufacturer's instructions as closely as possible. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Formulas: The soapy solution consists of ¼ deciliter soap flakes per liter of hot water, which must then be cooled before use. The solution with dishwashing liquid is made up of max 1 teaspoon of detergent per every liter of water. If you use concentrated products, pour only a few drops into each liter of product.

Coated fabrics:

Regularly dust using a microfibre cloth. In the event of stains, clean using a cloth that has been dampened using tepid water or water with some neutral soap in it. Do not use abrasive products, ethyl alcohol and solvent-based detergents. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Structural mesh in knitted fabric:

Made to Arper's technical specifications with post-consumption recycled polyester yarns, the knitted fabric mesh is soft and comfortable. The particular structure makes it self-draining and breathable, this ensures rapid passage of the water and makes it quick drying. It has excellent resistance to weathering, humidity and temperature changes, also thanks to the addition of anti-UV stabilisers that prevent and slow down natural ageing without the addition of substances dangerous to the environment or to health. **Maintenance:** It is important to regularly clean the fabric in order to maintain its appearance in the best conditions and to extend its life. Dust and dirt wear out the fabric, so it is recommended to clean it with low suction vacuum cleaners, preferably once a week. Non-grease stains are eliminated by gently dabbing them with a clean cloth that leaves no residue or a sponge immersed in clean hot water and then well squeezed. If necessary, wash by dipping the cloth used for cleaning in soapy water or water with the addition of liquid dishwashing detergent (see formulas). Then dab

the surface with clean warm water, letting it dry completely.

For grease stains, it is possible to use dry stain removers, scrupulously following the manufacturer's instructions.

Do not use hot steam, do not dry with electrical appliances with temperatures above 50°C. Do not use abrasive substances or chemical solvents.

In case of doubt, test the cleaning product on a part hidden from view to verify the result, waiting at least 24 hours for any problems to arise.

Formulas: The soapy solution consists of 1/4 dl of soap flakes for each litre of hot water, which then needs to be cooled before use. The solution with liquid dishwashing detergent consists of up to 1 teaspoon of detergent per litre of water. If you use concentrated products, pour only a few drops into each litre of product.

Leather, hard leather:

Take care not to place products in direct sunlight as this can alter the colour of these materials. Avoid exposing the materials to heat sources.

Regularly dust using a soft, dry cloth. Any stains need to be removed as quickly as possible to prevent them from soaking in deeply. Use absorbent paper or a cloth to absorb them straight away. For cleaning, use specific, high-quality leather cleaning products and comply with the manufacturer's instructions as closely as possible.

If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise. Alternatively, use a cloth that has been dampened with some water and well-diluted neutral soap. Do not rub. Instead, delicately dab the stain working from the edge into the centre, then dry immediately after treatment.

Wood:

Dust and common domestic stains can be removed using a solution made from water and well-diluted neutral soap. Under no circumstances should you use commercial stain removers for cleaning. In order to avoid scratching the products, use a soft cloth and clean using circular movements. Do not use solvents or abrasive products. Always dry surfaces using a dry cloth. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Wood for outdoor use:

Wood is a natural material suitable for outdoor use. For a sustainable approach, Arper selects only essences from Europe within an FSC certified chain of custody. The use of water-based paints, safe for health and the environment, guarantees a high level of protection and durability for outdoor use, with a reduced

Care instructions

Fabrics:

It is important that fabrics are cleaned regularly in order to keep them looking their best and extend their life. Powder and dirt can cause wear and tear on fabrics and as such we advise that you clean them using a low-pressure vacuum cleaner, preferably once a week.

Non-greasy stains can be removed by delicately dabbing them with a clean cloth that won't leave any lint or a sponge that has been soaked in clean, warm water then thoroughly squeezed out. If necessary, you can then soak with soapy water or water with liquid washing up detergent added (see formulas). Once this is done, soak the surface with clean, tepid water.

For greasy stains, use a dry stain remover. Ensure that you comply with the manufacturer's instructions as closely as possible. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Formulas: The soapy solution consists of ¼ deciliter soap flakes per liter of hot water, which must then be cooled before use. The solution with dishwashing liquid is made up of max 1 teaspoon of detergent per every liter of water. If you use concentrated products, pour only a few drops into each liter of product.

Coated fabrics:

Regularly dust using a microfibre cloth. In the event of stains, clean using a cloth that has been dampened using tepid water or water with some neutral soap in it. Do not use abrasive products, ethyl alcohol and solvent-based detergents. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Structural mesh in knitted fabric:

Made to Arper's technical specifications with post-consumption recycled polyester yarns, the knitted fabric mesh is soft and comfortable. The particular structure makes it self-draining and breathable, this ensures rapid passage of the water and makes it quick drying. It has excellent resistance to weathering, humidity and temperature changes, also thanks to the addition of anti-UV stabilisers that prevent and slow down natural ageing without the addition of substances dangerous to the environment or to health. Maintenance: It is important to regularly clean the fabric in order to maintain its appearance in the best conditions and to extend its life. Dust and dirt wear out the fabric, so it is recommended to clean it with low suction vacuum cleaners, preferably once a week. Non-grease stains are eliminated by gently dabbing them with a clean cloth that leaves no residue or a sponge immersed in clean hot water and then well squeezed. If necessary, wash by dipping the cloth used for cleaning in soapy water or water with the addition of liquid dishwashing detergent (see formulas). Then dab

the surface with clean warm water, letting it dry completely.

For grease stains, it is possible to use dry stain removers, scrupulously following the manufacturer's instructions.

Do not use hot steam, do not dry with electrical appliances with temperatures above 50°C. Do not use abrasive substances or chemical solvents.

In case of doubt, test the cleaning product on a part hidden from view to verify the result, waiting at least 24 hours for any problems to arise.

Formulas: The soapy solution consists of 1/4 dl of soap flakes for each litre of hot water, which then needs to be cooled before use. The solution with liquid dishwashing detergent consists of up to 1 teaspoon of detergent per litre of water. If you use concentrated products, pour only a few drops into each litre of product.

Leather, hard leather:

Take care not to place products in direct sunlight as this can alter the colour of these materials. Avoid exposing the materials to heat sources.

Regularly dust using a soft, dry cloth. Any stains need to be removed as quickly as possible to prevent them from soaking in deeply. Use absorbent paper or a cloth to absorb them straight away. For cleaning, use specific, high-quality leather cleaning products and comply with the manufacturer's instructions as closely as possible.

If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise. Alternatively, use a cloth that has been dampened with some water and well-diluted neutral soap. Do not rub. Instead, delicately dab the stain working from the edge into the centre, then dry immediately after treatment.

Wood:

Dust and common domestic stains can be removed using a solution made from water and well-diluted neutral soap. Under no circumstances should you use commercial stain removers for cleaning. In order to avoid scratching the products, use a soft cloth and clean using circular movements. Do not use solvents or abrasive products. Always dry surfaces using a dry cloth. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Wood for outdoor use:

Wood is a natural material suitable for outdoor use. For a sustainable approach, Arper selects only essences from Europe within an FSC certified chain of custody. The use of water-based paints, safe for health and the environment, guarantees a high level of protection and durability for outdoor use, with a reduced

Care instructions

Indications for use & maintenance of “outdoor” products:

Arper guarantees, through laboratory tests, the strength and durability of its products. It should be noted, however, that any material exposed to atmospheric agents and the elements, even if treated specifically for outdoor use, will undergo a gradual deterioration over time, the extent of which is closely related to the geographical position, the evolution of climatic phenomena, the more or less marked presence of humidity, salinity (poolside, marine environments).

Use and maintenance are conditions that determine the actual yield and maintenance in good condition of the product over time. It is therefore recommended to avoid critical external conditions such as prolonged and direct exposure to sunlight, pouring rain and aggressive environments such as proximity to the seaside or where the sea breeze can bring high levels of moisture with marine salinity or abrasive sands. Do not place wooden products on lawns or uneven surfaces, where any stagnation of water may damage the parts in contact. In any case, never let water or other liquids stagnate on the product. In the vicinity of plants or trees, remove any leaves, flowers or organic substances that could rest on the surfaces of the product, to prevent that their deterioration stains the paints or fabrics. In case of exposure to rain, as soon as possible, remove the pillows (if any) from the chair and let them dry separately to facilitate drying and drainage of the water.

Periodic cleaning is recommended, following the recommended indications for the different materials. For short periods when the product is not in use, it is recommended to cover it with the protective cover. In case of prolonged non-use or during the winter period, it is recommended to clean the product, allow it to dry well, and store it in a well-aerated indoor place, protected from the elements. The pillows (if any) must be removed from the chair, cleaned and left to dry well, and finally, stored in a well-aerated indoor place, protected from the elements.

I colori visualizzati sono puramente indicativi e possono variare rispetto alla realtà. Rivolgersi ad Arper o al proprio rivenditore di fiducia per ricevere un campione colore o per maggiori informazioni.

Arper SPA si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso.

Per maggiori informazioni visitate il sito arper.com

Colours shown are used for reference only and may look different in reality. Please contact Arper or your retailer to receive a colour sample or more information.

Arper SPA reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.

For further information, please visit arper.com

Bei den angezeigten Farben handelt es sich um reine Farbbeispiele, die von der Realität abweichen können.

Für Farbmuster und nähere Informationen wenden Sie sich bitte an Arper oder an den Händler Ihres Vertrauens.

Arper SPA behält sich das Recht vor, jederzeit und ohne Vorankündigung Veränderungen und Verbesserungen technischen und ästhetischen Charakters an seinen Produkten vorzunehmen.

Für weitere Informationen besuchen Sie bitte unsere Webseite arper.com

La reproduction photographique des couleurs n'est que purement indicative et peut être différente de la réalité. S'adresser à Arper ou à votre revendeur de confiance pour recevoir un échantillon de couleur ou pour de plus amples informations.

Arper SPA se réserve le droit d'apporter des modifications et/ou des améliorations d'ordre technique et esthétique à ses produits, et ceci à tout moment et sans préavis.

Pour plus d'informations, rendez-vous sur le site arper.com

Los colores visualizados son meramente indicativos y pueden diferir de la realidad. Para recibir una muestra del color o para más información, contactar a Arper o a su distribuidor de zona. Arper SPA se reserva el derecho de realizar cambios y/o mejoras técnicas y estéticas en sus productos en cualquier momento y sin previo aviso.

Para más información, visite arper.com

Italy

Monastier (TV) — Headquarters
and showroom
Arper SPA
Via Lombardia 16
31050 Monastier di Treviso (TV)
T +39 0422 7918
info@arper.com
www.arper.com

Commerciale Italia
T +39 0422 791905
commerciale@arper.com

Export Office
sales@arper.com

Milan — Showroom
Via Pantano 30
20122 Milan
T +39 02 89093865
milano@arper.com

EUROPE

UK

London — Subsidiary and showroom
Arper UK LTD
11 Clerkenwell Road
London EC1M 5PA
T +44 (0) 20 7253 0009
london@arper.com

Germany

Cologne — Showroom
Design Post Köln
Deutz-Mülheimer-Str. 22a
50679 Köln
T +49 221 690 650
info@designpost.de

Fruchtof München — Meeting Hub
2. Innenhof, 2. Etage
Gotzinger Straße 52b
D-81371 München
T +49 171 1080976
muenchen@arper.com

Norway

Oslo — Showroom
Drammensveien 130
0277 Oslo
T +47 908 202226
norway@arper.com

Sweden

Stockholm — Branch
T +46 705 101216
sweden@arper.com

The Netherlands

Amsterdam — Showroom
Design Post
Cruquiusweg 111-L
1019 AG Amsterdam
T +31 (0)20 705 1555
holland@arper.com

AMERICA

USA

New York — Subsidiary and showroom
Arper USA Inc.
476 Broadway, Suite 2F
NY 10013 New York
T +1 (212) 647 8900
infousa@arper.com

Chicago — Showroom
The Merchandise Mart
Space#346 - 3rd Floor
Chicago
T +1 (336) 434 2366
infousa@arper.com

High Point, North Carolina — Production
and logistics site
660 Southwest St
High Point, NC 27260
T +1 (336) 434 2370
infousa@arper.com

Los Angeles — Showroom
550 South Hope St., Suite 275
90071 Los Angeles
T +1 (336) 434 2382
infousa@arper.com

Mexico

Mexico City — Subsidiary and showroom
Culiacan 123, Piso 9
Col. Hipodromo Condesa
Delegation Cuauhtémoc
06170 – Ciudad de México
Mexico
T +52 1 62714417
infolatam@arper.com

ASIA

Japan

Arper Japan K.K. — Subsidiary
and showroom
HT Jingu Gaien Bldg.8F
Minato-ku Kita-Aoyama 2-7-22
Tokyo 107-0061
T +81 3 5775 0008
carejpn@arper.com

China

Shanghai — Subsidiary
爱尔派 (上海) 家具设计有限公司
2nd Floor, Unit N204-207,
Building N1,
The Bund Finance Center,
558 Zhongshan NO.2 Road(E),
Shanghai
T +86 021 5466 7366
china@arper.com

Singapore

Singapore — Branch
c/o 3 Lim Teck Kim Road, #01-01
Genting Centre
088934 Singapore
singapore@arper.com

UAE

Arper Middle East and India
— Subsidiary
and showroom
U-Bora Towers - Unit 1901
Business Bay
Dubai
T +971 529255633
infome@arper.com

arper